

Two-Tier Covered Drug List



LOUISIANA **BLUE**  

  HMO Louisiana

2026

Understanding Your Covered Drug List

Blue Cross and Blue Shield of Louisiana and our subsidiary, HMO Louisiana, Inc., along with Express Scripts, an independent company that serves as our pharmacy benefit manager, created this *Covered Drug List* to help you understand your drug benefits. Because drug benefits can be complex, understanding your benefits is key to getting the most from your health plan.

Throughout the year, our clinical staff works with our Pharmacy and Therapeutics Committee, a group of Louisiana doctors and pharmacists who are not employed by Louisiana Blue, to review published literature about the safety, efficacy and cost of prescription drugs.

You and your doctor always make the final decision for your healthcare needs. The information in this *List* can help you and your doctor make informed decisions before you fill your next prescription. That way, together you may choose the best drug for you while keeping your costs down. Please talk to your doctor or pharmacist about any questions or concerns you may have about your drug therapy.

Please Note: Inclusion of a drug in a drug formulary does not guarantee that your doctor or other authorized prescriber will prescribe the drug for a particular medical condition or mental illness.

Before you fill a prescription for any drug, you should take the following steps, if needed:

- 1) Check to see if the drugs you take are on the drug *List*.
- 2) Talk to your doctor about switching to a drug that is on the *List*, if needed.

Important Notes:

- This *List* is intended to include all drugs that your plan covers as of the time the document was created. But the *List* may change as changes occur in the marketplace.
- This *List* may not apply to all benefit plans. Some benefit plans may have different coverage for specific drugs.
- The *List* applies only to prescription drugs that network pharmacies dispense on an outpatient basis.
- See your member contract or certificate for pharmacy coverage for any exclusions and limitations that apply.
- Your doctor could prescribe a drug that is not on this *List*. In this case, a drug formulary exception can be requested. This may not be possible for all drugs.

How can you find information about your drugs?

Use the index at the end of this *List* to look up a drug you may take to quickly learn several important things:

- If you must first try one or more prescription drugs before your plan will cover a specific drug for your condition
- If your doctor must get prior authorization before your plan will pay for a drug
- If your plan limits the quantity that will be covered each time you fill a prescription

How are prescription drugs classified?

Your plan offers a 2-tier structure for drugs that are covered:

| Tier | Description of prescription drugs |
|------|---|
| 1 | Generic drugs This tier includes generic drugs. |
| 2 | Brand drugs This tier includes brand drugs. |

Generally, you will pay the least out of pocket for *generic drugs* that are in Tier 1. You will pay the most out of pocket for *brand drugs* in Tier 2.

What does it mean when there is a “+” sign in the Tier section?

You will pay more for some covered brand drugs marked with a “+” that have lost patent protection because a generic equivalent has become available. If you or your doctor decides you should continue to take the brand drug instead of the generic drug, you will be responsible for the generic drug cost share amount, plus the difference in cost

between that brand and the generic drug. This is called “brand buy up.” This will also apply to covered brand drugs for which a generic equivalent becomes available after the publishing of this *List*.

Please note: Brand buy up may not apply to certain covered brand drugs. Examples are select anti-seizure medications, select thyroid hormones and Coumadin.

What does it mean when the Tier section shows \$0 or \$0*?

Certain drugs may be eligible for first-dollar coverage. That means you do not pay out of pocket for them and you do not pay a deductible. Drugs in these programs are marked with a \$0 or a \$0* under the tier column. Because some benefit plans do not have this type of coverage, you should read your plan materials to find out if you have it. Note that restrictions or limitations may apply, including age, gender or frequency.

Broad categories of drugs that may be eligible for this coverage include:

| | |
|-------------|---|
| \$0 | Selected contraceptives for women |
| \$0 | Selected preventive drugs as recommended by the U.S. Preventive Services Task Force (USPSTF). For example, selected bowel prep products when used with a wellness screening colonoscopy. |
| \$0* | Selected additional generic preventive drugs used for the following: <ul style="list-style-type: none"> • Coronary heart disease • Heart failure • Prenatal health |

Example of How Drugs Are Listed:

| Drug | Tier | Requirements/Limits |
|--|----------|--|
| <i>generic drug name</i> | 1 | QPD |
| BRAND DRUG NAME | 2 | PA; ST |
| Key: <ul style="list-style-type: none"> • <i>generic drugs</i> are in lowercase <i>italics</i> • BRAND drugs are in ALL CAPS | | Key: <ul style="list-style-type: none"> PA = Prior authorization QPD = Quantity per dispensing limits ST = Step therapy restrictions SP = Specialty drug restrictions LA = Limited access |

What do the abbreviations in the Requirements/Limits column mean?

PA: Medications requiring prior authorization

We must authorize certain drugs before your plan will pay for them. After considering current medical literature, the Pharmacy and Therapeutics Committee sets up the criteria needed for the drugs to be authorized. Then, Express Scripts processes the prior authorization requests.

If you need prior authorization, have your doctor contact Express Scripts:

Call: 1-800-842-2015

Fax: 1-877-251-5896

For the physician fax form, go to: www.lablue.com > **Provider** > **Pharmacy**.

ST: Medications requiring participation in the Fill This First step therapy program

For drugs in our Fill This First step therapy program, you must first try certain prescription drugs (Step 1) before your plan will cover other drugs (Step 2) for your condition. If one or more of the Step 1 drugs are not

right for you, your doctor may call us for a prior authorization for a Step 2 drug. You can find more information about drugs that you must try first at www.lablue.com/CoveredDrugs.

QPD: Medications that have quantity per dispensing limits

Covered prescriptions have a day-supply limitation (typically up to a 30-day supply at a retail pharmacy and up to a 90-day supply for mail-order). Your plan also limits the amount of certain drugs that can be dispensed at one time. We call those restrictions quantity per dispensing (QPD) limits.

QPD limits are additional to the day-supply limitation and are based on the manufacturer's recommended dosage and duration of therapy, common usage for episodic or intermittent treatment, FDA-approved recommendations or clinical studies and as determined by Louisiana Blue. QPD limits or allowances are subject to quantity limits per day supply, per dispensing event or any combination of the two. Read your member contract or certificate for the limits for your plan. For a complete list of **Quantity per Dispensing (QPD) Level Limits/Allowances**, go to: www.lablue.com/CoveredDrugs.

SP: Specialty drug restrictions

Certain drugs are commonly called specialty drugs. Specialty drugs include biotechnology drugs or other drug products that may require special ordering, handling or customer service. Your policy may limit specialty drugs to the retail day supply listed in your plan (typically a 30-day supply). Read your *Schedule of Benefits* for any restrictions that apply to you. For a complete list of specialty drugs, go to: www.lablue.com/CoveredDrugs.

LA: Medications that have limited access

Some medications require unique handling, administration or monitoring. When this is the case, the manufacturer and/or the FDA may require that the drug be dispensed only by certain pharmacies.

Questions?

If your doctor prescribes a drug that is not on this *List*, or if you have any questions, call Express Scripts at 1-866-781-7533.

For more information and updates, go to: www.lablue.com/CoveredDrugs or www.express-scripts.com.

Table of Contents

| | |
|--|----|
| *Adhd/Anti-Narcolepsy/Anti-Obesity/Anorexiant* | 3 |
| *Aminoglycosides* | 4 |
| *Analgesics - Anti-Inflammatory* | 4 |
| *Analgesics - Nonnarcotic* | 6 |
| *Analgesics - Opioid* | 8 |
| *Androgens-Anabolic* | 10 |
| *Anorectal And Related Products* | 10 |
| *Anthelmintics* | 11 |
| *Antianginal Agents* | 11 |
| *Antianxiety Agents* | 11 |
| *Antiarrhythmics* | 12 |
| *Antiasthmatic And Bronchodilator Agents* | 12 |
| *Anticoagulants* | 15 |
| *Anticonvulsants* | 16 |
| *Antidepressants* | 18 |
| *Antidiabetics* | 20 |
| *Antidiarrheal/Probiotic Agents* | 23 |
| *Antidotes And Specific Antagonists* | 23 |
| *Antiemetics* | 24 |
| *Antifungals* | 25 |
| *Antihistamines* | 25 |
| *Antihyperlipidemics* | 26 |
| *Antihypertensives* | 27 |
| *Anti-Infective Agents - Misc.* | 29 |
| *Antimalarials* | 30 |
| *Antimyasthenic/Cholinergic Agents* | 30 |
| *Antimycobacterial Agents* | 30 |
| *Antineoplastics And Adjunctive Therapies* | 31 |
| *Antiparkinson And Related Therapy Agents* | 38 |
| *Antipsychotics/Antimanic Agents* | 39 |
| *Antivirals* | 40 |
| *Beta Blockers* | 43 |
| *Calcium Channel Blockers* | 44 |
| *Cardiotonics* | 45 |
| *Cardiovascular Agents - Misc.* | 45 |
| *Cephalosporins* | 46 |
| *Contraceptives* | 47 |
| *Corticosteroids* | 53 |
| *Cough/Cold/Allergy* | 53 |
| *Dermatologicals* | 54 |
| *Diagnostic Products* | 61 |
| *Digestive Aids* | 62 |
| *Diuretics* | 62 |
| *Endocrine And Metabolic Agents - Misc.* | 63 |
| *Estrogens* | 65 |
| *Fluoroquinolones* | 66 |
| *Gastrointestinal Agents - Misc.* | 67 |
| *Genitourinary Agents - Miscellaneous* | 69 |
| *Gout Agents* | 69 |
| *Hematological Agents - Misc.* | 70 |
| *Hematopoietic Agents* | 71 |

| | |
|---|-----|
| *Hemostatics* | 71 |
| *Hypnotics/Sedatives/Sleep Disorder Agents* | 71 |
| *Laxatives* | 72 |
| *Macrolides* | 74 |
| *Medical Devices And Supplies* | 74 |
| *Migraine Products* | 76 |
| *Minerals & Electrolytes* | 77 |
| *Miscellaneous Therapeutic Classes* | 78 |
| *Mouth/Throat/Dental Agents* | 79 |
| *Multivitamins* | 80 |
| *Musculoskeletal Therapy Agents* | 82 |
| *Nasal Agents - Systemic And Topical* | 83 |
| *Neuromuscular Agents* | 83 |
| *Ophthalmic Agents* | 83 |
| *Otic Agents* | 87 |
| *Oxytocics* | 87 |
| *Passive Immunizing And Treatment Agents* | 88 |
| *Penicillins* | 88 |
| *Progestins* | 88 |
| *Psychotherapeutic And Neurological Agents - Misc.* | 88 |
| *Respiratory Agents - Misc.* | 93 |
| *Sulfonamides* | 93 |
| *Tetracyclines* | 93 |
| *Thyroid Agents* | 94 |
| *Toxoids* | 94 |
| *Ulcer Drugs/Antispasmodics/Anticholinergics* | 95 |
| *Urinary Antispasmodics* | 96 |
| *Vaccines* | 97 |
| *Vaginal And Related Products* | 99 |
| *Vasopressors* | 100 |
| *Vitamins* | 100 |

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| *Adhd/Anti-Narcolepsy/Anti-Obesity/Anorexians* | | |
| *Adhd Agent - Selective Alpha Adrenergic Agonists*** | | |
| <i>clonidine hcl er oral tablet extended release 12 hour</i> | 1 | QPD |
| <i>guanfacine hcl er</i> | 1 | QPD |
| *Adhd Agent - Selective Norepinephrine Reuptake Inhibitor*** | | |
| <i>atomoxetine hcl</i> | 1 | QPD |
| QELBREE | 2 | PA; QPD |
| *Amphetamine Mixtures*** | | |
| <i>amphetamine-dextroamphet er</i> | 1 | QPD |
| <i>amphetamine-dextroamphetamine</i> | 1 | QPD |
| <i>amphet-dextroamphet 3-bead er</i> | 1 | QPD |
| *Amphetamines*** | | |
| <i>dextroamphetamine sulfate er</i> | 1 | QPD |
| <i>dextroamphetamine sulfate oral solution</i> | 1 | |
| <i>dextroamphetamine sulfate oral tablet 10 mg, 5 mg</i> | 1 | QPD |
| <i>lisdexamfetamine dimesylate</i> | 1 | QPD |
| <i>methamphetamine hcl</i> | 1 | QPD |
| *Analeptics*** | | |
| <i>caffeine citrate oral</i> | 1 | |
| *Dopamine And Norepinephrine Reuptake Inhibitors (Dnris)*** | | |
| SUNOSI | 2 | PA; QPD |
| *Stimulant Combinations*** | | |
| AZSTARYS | 2 | QPD |
| *Stimulants - Misc.*** | | |
| <i>armodafinil</i> | 1 | PA; QPD |
| <i>dexmethylphenidate hcl</i> | 1 | QPD |
| <i>dexmethylphenidate hcl er</i> | 1 | QPD |
| <i>methylphenidate</i> | 1 | QPD |
| <i>methylphenidate hcl er</i> | 1 | QPD |
| <i>methylphenidate hcl er (cd)</i> | 1 | QPD |
| <i>methylphenidate hcl er (la)</i> | 1 | QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <i>methylphenidate hcl er (osm) oral tablet extended release 18 mg, 27 mg, 36 mg, 54 mg</i> | 1 | QPD |
| <i>methylphenidate hcl er(diffus)</i> | 1 | QPD |
| <i>methylphenidate hcl oral</i> | 1 | QPD |
| <i>modafinil oral</i> | 1 | PA; QPD |
| QUILLICHEW ER | 2 | QPD |
| QUILLIVANT XR ORAL SUSPENSION RECONSTITUTED ER | 2 | QPD |
| *Aminoglycosides* | | |
| *Aminoglycosides*** | | |
| ARIKAYCE | 2 | PA; QPD; SP; LA |
| <i>neomycin sulfate oral</i> | 1 | |
| TOBI PODHALER | 2 | PA; QPD; SP |
| <i>tobramycin inhalation</i> | 1 | PA; QPD; SP |
| *Analgesics - Anti-Inflammatory* | | |
| *Antirheumatic - Janus Kinase (Jak) Inhibitors*** | | |
| OLUMIANT | 2 | PA; QPD; SP; LA |
| RINVOQ | 2 | PA; QPD; SP; LA |
| RINVOQ LQ | 2 | PA; QPD; SP; LA |
| XELJANZ | 2 | PA; QPD; SP |
| XELJANZ XR | 2 | PA; QPD; SP |
| *Antirheumatic Antimetabolites*** | | |
| RASUVO SUBCUTANEOUS SOLUTION AUTO-INJECTOR 10 MG/0.2ML, 12.5 MG/0.25ML, 15 MG/0.3ML, 17.5 MG/0.35ML, 20 MG/0.4ML, 22.5 MG/0.45ML, 25 MG/0.5ML, 30 MG/0.6ML, 7.5 MG/0.15ML | 2 | QPD; SP |
| *Anti-Tnf-Alpha - Monoclonal Antibodies*** | | |
| ADALIMUMAB-ADAZ | 2 | PA; QPD; SP |
| ADALIMUMAB-ADB (2 PEN) | 2 | PA; QPD; SP |
| ADALIMUMAB-ADB (2 SYRINGE) SUBCUTANEOUS PREFILLED SYRINGE KIT 40 MG/0.4ML, 40 MG/0.8ML | 2 | PA; QPD; SP |
| ADALIMUMAB-RYVK (2 PEN) | 2 | PA; QPD; SP |
| ADALIMUMAB-RYVK (2 SYRINGE) | 2 | PA; QPD; SP |
| SIMLANDI (1 PEN) | 2 | PA; QPD; SP |
| SIMLANDI (2 PEN) | 2 | PA; QPD; SP |
| SIMLANDI (2 SYRINGE) | 2 | PA; QPD; SP |
| SIMPONI SUBCUTANEOUS SOLUTION AUTO-INJECTOR | 2 | PA; QPD; SP |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| SIMPONI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 2 | PA; QPD; SP |
| *Cyclooxygenase 2 (Cox-2) Inhibitors*** | | |
| <i>celecoxib oral</i> | 1 | QPD |
| *Gold Compounds*** | | |
| RIDAURA | 2 | |
| *Interleukin-1 Blockers*** | | |
| ARCALYST | 2 | QPD; SP; LA |
| *Interleukin-1 Receptor Antagonist (Il-1Ra)*** | | |
| KINERET SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 2 | PA; QPD; SP; LA |
| *Interleukin-6 Receptor Inhibitors*** | | |
| ACTEMRA ACTPEN | 2 | PA; QPD; SP; LA |
| ACTEMRA SUBCUTANEOUS | 2 | PA; QPD; SP; LA |
| KEVZARA SUBCUTANEOUS SOLUTION AUTO-INJECTOR | 2 | PA; QPD; SP |
| KEVZARA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 200 MG/1.14ML | 2 | PA; QPD; SP |
| TYENNE SUBCUTANEOUS | 2 | PA; QPD; SP |
| *Nonsteroidal Anti-Inflammatory Agent Combinations*** | | |
| <i>diclofenac-misoprostol oral tablet delayed release</i> | 1 | |
| *Nonsteroidal Anti-Inflammatory Agents (Nsaids)*** | | |
| <i>diclofenac potassium oral tablet 50 mg</i> | 1 | |
| <i>diclofenac sodium er</i> | 1 | |
| <i>diclofenac sodium oral</i> | 1 | |
| <i>etodolac er</i> | 1 | |
| <i>etodolac oral</i> | 1 | |
| <i>flurbiprofen oral</i> | 1 | |
| <i>ibu</i> | 1 | |
| <i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i> | 1 | |
| <i>indomethacin er</i> | 1 | |
| <i>indomethacin oral capsule 25 mg, 50 mg</i> | 1 | |
| <i>ketoprofen oral capsule 50 mg</i> | 1 | |
| <i>ketorolac tromethamine oral</i> | 1 | QPD |
| <i>meclofenamate sodium oral</i> | 1 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| <i>mefenamic acid oral</i> | 1 | PA |
| <i>meloxicam oral tablet</i> | 1 | QPD |
| <i>nabumetone oral</i> | 1 | |
| <i>naproxen oral tablet</i> | 1 | |
| <i>naproxen oral tablet delayed release</i> | 1 | |
| <i>naproxen sodium oral tablet 275 mg, 550 mg</i> | 1 | |
| <i>oxaprozin oral tablet</i> | 1 | |
| <i>piroxicam oral</i> | 1 | |
| <i>sulindac oral</i> | 1 | |
| *Phosphodiesterase 4 (Pde4) Inhibitors*** | | |
| OTEZLA ORAL TABLET | 2 | PA; QPD; SP |
| OTEZLA ORAL TABLET THERAPY PACK | 2 | PA; QPD; SP |
| OTEZLA XR | 2 | PA; QPD; SP |
| OTEZLA/OTEZLA XR INITIATION PK | 2 | PA; QPD; SP |
| *Pyrimidine Synthesis Inhibitors*** | | |
| <i>leflunomide oral</i> | 1 | QPD |
| *Selective Costimulation Modulators*** | | |
| ORENCIA CLICKJECT | 2 | PA; QPD; SP |
| ORENCIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 2 | PA; QPD; SP |
| *Soluble Tumor Necrosis Factor Receptor Agents*** | | |
| ENBREL MINI | 2 | PA; QPD; SP |
| ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5ML | 2 | PA; QPD; SP |
| ENBREL SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 2 | PA; QPD; SP |
| ENBREL SURECLICK SUBCUTANEOUS SOLUTION AUTO-INJECTOR | 2 | PA; QPD; SP |
| *Analgesics - Nonnarcotic* | | |
| *Analgesics-Sedatives*** | | |
| <i>bac (butalbital-acetamin-caff)</i> | 1 | QPD |
| <i>butalbital-acetaminophen oral tablet 50-325 mg</i> | 1 | QPD |
| <i>butalbital-apap-caffeine oral capsule</i> | 1 | QPD |
| <i>butalbital-apap-caffeine oral tablet 50-325-40 mg</i> | 1 | QPD |
| <i>butalbital-aspirin-caffeine oral capsule</i> | 1 | |
| <i>tencon oral tablet 50-325 mg</i> | 1 | QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| *Salicylates*** | | |
| <i>aspirin 81</i> | \$0 | |
| <i>aspirin adult low dose</i> | \$0 | |
| <i>aspirin adult low strength oral tablet delayed release</i> | \$0 | |
| <i>aspirin childrens</i> | \$0 | |
| <i>aspirin ec adult low dose</i> | \$0 | |
| <i>aspirin ec low dose</i> | \$0 | |
| <i>aspirin ec low strength</i> | \$0 | |
| <i>aspirin ec oral tablet delayed release 81 mg</i> | \$0 | |
| <i>aspirin low dose oral tablet chewable</i> | \$0 | |
| <i>aspirin low dose oral tablet delayed release</i> | \$0 | |
| <i>aspirin low strength</i> | \$0 | |
| <i>aspirin oral tablet chewable</i> | \$0 | |
| <i>aspirin oral tablet delayed release 81 mg</i> | \$0 | |
| <i>bayer aspirin ec low dose</i> | \$0 | |
| <i>bayer low dose oral tablet delayed release</i> | \$0 | |
| <i>childrens aspirin</i> | \$0 | |
| <i>cvs aspirin adult low dose</i> | \$0 | |
| <i>cvs aspirin adult low strength</i> | \$0 | |
| <i>cvs aspirin ec oral tablet delayed release 81 mg</i> | \$0 | |
| <i>cvs aspirin low dose</i> | \$0 | |
| <i>cvs aspirin low strength oral tablet delayed release</i> | \$0 | |
| <i>diflunisal oral</i> | 1 | |
| <i>ecotrin low strength</i> | \$0 | |
| <i>eq aspirin adult low dose</i> | \$0 | |
| <i>eq aspirin low dose oral tablet chewable</i> | \$0 | |
| <i>eql aspirin low dose</i> | \$0 | |
| <i>ft aspirin low dose</i> | \$0 | |
| <i>gnp adult aspirin low strength oral tablet chewable</i> | \$0 | |
| <i>gnp aspirin low dose</i> | \$0 | |
| <i>gnp aspirin oral tablet delayed release 81 mg</i> | \$0 | |
| <i>goodsense aspirin low dose</i> | \$0 | |
| <i>goodsense aspirin oral tablet chewable</i> | \$0 | |
| <i>kls aspirin low dose</i> | \$0 | |
| <i>kp aspirin</i> | \$0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <i>mm aspirin oral tablet delayed release</i> | \$0 | |
| <i>qc aspirin low dose</i> | \$0 | |
| <i>qc childrens aspirin</i> | \$0 | |
| <i>salsalate oral</i> | 1 | |
| <i>sb childrens aspirin</i> | \$0 | |
| <i>sb low dose asa ec</i> | \$0 | |
| <i>st joseph aspirin oral tablet delayed release</i> | \$0 | |
| <i>st joseph low dose</i> | \$0 | |
| *Analgesics - Opioid* | | |
| *Codeine Combinations*** | | |
| <i>acetaminophen-codeine</i> | 1 | PA; QPD |
| <i>ascomp-codeine</i> | 1 | PA; QPD |
| <i>butalbital-apap-caff-cod</i> | 1 | PA; QPD |
| <i>butalbital-asa-caff-codeine</i> | 1 | PA; QPD |
| *Hydrocodone Combinations*** | | |
| <i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15ml</i> | 1 | PA; QPD |
| <i>hydrocodone-acetaminophen oral tablet 10-300 mg, 10-325 mg, 2.5-325 mg, 5-300 mg, 5-325 mg, 7.5-300 mg, 7.5-325 mg</i> | 1 | PA; QPD |
| <i>hydrocodone-ibuprofen oral tablet 5-200 mg, 7.5-200 mg</i> | 1 | PA; QPD |
| *Opioid Agonists*** | | |
| <i>codeine sulfate oral tablet</i> | 1 | PA |
| <i>diskets</i> | 1 | PA |
| <i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i> | 1 | PA; QPD |
| <i>hydrocodone bitartrate er oral tablet er 24 hour abuse-deterrent</i> | 1 | PA; QPD |
| <i>hydromorphone hcl er oral tablet extended release 24 hour</i> | 1 | PA; QPD |
| <i>hydromorphone hcl oral</i> | 1 | PA |
| <i>hydromorphone hcl rectal</i> | 1 | PA |
| <i>levorphanol tartrate oral tablet 2 mg</i> | 1 | PA; QPD |
| <i>meperidine hcl oral solution</i> | 1 | PA |
| <i>meperidine hcl oral tablet 50 mg</i> | 1 | PA |
| <i>methadone hcl intensol</i> | 1 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <i>methadone hcl oral</i> | 1 | PA |
| <i>methadose oral concentrate 10 mg/ml</i> | 1 | PA |
| <i>methadose oral tablet soluble</i> | 1 | PA |
| <i>methadose sugar-free</i> | 1 | PA |
| <i>morphine sulfate (concentrate) oral solution 10 mg/0.5ml, 100 mg/5ml, 20 mg/ml</i> | 1 | PA |
| <i>morphine sulfate er beads</i> | 1 | PA; QPD |
| <i>morphine sulfate er oral capsule extended release 24 hour 10 mg, 100 mg, 20 mg, 30 mg, 50 mg, 60 mg, 80 mg</i> | 1 | PA; QPD |
| <i>morphine sulfate er oral tablet extended release</i> | 1 | PA; QPD |
| <i>morphine sulfate oral</i> | 1 | PA |
| <i>morphine sulfate rectal</i> | 1 | PA |
| NUCYNTA | 2+ | PA |
| <i>oxycodone hcl oral capsule</i> | 1 | PA |
| <i>oxycodone hcl oral concentrate 100 mg/5ml</i> | 1 | PA |
| <i>oxycodone hcl oral solution</i> | 1 | PA |
| <i>oxycodone hcl oral tablet</i> | 1 | PA |
| <i>oxymorphone hcl</i> | 1 | PA |
| <i>oxymorphone hcl er</i> | 1 | PA; QPD |
| <i>tramadol hcl (er biphasic) oral tablet extended release 24 hour</i> | 1 | QPD |
| <i>tramadol hcl er</i> | 1 | QPD |
| TRAMADOL HCL ORAL SOLUTION | 2 | PA; QPD |
| <i>tramadol hcl oral tablet 50 mg</i> | 1 | |
| XTAMPZA ER | 2 | PA; QPD |
| <i>xyvona oral tablet 2 mg</i> | 1 | PA; QPD |
| *Opioid Combinations*** | | |
| <i>endocet oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg</i> | 1 | PA; QPD |
| <i>oxycodone-acetaminophen oral solution 5-325 mg/5ml</i> | 1 | PA; QPD |
| <i>oxycodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg</i> | 1 | PA; QPD |
| *Opioid Partial Agonists*** | | |
| BELBUCA | 2 | PA; QPD |
| <i>buprenorphine hcl-naloxone hcl sublingual film</i> | 1 | QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| <i>buprenorphine transdermal</i> | 1 | PA; QPD |
| <i>butorphanol tartrate nasal</i> | 1 | QPD |
| <i>pentazocine-naloxone hcl</i> | 1 | |
| ZUBSOLV | 2 | QPD |
| *Tramadol Combinations*** | | |
| <i>tramadol-acetaminophen</i> | 1 | QPD |
| *Androgens-Anabolic* | | |
| *Androgens*** | | |
| <i>danazol oral</i> | 1 | |
| METHITEST | 2 | PA |
| <i>testosterone cypionate intramuscular solution 100 mg/ml, 200 mg/ml</i> | 1 | |
| <i>testosterone enanthate intramuscular solution</i> | 1 | |
| TESTOSTERONE GEL 12.5 MG/ACT (1%) TRANSDERMAL | 2 | PA; QPD |
| <i>testosterone transdermal gel 1.62 %, 12.5 mg/act (1%), 20.25 mg/1.25gm (1.62%), 20.25 mg/act (1.62%), 25 mg/2.5gm (1%), 40.5 mg/2.5gm (1.62%), 50 mg/5gm (1%)</i> | 1 | PA; QPD |
| <i>testosterone transdermal solution</i> | 1 | PA; QPD |
| *Anorectal And Related Products* | | |
| *Intrarectal Steroids*** | | |
| <i>budesonide rectal foam 2 mg</i> | 1 | |
| CORTIFOAM EXTERNAL | 2 | |
| <i>hydrocortisone rectal enema</i> | 1 | |
| *Nitrate Vasodilating Agents*** | | |
| <i>nitroglycerin rectal</i> | 1 | |
| *Rectal Anesthetic/Steroids*** | | |
| <i>hydrocortisone ace-pramoxine external cream 1-1 %</i> | 1 | |
| <i>hydrocort-pramoxine (perianal)</i> | 1 | |
| <i>lidocaine-hydrocort (perianal)</i> | 1 | |
| *Rectal Steroids*** | | |
| <i>anucort-hc</i> | 1 | |
| <i>hydrocortisone (perianal)</i> | 1 | |
| <i>hydrocortisone acetate rectal suppository 25 mg</i> | 1 | |
| <i>procto-med hc external</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <i>proctosol hc external</i> | 1 | |
| <i>proctozone-hc external</i> | 1 | |
| *Anthelmintics* | | |
| *Anthelmintics*** | | |
| <i>albendazole oral</i> | 1 | |
| EMVERM | 2 | QPD |
| <i>ivermectin oral tablet 3 mg</i> | 1 | PA |
| <i>praziquantel oral</i> | 1 | |
| *Antianginal Agents* | | |
| *Antianginals-Other*** | | |
| <i>ranolazine er</i> | 1 | |
| *Nitrates*** | | |
| <i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg, 5 mg</i> | 1 | |
| <i>isosorbide mononitrate</i> | 1 | |
| <i>isosorbide mononitrate er</i> | 1 | |
| <i>nitro-bid</i> | 1 | |
| <i>nitroglycerin sublingual</i> | 1 | |
| <i>nitroglycerin transdermal patch 24 hour</i> | 1 | |
| <i>nitro-time</i> | 1 | |
| *Antianxiety Agents* | | |
| *Antianxiety Agents - Misc.*** | | |
| <i>bupirone hcl oral</i> | 1 | |
| <i>hydroxyzine hcl oral syrup 10 mg/5ml</i> | 1 | |
| <i>hydroxyzine hcl oral tablet</i> | 1 | |
| <i>hydroxyzine pamoate oral</i> | 1 | |
| <i>meprobamate</i> | 1 | |
| *Benzodiazepines*** | | |
| <i>alprazolam er</i> | 1 | |
| <i>alprazolam intensol</i> | 1 | |
| <i>alprazolam oral</i> | 1 | |
| <i>alprazolam xr</i> | 1 | |
| <i>chlordiazepoxide hcl</i> | 1 | |
| <i>clorazepate dipotassium</i> | 1 | |
| <i>diazepam intensol</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <i>diazepam oral concentrate</i> | 1 | |
| <i>diazepam oral solution 5 mg/5ml</i> | 1 | |
| <i>diazepam oral tablet</i> | 1 | |
| <i>lorazepam intensol</i> | 1 | |
| <i>lorazepam oral concentrate 2 mg/ml</i> | 1 | |
| <i>lorazepam oral tablet</i> | 1 | |
| <i>oxazepam</i> | 1 | |
| *Antiarrhythmics* | | |
| *Antiarrhythmics Type I-A*** | | |
| <i>disopyramide phosphate oral</i> | 1 | |
| NORPACE CR | 2 | |
| <i>quinidine gluconate er</i> | 1 | |
| <i>quinidine sulfate oral</i> | 1 | |
| *Antiarrhythmics Type I-B*** | | |
| <i>mexiletine hcl oral</i> | 1 | |
| *Antiarrhythmics Type I-C*** | | |
| <i>flecainide acetate</i> | 1 | |
| <i>propafenone hcl</i> | 1 | |
| <i>propafenone hcl er</i> | 1 | |
| *Antiarrhythmics Type Iii*** | | |
| <i>amiodarone hcl oral</i> | 1 | |
| <i>dofetilide</i> | 1 | |
| MULTAQ | 2 | |
| <i>pacerone oral tablet 100 mg, 200 mg</i> | 1 | |
| *Antiasthmatic And Bronchodilator Agents* | | |
| *5-Lipoxygenase Inhibitors*** | | |
| <i>zileuton er</i> | 1 | PA; QPD |
| *Adrenergic Combinations*** | | |
| ADVAIR HFA | 2 | QPD |
| ANORO ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 62.5-25 MCG/ACT | 2 | QPD |
| BEVESPI AEROSPHERE | 2 | PA; QPD |
| BREO ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 100-25 MCG/ACT, 200-25 MCG/ACT, 50-25 MCG/INH | 2 | QPD |
| <i>breynd</i> | 1 | QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| BREZTRI AEROSPHERE | 2 | QPD |
| <i>budesonide-formoterol fumarate</i> | 1 | QPD |
| COMBIVENT RESPIMAT | 2 | QPD |
| DULERA | 2 | QPD |
| <i>fluticasone-salmeterol inhalation aerosol powder breath activated 100-50 mcg/act, 250-50 mcg/act, 500-50 mcg/act</i> | 1 | QPD |
| FLUTICASONE-SALMETEROL INHALATION AEROSOL POWDER BREATH ACTIVATED 113-14 MCG/ACT, 232-14 MCG/ACT, 55-14 MCG/ACT | 2 | QPD |
| <i>ipratropium-albuterol inhalation solution 0.5-2.5 (3) mg/3ml</i> | 1 | QPD |
| STIOLTO RESPIMAT INHALATION AEROSOL SOLUTION 2.5-2.5 MCG/ACT | 2 | QPD |
| TRELEGY ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 100-62.5-25 MCG/ACT, 200-62.5-25 MCG/ACT | 2 | QPD |
| <i>wixela inhub inhalation aerosol powder breath activated 100-50 mcg/act, 250-50 mcg/act, 500-50 mcg/act</i> | 1 | QPD |
| *Anti-Inflammatory Agents*** | | |
| <i>cromolyn sodium inhalation</i> | 1 | PA; QPD |
| *Beta Adrenergics*** | | |
| <i>albuterol sulfate hfa inhalation aerosol solution 108 (90 base) mcg/act</i> | 1 | QPD |
| <i>albuterol sulfate inhalation</i> | 1 | |
| <i>albuterol sulfate oral syrup 2 mg/5ml</i> | 1 | |
| <i>albuterol sulfate oral tablet</i> | 1 | |
| <i>arformoterol tartrate</i> | 1 | PA; QPD |
| <i>formoterol fumarate inhalation</i> | 1 | PA; QPD |
| <i>levalbuterol hcl inhalation nebulization solution 0.31 mg/3ml, 0.63 mg/3ml, 1.25 mg/0.5ml, 1.25 mg/3ml</i> | 1 | |
| LEVALBUTEROL TARTRATE | 2 | PA; QPD |
| PROAIR RESPICLICK | 2 | QPD |
| SEREVENT DISKUS INHALATION AEROSOL POWDER BREATH ACTIVATED 50 MCG/ACT | 2 | QPD |
| STRIVERDI RESPIMAT | 2 | QPD |
| <i>terbutaline sulfate oral</i> | 1 | |
| VENTOLIN HFA | 2 | QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| XOPENEX HFA | 2 | PA; QPD |
| *Bronchodilators - Anticholinergics*** | | |
| ATROVENT HFA | 2 | QPD |
| INCRUSE ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 62.5 MCG/ACT | 2 | QPD |
| <i>ipratropium bromide inhalation</i> | 1 | |
| SPIRIVA RESPIMAT INHALATION AEROSOL SOLUTION 1.25 MCG/ACT, 2.5 MCG/ACT | 2 | QPD |
| <i>tiotropium bromide</i> | 1 | QPD |
| TUDORZA PRESSAIR INHALATION AEROSOL POWDER BREATH ACTIVATED 400 MCG/ACT | 2 | PA; QPD |
| *Interleukin-5 Antagonists (Ilg1 Kappa)*** | | |
| FASENRA PEN | 2 | PA; QPD; SP |
| NUCALA SUBCUTANEOUS SOLUTION AUTO-INJECTOR | 2 | PA; QPD; SP; LA |
| NUCALA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 2 | PA; QPD; SP; LA |
| *Leukotriene Receptor Antagonists*** | | |
| <i>montelukast sodium oral</i> | 1 | QPD |
| <i>zafirlukast</i> | 1 | QPD |
| *Selective Phosphodiesterase 4 (Pde4) Inhibitors*** | | |
| <i>roflumilast</i> | 1 | QPD |
| *Steroid Inhalants*** | | |
| ALVESCO | 2 | PA; QPD |
| ARNUITY ELLIPTA | 2 | QPD |
| ASMANEX (120 METERED DOSES) INHALATION AEROSOL POWDER BREATH ACTIVATED 220 MCG/ACT | 2 | PA; QPD |
| ASMANEX (14 METERED DOSES) INHALATION AEROSOL POWDER BREATH ACTIVATED 220 MCG/ACT | 2 | PA; QPD |
| ASMANEX (30 METERED DOSES) INHALATION AEROSOL POWDER BREATH ACTIVATED 110 MCG/ACT, 220 MCG/ACT | 2 | PA; QPD |
| ASMANEX (60 METERED DOSES) INHALATION AEROSOL POWDER BREATH ACTIVATED 220 MCG/ACT | 2 | PA; QPD |
| ASMANEX HFA | 2 | PA; QPD |
| <i>budesonide inhalation</i> | 1 | QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| FLUTICASONE PROPIONATE HFA | 2 | PA; QPD |
| PULMICORT FLEXHALER | 2 | QPD |
| QVAR REDHALER | 2 | QPD |
| *Thymic Stromal Lymphopoietin (Tslp) Antagonists*** | | |
| TEZSPIRE SUBCUTANEOUS SOLUTION AUTO-INJECTOR | 2 | PA; QPD; SP |
| *Xanthines*** | | |
| THEO-24 | 2 | |
| <i>theophylline er</i> | 1 | |
| <i>theophylline oral</i> | 1 | |
| *Anticoagulants* | | |
| *Coumarin Anticoagulants*** | | |
| <i>jantoven</i> | \$0* | |
| <i>warfarin sodium oral</i> | \$0* | |
| *Direct Factor Xa Inhibitors*** | | |
| ELIQUIS | 2 | QPD |
| ELIQUIS (1.5 MG PACK) | 2 | QPD |
| ELIQUIS (2 MG PACK) | 2 | QPD |
| ELIQUIS DVT/PE STARTER PACK ORAL TABLET THERAPY PACK | 2 | QPD |
| <i>rivaroxaban</i> | 1 | QPD |
| SAVAYSA | 2 | PA; QPD |
| XARELTO ORAL SUSPENSION RECONSTITUTED | 2 | QPD |
| XARELTO ORAL TABLET 10 MG, 15 MG, 20 MG | 2 | QPD |
| XARELTO STARTER PACK | 2 | QPD |
| *Heparins And Heparinoid-Like Agents*** | | |
| <i>bd heparin posiflush</i> | 1 | |
| <i>heparin na (pork) lock flsh pf</i> | 1 | |
| <i>heparin sod (pork) lock flush intravenous solution 10 unit/ml, 100 unit/ml</i> | 1 | |
| <i>heparin sodium (porcine) injection solution 1000 unit/ml, 10000 unit/ml, 20000 unit/ml, 5000 unit/ml</i> | 1 | |
| <i>heparin sodium (porcine) pf injection solution 1000 unit/ml, 5000 unit/0.5ml</i> | 1 | |
| *Low Molecular Weight Heparins*** | | |
| <i>enoxaparin sodium injection solution 300 mg/3ml</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| <i>enoxaparin sodium injection solution prefilled syringe</i> | 1 | |
| FRAGMIN SUBCUTANEOUS SOLUTION 10000 UNIT/4ML, 95000 UNIT/3.8ML | 2 | |
| FRAGMIN SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 2 | |
| *Synthetic Heparinoid-Like Agents*** | | |
| <i>fondaparinux sodium</i> | 1 | |
| *Thrombin Inhibitors - Selective Direct & Reversible*** | | |
| <i>dabigatran etexilate mesylate oral capsule 110 mg</i> | 1 | PA; QPD |
| <i>dabigatran etexilate mesylate oral capsule 150 mg, 75 mg</i> | \$0* | PA; QPD |
| PRADAXA ORAL PACKET | 2 | PA; QPD |
| *Anticonvulsants* | | |
| *Ampa Glutamate Receptor Antagonists*** | | |
| FYCOMPA ORAL SUSPENSION | 2 | |
| <i>perampanel</i> | 1 | |
| *Anticonvulsants - Benzodiazepines*** | | |
| <i>clobazam oral suspension 2.5 mg/ml</i> | 1 | |
| <i>clobazam oral tablet</i> | 1 | |
| <i>clonazepam oral</i> | 1 | |
| <i>diazepam rectal</i> | 1 | |
| NAYZILAM | 2 | QPD |
| VALTOCO 10 MG DOSE | 2 | QPD |
| VALTOCO 15 MG DOSE NASAL LIQUID THERAPY PACK 2 X 7.5 MG/0.1ML | 2 | QPD |
| VALTOCO 20 MG DOSE NASAL LIQUID THERAPY PACK 2 X 10 MG/0.1ML | 2 | QPD |
| VALTOCO 5 MG DOSE | 2 | QPD |
| *Anticonvulsants - Misc.*** | | |
| <i>carbamazepine er</i> | 1 | |
| <i>carbamazepine oral suspension 100 mg/5ml</i> | 1 | |
| <i>carbamazepine oral tablet</i> | 1 | |
| <i>carbamazepine oral tablet chewable 100 mg</i> | 1 | |
| CARBATROL | 2 | |
| EPIDIOLEX | 2 | PA; SP; LA |
| <i>eslicarbazepine acetate</i> | 1 | QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| <i>gabapentin oral capsule</i> | 1 | |
| <i>gabapentin oral solution 250 mg/5ml</i> | 1 | |
| <i>gabapentin oral tablet 600 mg, 800 mg</i> | 1 | |
| <i>lacosamide oral solution 10 mg/ml</i> | 1 | |
| <i>lacosamide oral tablet</i> | 1 | |
| <i>lamotrigine er</i> | 1 | |
| <i>lamotrigine oral kit 21 x 25 mg & 7 x 50 mg, 25 & 50 & 100 mg, 42 x 50 mg & 14x100 mg</i> | 1 | |
| <i>lamotrigine oral tablet</i> | 1 | |
| <i>lamotrigine oral tablet chewable</i> | 1 | |
| <i>lamotrigine oral tablet dispersible</i> | 1 | |
| <i>levetiracetam er</i> | 1 | |
| <i>levetiracetam oral solution 100 mg/ml</i> | 1 | |
| <i>levetiracetam oral tablet</i> | 1 | |
| <i>oxcarbazepine</i> | 1 | |
| <i>oxcarbazepine er</i> | 1 | |
| <i>pregabalin oral</i> | 1 | QPD |
| <i>primidone oral tablet 250 mg, 50 mg</i> | 1 | |
| <i>roweepra oral tablet 500 mg</i> | 1 | |
| <i>rufinamide oral suspension 40 mg/ml</i> | 1 | |
| <i>rufinamide oral tablet</i> | 1 | |
| TEGRETOL ORAL SUSPENSION | 2 | |
| TEGRETOL ORAL TABLET | 2 | |
| TEGRETOL-XR | 2 | |
| <i>topiramate er</i> | 1 | PA; QPD |
| <i>topiramate oral capsule sprinkle 15 mg, 25 mg</i> | 1 | |
| <i>topiramate oral tablet</i> | 1 | |
| <i>zonisamide oral</i> | 1 | |
| *Carbamates*** | | |
| <i>felbamate</i> | 1 | |
| *Gaba Modulators*** | | |
| <i>tiagabine hcl</i> | 1 | |
| <i>vigabatrin</i> | 1 | PA; QPD; SP; LA |
| <i>vigadrone</i> | 1 | PA; QPD; SP; LA |
| *Hydantoins*** | | |
| DILANTIN INFATABS | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| DILANTIN ORAL CAPSULE | 2 | |
| PHENYTEK | 2 | |
| <i>phenytoin infatabs</i> | 1 | |
| <i>phenytoin oral</i> | 1 | |
| <i>phenytoin sodium extended</i> | 1 | |
| *Succinimides*** | | |
| <i>ethosuximide oral</i> | 1 | |
| <i>methsuximide</i> | 1 | |
| *Valproic Acid*** | | |
| <i>divalproex sodium er oral tablet extended release 24 hour</i> | 1 | |
| <i>divalproex sodium oral capsule delayed release sprinkle</i> | 1 | |
| <i>divalproex sodium oral tablet delayed release</i> | 1 | |
| <i>valproic acid oral capsule</i> | 1 | |
| <i>valproic acid oral solution 250 mg/5ml</i> | 1 | |
| *Antidepressants* | | |
| *Alpha-2 Receptor Antagonists (Tetracyclics)*** | | |
| <i>mirtazapine oral</i> | 1 | QPD |
| *Antidepressants - Misc.*** | | |
| <i>bupropion hcl er (sr)</i> | 1 | QPD |
| <i>bupropion hcl er (xl) oral tablet extended release 24 hour 150 mg, 300 mg</i> | 1 | QPD |
| <i>bupropion hcl oral</i> | 1 | |
| *Gaba Receptor Modulator - Neuroactive Steroid*** | | |
| ZURZUVAE | 2 | PA; QPD |
| *Monoamine Oxidase Inhibitors (Maois)*** | | |
| EMSAM | 2 | QPD |
| MARPLAN | 2 | |
| <i>phenelzine sulfate oral</i> | 1 | |
| <i>tranylcypromine sulfate</i> | 1 | |
| *Selective Serotonin Reuptake Inhibitors (Ssris)*** | | |
| <i>citalopram hydrobromide oral solution</i> | 1 | QPD |
| <i>citalopram hydrobromide oral tablet</i> | 1 | QPD |
| <i>escitalopram oxalate oral solution 5 mg/5ml</i> | 1 | QPD |
| <i>escitalopram oxalate oral tablet</i> | 1 | QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>fluoxetine hcl oral capsule</i> | 1 | QPD |
| <i>fluoxetine hcl oral capsule delayed release</i> | 1 | QPD |
| <i>fluoxetine hcl oral solution</i> | 1 | QPD |
| <i>fluoxetine hcl oral tablet 10 mg, 20 mg</i> | 1 | QPD |
| <i>fluvoxamine maleate</i> | 1 | QPD |
| <i>fluvoxamine maleate er</i> | 1 | QPD |
| <i>paroxetine hcl er</i> | 1 | QPD |
| <i>paroxetine hcl oral tablet</i> | 1 | QPD |
| <i>sertraline hcl oral concentrate</i> | 1 | QPD |
| <i>sertraline hcl oral tablet</i> | 1 | QPD |
| *Serotonin Modulators*** | | |
| <i>nefazodone hcl</i> | 1 | |
| <i>trazodone hcl oral</i> | 1 | |
| TRINTELLIX | 2 | ST |
| <i>vilazodone hcl</i> | 1 | QPD |
| *Serotonin-Norepinephrine Reuptake Inhibitors (Snrts)*** | | |
| <i>desvenlafaxine succinate er</i> | 1 | QPD |
| <i>duloxetine hcl oral capsule delayed release particles 20 mg, 30 mg, 60 mg</i> | 1 | QPD |
| FETZIMA | 2 | ST |
| FETZIMA TITRATION | 2 | ST |
| <i>venlafaxine hcl</i> | 1 | QPD |
| <i>venlafaxine hcl er oral capsule extended release 24 hour</i> | 1 | QPD |
| *Tricyclic Agents*** | | |
| <i>amitriptyline hcl oral</i> | 1 | |
| <i>amoxapine</i> | 1 | |
| <i>clomipramine hcl oral</i> | 1 | |
| <i>desipramine hcl oral</i> | 1 | |
| <i>doxepin hcl oral capsule</i> | 1 | |
| <i>doxepin hcl oral concentrate</i> | 1 | |
| <i>imipramine hcl oral</i> | 1 | |
| <i>imipramine pamoate</i> | 1 | |
| <i>nortriptyline hcl oral</i> | 1 | |
| <i>protriptyline hcl</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| <i>trimipramine maleate oral</i> | 1 | |
| *Antidiabetics* | | |
| *Alpha-Glucosidase Inhibitors*** | | |
| <i>acarbose oral</i> | 1 | |
| <i>miglitol</i> | 1 | |
| *Biguanides*** | | |
| <i>metformin hcl er</i> | 1 | QPD |
| <i>metformin hcl oral tablet 1000 mg, 500 mg, 850 mg</i> | 1 | QPD |
| *Diabetic Other*** | | |
| BAQSIMI ONE PACK | 2 | QPD |
| BAQSIMI TWO PACK | 2 | QPD |
| <i>diazoxide oral</i> | 1 | SP |
| GLUCAGON EMERGENCY INJECTION SOLUTION RECONSTITUTED 1 MG | 2 | |
| <i>glucagon emergency solution reconstituted 1 mg injection</i> | 1 | QPD |
| GVOKE HYPOPEN 1-PACK | 2 | QPD |
| GVOKE HYPOPEN 2-PACK | 2 | QPD |
| GVOKE KIT | 2 | QPD |
| GVOKE PFS SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 1 MG/0.2ML | 2 | QPD |
| *Dipeptidyl Peptidase-4 (Dpp-4) Inhibitors*** | | |
| ALOGLIPTIN BENZOATE | 2 | PA; QPD |
| JANUVIA | 2 | QPD |
| TRADJENTA | 2 | QPD |
| *Dipeptidyl Peptidase-4 Inhibitor-Biguanide Combinations*** | | |
| JANUMET | 2 | QPD |
| JANUMET XR | 2 | QPD |
| JENTADUETO | 2 | QPD |
| JENTADUETO XR | 2 | QPD |
| *Dopamine Receptor Agonists - Ergot Derivatives*** | | |
| CYCLOSET | 2 | |
| *Human Insulin*** | | |
| APIDRA | 2 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| APIDRA SOLOSTAR SUBCUTANEOUS SOLUTION PEN-INJECTOR | 2 | PA |
| FIASP FLEXTOUCH | 2 | |
| FIASP INJECTION | 2 | |
| FIASP PENFILL | 2 | |
| FIASP PUMPCART | 2 | |
| HUMALOG INJECTION | 2 | PA |
| HUMALOG JUNIOR KWIKPEN | 2 | PA |
| HUMALOG KWIKPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML, 200 UNIT/ML | 2 | PA |
| HUMALOG MIX 50/50 KWIKPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR | 2 | PA |
| HUMALOG MIX 75/25 | 2 | PA |
| HUMALOG MIX 75/25 KWIKPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR | 2 | PA |
| HUMALOG SUBCUTANEOUS SOLUTION CARTRIDGE | 2 | PA |
| HUMULIN R U-500 KWIKPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR | 2 | |
| LANTUS | 2 | |
| LANTUS SOLOSTAR SUBCUTANEOUS SOLUTION PEN-INJECTOR | 2 | |
| NOVOLIN 70/30 | 2 | |
| NOVOLIN 70/30 FLEXPEN | 2 | |
| NOVOLIN 70/30 FLEXPEN RELION | 2 | |
| NOVOLIN 70/30 RELION | 2 | |
| NOVOLIN N | 2 | |
| NOVOLIN N FLEXPEN | 2 | |
| NOVOLIN N FLEXPEN RELION | 2 | |
| NOVOLIN N RELION | 2 | |
| NOVOLIN R | 2 | |
| NOVOLIN R FLEXPEN | 2 | |
| NOVOLIN R FLEXPEN RELION | 2 | |
| NOVOLIN R RELION | 2 | |
| NOVOLOG 70/30 FLEXPEN RELION | 2 | |
| NOVOLOG FLEXPEN RELION | 2 | |
| NOVOLOG FLEXPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| NOVOLOG INJECTION | 2 | |
| NOVOLOG MIX 70/30 | 2 | |
| NOVOLOG MIX 70/30 FLEXPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR | 2 | |
| NOVOLOG MIX 70/30 RELION | 2 | |
| NOVOLOG PENFILL SUBCUTANEOUS SOLUTION CARTRIDGE | 2 | |
| NOVOLOG RELION INJECTION | 2 | |
| TOUJEO MAX SOLOSTAR | 2 | |
| TOUJEO SOLOSTAR | 2 | |
| TRESIBA | 2 | |
| TRESIBA FLEXTOUCH | 2 | |
| *Incretin Mimetic Agents (Gip & Glp-1 Receptor Agonists)*** | | |
| MOUNJARO SUBCUTANEOUS SOLUTION AUTO-INJECTOR | 2 | PA; QPD |
| *Incretin Mimetic Agents (Glp-1 Receptor Agonists)*** | | |
| OZEMPIC (0.25 OR 0.5 MG/DOSE) SUBCUTANEOUS SOLUTION PEN-INJECTOR 2 MG/3ML | 2 | PA; QPD |
| OZEMPIC (1 MG/DOSE) SUBCUTANEOUS SOLUTION PEN-INJECTOR 4 MG/3ML | 2 | PA; QPD |
| OZEMPIC (2 MG/DOSE) | 2 | PA; QPD |
| RYBELSUS | 2 | PA; QPD |
| TRULICITY SUBCUTANEOUS SOLUTION AUTO-INJECTOR | 2 | PA; QPD |
| *Insulin-Incretin Mimetic Combinations*** | | |
| SOLIQUA | 2 | QPD |
| XULTOPHY | 2 | QPD |
| *Meglitinide Analogues*** | | |
| <i>nateglinide</i> | 1 | |
| <i>repaglinide</i> | 1 | |
| *Progesterone Receptor Antagonists*** | | |
| <i>mifepristone oral tablet 300 mg</i> | 1 | PA; QPD; SP |
| *Sgt2 Inhibitor - Dpp-4 Inhibitor - Biguanide Comb*** | | |
| TRIJARDY XR | 2 | QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| *Sglt2 Inhibitor - Dpp-4 Inhibitor Combinations*** | | |
| GLYXAMBI | 2 | QPD |
| *Sodium-Glucose Co-Transporter 2 (Sglt2) Inhibitors*** | | |
| FARXIGA | 2 | QPD |
| JARDIANCE | 2 | QPD |
| *Sodium-Glucose Co-Transporter 2 Inhibitor-Biguanide Comb*** | | |
| SYNJARDY | 2 | QPD |
| SYNJARDY XR | 2 | QPD |
| XIGDUO XR | 2 | QPD |
| *Sulfonylurea-Biguanide Combinations*** | | |
| <i>glipizide-metformin hcl</i> | 1 | QPD |
| <i>glyburide-metformin</i> | 1 | QPD |
| *Sulfonylureas*** | | |
| <i>glimepiride oral tablet 1 mg, 2 mg, 4 mg</i> | 1 | QPD |
| <i>glipizide er</i> | 1 | QPD |
| <i>glipizide oral tablet 10 mg, 5 mg</i> | 1 | QPD |
| <i>glyburide oral</i> | 1 | QPD |
| *Sulfonylurea-Thiazolidinedione Combinations*** | | |
| <i>pioglitazone hcl-glimepiride</i> | 1 | QPD |
| *Thiazolidinedione-Biguanide Combinations*** | | |
| <i>pioglitazone hcl-metformin hcl</i> | 1 | QPD |
| *Thiazolidinediones*** | | |
| <i>pioglitazone hcl</i> | 1 | QPD |
| *Antidiarrheal/Probiotic Agents* | | |
| *Antidiarrheal - Chloride Channel Antagonists*** | | |
| MYTESI | 2 | QPD; SP; LA |
| *Antiperistaltic Agents*** | | |
| <i>diphenoxylate-atropine oral liquid</i> | 1 | |
| <i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i> | 1 | |
| <i>loperamide hcl oral capsule</i> | 1 | |
| <i>opium</i> | 1 | |
| *Antidotes And Specific Antagonists* | | |
| *Antidotes - Chelating Agents*** | | |
| CHEMET | 2 | SP |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <i>deferasirox</i> | 1 | SP |
| <i>deferasirox granules</i> | 1 | SP |
| <i>deferiprone</i> | 1 | SP |
| FERRIPROX ORAL SOLUTION | 2 | SP; LA |
| FERRIPROX TWICE-A-DAY | 2 | SP; LA |
| *Antidotes And Specific Antagonists*** | | |
| VISTOGARD | 2 | QPD; SP; LA |
| *Opioid Antagonists*** | | |
| KLOXXADO | 2 | QPD |
| <i>naloxone hcl injection solution 0.4 mg/ml, 4 mg/10ml</i> | 1 | QPD |
| <i>naloxone hcl injection solution cartridge</i> | 1 | QPD |
| <i>naloxone hcl injection solution prefilled syringe 2 mg/2ml</i> | 1 | QPD |
| <i>naloxone hcl nasal</i> | 1 | QPD |
| <i>naltrexone hcl oral</i> | 1 | |
| *Antiemetics* | | |
| *5-Ht3 Receptor Antagonists*** | | |
| ANZEMET ORAL TABLET 50 MG | 2 | QPD |
| <i>granisetron hcl oral</i> | 1 | QPD |
| <i>ondansetron hcl oral solution 4 mg/5ml</i> | 1 | QPD |
| <i>ondansetron hcl oral tablet</i> | 1 | QPD |
| <i>ondansetron oral tablet dispersible 4 mg, 8 mg</i> | 1 | QPD |
| *Antiemetic Combinations*** | | |
| AKYNZEO ORAL | 2 | QPD |
| BONJESTA | 2 | QPD |
| <i>doxylamine-pyridoxine</i> | 1 | QPD |
| *Antiemetics - Anticholinergic*** | | |
| <i>meclizine hcl oral tablet 12.5 mg, 25 mg</i> | 1 | |
| <i>scopolamine</i> | 1 | |
| <i>trimethobenzamide hcl oral</i> | 1 | |
| *Antiemetics - Miscellaneous*** | | |
| <i>dronabinol</i> | 1 | |
| *Substance P/Neurokinin 1 (Nk1) Receptor Antagonists*** | | |
| <i>aprepitant oral capsule 125 mg, 40 mg, 80 mg</i> | 1 | QPD |
| <i>aprepitant oral capsule therapy pack</i> | 1 | QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| EMEND ORAL SUSPENSION RECONSTITUTED | 2 | QPD |
| *Antifungals* | | |
| *Antifungals*** | | |
| <i>flucytosine oral</i> | 1 | |
| <i>griseofulvin microsize oral</i> | 1 | |
| <i>griseofulvin ultramicrosize oral tablet 125 mg, 250 mg</i> | 1 | |
| <i>nystatin oral tablet</i> | 1 | |
| <i>terbinafine hcl oral</i> | 1 | QPD |
| *Imidazoles*** | | |
| <i>ketoconazole oral</i> | 1 | |
| *Triazoles*** | | |
| CRESEMBA ORAL | 2 | QPD |
| <i>fluconazole oral suspension reconstituted</i> | 1 | |
| <i>fluconazole oral tablet 100 mg, 200 mg, 50 mg</i> | 1 | |
| <i>fluconazole oral tablet 150 mg</i> | 1 | QPD |
| <i>itraconazole oral</i> | 1 | QPD |
| <i>posaconazole oral</i> | 1 | QPD |
| <i>voriconazole oral</i> | 1 | QPD |
| *Antihistamines* | | |
| *Antihistamines - Ethanolamines*** | | |
| <i>carbinoxamine maleate oral solution</i> | 1 | |
| <i>carbinoxamine maleate oral tablet 4 mg</i> | 1 | |
| <i>clemastine fumarate oral tablet 2.68 mg</i> | 1 | |
| <i>diphenhydramine hcl oral capsule 50 mg</i> | 1 | |
| *Antihistamines - Non-Sedating*** | | |
| <i>desloratadine oral tablet</i> | 1 | QPD |
| *Antihistamines - Phenothiazines*** | | |
| <i>promethazine hcl oral solution 6.25 mg/5ml</i> | 1 | |
| <i>promethazine hcl oral tablet</i> | 1 | |
| <i>promethazine hcl rectal suppository 12.5 mg, 25 mg</i> | 1 | |
| <i>promethegan</i> | 1 | |
| *Antihistamines - Piperidines*** | | |
| <i>cyproheptadine hcl oral</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| *Antihyperlipidemics* | | |
| *Antihyperlipidemics - Misc.*** | | |
| <i>icosapent ethyl</i> | \$0* | QPD |
| <i>omega-3-acid ethyl esters</i> | 1 | |
| *Bile Acid Sequestrants*** | | |
| <i>cholestyramine light</i> | \$0* | |
| <i>cholestyramine oral</i> | \$0* | |
| <i>colesevelam hcl</i> | \$0* | |
| <i>colestipol hcl</i> | \$0* | |
| <i>prevalite</i> | \$0* | |
| *Fibric Acid Derivatives*** | | |
| <i>fenofibrate micronized oral capsule 134 mg, 200 mg, 43 mg, 67 mg</i> | \$0* | |
| <i>fenofibrate oral capsule 134 mg, 200 mg, 67 mg</i> | \$0* | |
| <i>fenofibrate oral tablet 145 mg, 160 mg, 48 mg, 54 mg</i> | \$0* | |
| <i>fenofibric acid oral capsule delayed release 45 mg</i> | \$0* | |
| <i>fenofibric acid oral tablet 105 mg</i> | \$0* | |
| <i>gemfibrozil oral</i> | \$0* | |
| *Hmg Coa Reductase Inhibitors*** | | |
| <i>atorvastatin calcium oral tablet 10 mg, 20 mg</i> | \$0 | QPD |
| <i>atorvastatin calcium oral tablet 40 mg, 80 mg</i> | \$0* | QPD |
| <i>fluvastatin sodium</i> | \$0 | QPD |
| <i>fluvastatin sodium er</i> | \$0 | QPD |
| <i>lovastatin oral</i> | \$0 | QPD |
| <i>pitavastatin calcium</i> | \$0* | PA; QPD |
| <i>pravastatin sodium</i> | \$0 | QPD |
| <i>rosuvastatin calcium oral tablet 10 mg, 5 mg</i> | \$0 | QPD |
| <i>rosuvastatin calcium oral tablet 20 mg, 40 mg</i> | \$0* | QPD |
| <i>simvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> | \$0 | QPD |
| <i>simvastatin oral tablet 80 mg</i> | \$0* | QPD |
| *Intest Cholest Absorp Inhib-Hmg Coa Reductase Inhib Comb*** | | |
| <i>ezetimibe-simvastatin</i> | \$0* | QPD |
| *Intestinal Cholesterol Absorption Inhibitors*** | | |
| <i>ezetimibe</i> | \$0* | QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| *Nicotinic Acid Derivatives*** | | |
| <i>niacin er (antihyperlipidemic)</i> | \$0* | |
| *Pcsk9 Inhibitors*** | | |
| REPATHA | 2 | PA; QPD |
| REPATHA SURECLICK | 2 | PA; QPD |
| *Antihypertensives* | | |
| *Ace Inhibitor & Calcium Channel Blocker Combinations*** | | |
| <i>amlodipine besy-benazepril hcl</i> | \$0* | |
| <i>trandolapril-verapamil hcl er</i> | \$0* | |
| *Ace Inhibitors & Thiazide/Thiazide-Like*** | | |
| <i>benazepril-hydrochlorothiazide</i> | \$0* | |
| <i>captopril-hydrochlorothiazide</i> | \$0* | |
| <i>enalapril-hydrochlorothiazide</i> | \$0* | |
| <i>fosinopril sodium-hctz</i> | \$0* | |
| <i>lisinopril-hydrochlorothiazide</i> | \$0* | QPD |
| <i>quinapril-hydrochlorothiazide</i> | \$0* | |
| *Ace Inhibitors*** | | |
| <i>benazepril hcl oral</i> | \$0* | QPD |
| <i>captopril oral</i> | \$0* | QPD |
| <i>enalapril maleate oral</i> | \$0* | QPD |
| <i>fosinopril sodium</i> | \$0* | QPD |
| <i>lisinopril oral</i> | \$0* | QPD |
| <i>moexipril hcl</i> | \$0* | QPD |
| <i>perindopril erbumine</i> | \$0* | QPD |
| <i>quinapril hcl</i> | \$0* | QPD |
| <i>ramipril</i> | \$0* | QPD |
| <i>trandolapril</i> | \$0* | QPD |
| *Agents For Pheochromocytoma*** | | |
| <i>metyrosine</i> | 1 | PA; SP |
| <i>phenoxybenzamine hcl oral</i> | 1 | PA |
| *Angiotensin Ii Receptor Antag & Ca Channel Blocker Comb*** | | |
| <i>amlodipine besylate-valsartan</i> | \$0* | QPD |
| <i>amlodipine-olmesartan</i> | \$0* | QPD |
| <i>telmisartan-amlodipine</i> | \$0* | QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| *Angiotensin II Receptor Antag & Thiazide/Thiazide-Like*** | | |
| <i>candesartan cilexetil-hctz</i> | \$0* | |
| <i>irbesartan-hydrochlorothiazide</i> | \$0* | |
| <i>losartan potassium-hctz</i> | \$0* | |
| <i>olmesartan medoxomil-hctz</i> | \$0* | QPD |
| <i>telmisartan-hctz</i> | \$0* | |
| <i>valsartan-hydrochlorothiazide</i> | \$0* | |
| *Angiotensin II Receptor Antagonists*** | | |
| <i>candesartan cilexetil</i> | \$0* | QPD |
| <i>irbesartan</i> | \$0* | QPD |
| <i>losartan potassium oral</i> | \$0* | QPD |
| <i>olmesartan medoxomil oral</i> | \$0* | QPD |
| <i>telmisartan</i> | \$0* | QPD |
| <i>valsartan oral tablet</i> | \$0* | QPD |
| *Angiotensin II Receptor Ant-Ca Channel Blocker-Thiazides*** | | |
| <i>amlodipine-valsartan-hctz</i> | \$0* | QPD |
| <i>olmesartan-amlodipine-hctz</i> | \$0* | QPD |
| *Antiadrenergics - Centrally Acting*** | | |
| <i>clonidine</i> | 1 | QPD |
| <i>clonidine hcl oral</i> | 1 | |
| <i>guanfacine hcl oral</i> | 1 | |
| <i>methyldopa oral</i> | 1 | |
| *Antiadrenergics - Peripherally Acting*** | | |
| <i>doxazosin mesylate oral</i> | 1 | QPD |
| <i>prazosin hcl oral</i> | 1 | QPD |
| <i>terazosin hcl oral</i> | 1 | QPD |
| *Beta Blocker & Diuretic Combinations*** | | |
| <i>atenolol-chlorthalidone</i> | \$0* | |
| <i>bisoprolol-hydrochlorothiazide</i> | \$0* | |
| <i>metoprolol-hydrochlorothiazide</i> | \$0* | |
| *Direct Renin Inhibitors*** | | |
| <i>aliskiren fumarate</i> | 1 | QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| *Selective Aldosterone Receptor Antagonists (Saras)*** | | |
| <i>eplerenone</i> | 1 | |
| *Vasodilators*** | | |
| <i>hydralazine hcl oral</i> | 1 | |
| <i>minoxidil oral</i> | 1 | |
| *Anti-Infective Agents - Misc.* | | |
| *Anti-Infective Agents - Misc.*** | | |
| LIKMEZ | 2 | PA; QPD |
| <i>metronidazole oral capsule</i> | 1 | |
| <i>metronidazole oral tablet 250 mg, 500 mg</i> | 1 | |
| <i>pentamidine isethionate inhalation</i> | 1 | |
| <i>tinidazole oral</i> | 1 | |
| <i>trimethoprim oral</i> | 1 | |
| XIFAXAN | 2 | QPD |
| *Anti-Infective Misc. - Combinations*** | | |
| <i>sulfamethoxazole-trimethoprim oral</i> | 1 | |
| <i>sulfatrim pediatric</i> | 1 | |
| *Antiprotozoal Agents*** | | |
| <i>atovaquone oral</i> | 1 | QPD |
| <i>nitazoxanide oral</i> | 1 | QPD |
| *Glycopeptides*** | | |
| <i>vancomycin hcl oral capsule</i> | 1 | QPD |
| <i>vancomycin hcl oral solution reconstituted 250 mg/5ml, 50 mg/ml</i> | 1 | QPD |
| *Leprostatics*** | | |
| <i>dapsone oral</i> | 1 | |
| *Lincosamides*** | | |
| <i>clindamycin hcl oral</i> | 1 | |
| <i>clindamycin palmitate hcl</i> | 1 | |
| *Monobactams*** | | |
| CAYSTON | 2 | PA; SP; LA |
| *Oxazolidinones*** | | |
| <i>linezolid oral</i> | 1 | QPD |
| *Urinary Anti-Infectives*** | | |
| <i>fosfomycin tromethamine</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <i>methenamine hippurate</i> | 1 | |
| <i>methenamine mandelate oral</i> | 1 | |
| <i>nitrofurantoin macrocrystal oral capsule 100 mg, 50 mg</i> | 1 | QPD |
| <i>nitrofurantoin macrocrystal oral capsule 25 mg</i> | 1 | PA; QPD |
| <i>nitrofurantoin monohyd macro</i> | 1 | QPD |
| <i>nitrofurantoin oral suspension 25 mg/5ml</i> | 1 | QPD |
| *Urinary Antiseptic-Antispasmodic &/Or Analgesics*** | | |
| <i>me/naphos/mb/hyo1</i> | 1 | |
| <i>uretron d/s oral tablet 81.6 mg</i> | 1 | |
| <i>urogesic-blue</i> | 1 | |
| <i>uro-mp</i> | 1 | |
| <i>vilamit mb</i> | 1 | |
| <i>vilevev mb</i> | 1 | |
| *Antimalarials* | | |
| *Antimalarial Combinations*** | | |
| <i>atovaquone-proguanil hcl</i> | 1 | |
| COARTEM | 2 | |
| *Antimalarials*** | | |
| <i>chloroquine phosphate oral</i> | 1 | |
| <i>hydroxychloroquine sulfate oral tablet 200 mg</i> | 1 | |
| KRINTAFEL | 2 | QPD |
| <i>mefloquine hcl</i> | 1 | |
| <i>primaquine phosphate oral tablet 26.3 (15 base) mg</i> | 1 | |
| <i>pyrimethamine oral</i> | 1 | PA; SP; LA |
| <i>quinine sulfate oral</i> | 1 | |
| *Antimyasthenic/Cholinergic Agents* | | |
| *Antimyasthenic/Cholinergic Agents*** | | |
| <i>pyridostigmine bromide er oral tablet extended release</i> | 1 | |
| <i>pyridostigmine bromide oral solution</i> | 1 | SP |
| <i>pyridostigmine bromide oral tablet 60 mg</i> | 1 | |
| *Antimycobacterial Agents* | | |
| *Antimycobacterial Agents*** | | |
| CYCLOSERINE ORAL | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| <i>ethambutol hcl oral</i> | 1 | |
| <i>isoniazid oral</i> | 1 | |
| PRETOMANID | 2 | QPD |
| PRIFTIN | 2 | |
| <i>pyrazinamide oral</i> | 1 | |
| <i>rifabutin</i> | 1 | |
| <i>rifampin oral</i> | 1 | |
| SIRTURO | 2 | SP; LA |
| *Antineoplastics And Adjunctive Therapies* | | |
| *Alkylating Agents*** | | |
| MYLERAN | 2 | SP |
| *Androgen Biosynthesis Inhibitors*** | | |
| <i>abiraterone acetate</i> | 1 | QPD; SP |
| ABIRATERONE ACETATE MICRONIZED | 2 | QPD; SP |
| <i>abirtega</i> | 1 | QPD; SP |
| YONSA | 2 | QPD; SP |
| *Antiadrenals*** | | |
| LYSODREN | 2 | SP; LA |
| *Antiandrogens*** | | |
| <i>bicalutamide</i> | 1 | QPD |
| ERLEADA ORAL TABLET 240 MG | 2 | QPD; SP |
| ERLEADA ORAL TABLET 60 MG | 2 | QPD; SP; LA |
| <i>nilutamide</i> | 1 | SP |
| NUBEQA | 2 | QPD; SP; LA |
| XTANDI | 2 | QPD; SP; LA |
| *Antiestrogens*** | | |
| SOLTAMOX | 2 | |
| <i>tamoxifen citrate oral</i> | \$0 | |
| <i>toremifene citrate</i> | 1 | |
| *Antimetabolites*** | | |
| <i>capecitabine</i> | 1 | SP |
| <i>mercaptopurine oral tablet</i> | 1 | |
| <i>methotrexate sodium (pf) injection solution 1 gm/40ml, 1000 mg/40ml, 250 mg/10ml, 50 mg/2ml</i> | 1 | SP |
| <i>methotrexate sodium injection solution 250 mg/10ml, 50 mg/2ml</i> | 1 | SP |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <i>methotrexate sodium oral</i> | 1 | |
| ONUREG | 2 | QPD; SP |
| TABLOID | 2 | |
| *Antineoplastic - Akt Inhibitors*** | | |
| TRUQAP ORAL TABLET 200 MG | 2 | QPD; SP |
| *Antineoplastic - Alk Inhibitors*** | | |
| ALECENSA | 2 | QPD; SP; LA |
| ALUNBRIG | 2 | QPD; SP; LA |
| LORBRENA | 2 | QPD; SP; LA |
| XALKORI ORAL CAPSULE | 2 | QPD; SP; LA |
| XALKORI ORAL CAPSULE SPRINKLE | 2 | QPD; SP |
| ZYKADIA ORAL TABLET | 2 | QPD; SP |
| *Antineoplastic - Anti-Her2 Agents*** | | |
| HERNEXEOS | 2 | QPD; SP; LA |
| TUKYSA | 2 | QPD; SP; LA |
| *Antineoplastic - Bcl-2 Inhibitors*** | | |
| VENCLEXTA | 2 | QPD; SP; LA |
| VENCLEXTA STARTING PACK | 2 | QPD; SP; LA |
| *Antineoplastic - Bcr-Abl Kinase Inhibitors*** | | |
| BOSULIF | 2 | QPD; SP; LA |
| DANZITEN | 2 | QPD; SP |
| <i>dasatinib</i> | 1 | QPD; SP; LA |
| ICLUSIG | 2 | QPD; SP; LA |
| <i>imatinib mesylate oral</i> | 1 | SP |
| NILOTINIB D-TARTRATE | 2 | QPD; SP |
| <i>nilotinib hcl oral capsule 150 mg, 200 mg</i> | 1 | QPD; SP |
| <i>nilotinib hcl oral capsule 50 mg</i> | 1 | QPD |
| SCEMBLIX | 2 | QPD; SP |
| *Antineoplastic - Braf Kinase Inhibitors*** | | |
| BRAFTOVI ORAL CAPSULE 75 MG | 2 | QPD; SP; LA |
| OJEMDA ORAL SUSPENSION RECONSTITUTED | 2 | QPD; SP |
| OJEMDA ORAL TABLET 100 MG | 2 | QPD; SP |
| TAFINLAR | 2 | QPD; SP |
| ZELBORAF | 2 | QPD; SP; LA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| *Antineoplastic - Btk Inhibitors*** | | |
| BRUKINSA | 2 | QPD; SP; LA |
| CALQUENCE ORAL TABLET | 2 | QPD; SP |
| IMBRUVICA ORAL CAPSULE | 2 | QPD; SP; LA |
| IMBRUVICA ORAL SUSPENSION | 2 | QPD; SP; LA |
| IMBRUVICA ORAL TABLET 420 MG | 2 | QPD; SP; LA |
| JAYPIRCA | 2 | QPD; SP; LA |
| *Antineoplastic - Egfr Inhibitors*** | | |
| <i>erlotinib hcl</i> | 1 | QPD; SP |
| <i>gefitinib</i> | 1 | QPD; SP |
| GILOTRIF | 2 | QPD; SP; LA |
| LAZCLUZE | 2 | QPD; SP |
| TAGRISSO | 2 | QPD; SP; LA |
| VIZIMPRO | 2 | QPD; SP; LA |
| *Antineoplastic - Fgfr Kinase Inhibitors*** | | |
| BALVERSA | 2 | QPD; SP; LA |
| LYTGOBI (12 MG DAILY DOSE) | 2 | QPD; SP |
| LYTGOBI (16 MG DAILY DOSE) | 2 | QPD; SP |
| LYTGOBI (20 MG DAILY DOSE) | 2 | QPD; SP |
| PEMAZYRE | 2 | QPD; SP; LA |
| *Antineoplastic - Gamma Secretase Inhibitors*** | | |
| OGSIVEO ORAL TABLET 100 MG, 150 MG | 2 | QPD; SP |
| *Antineoplastic - Hedgehog Pathway Inhibitors*** | | |
| DAURISMO | 2 | QPD; SP; LA |
| ERIVEDGE | 2 | QPD; SP; LA |
| ODOMZO | 2 | QPD; SP; LA |
| *Antineoplastic - Hif-2-Alpha Inhibitors*** | | |
| WELIREG | 2 | QPD; SP; LA |
| *Antineoplastic - Histone Deacetylase Inhibitors*** | | |
| ZOLINZA | 2 | QPD; SP; LA |
| *Antineoplastic - Hormonal And Related Agent Combinations*** | | |
| AKEEGA | 2 | QPD; SP |
| *Antineoplastic - Immunomodulators*** | | |
| <i>pomalidomide</i> | 1 | QPD; SP |
| POMALYST | 2 | QPD; SP; LA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| *Antineoplastic - Kras Inhibitors*** | | |
| KRAZATI | 2 | QPD; SP; LA |
| LUMAKRAS | 2 | QPD; SP |
| *Antineoplastic - Mek Inhibitors*** | | |
| COTELLIC | 2 | SP; LA |
| MEKINIST | 2 | QPD; SP |
| MEKTOVI | 2 | QPD; SP; LA |
| *Antineoplastic - Menin Inhibitors*** | | |
| KOMZIFTI | 2 | QPD; SP |
| REVUFORJ | 2 | QPD; SP |
| *Antineoplastic - Met Inhibitors*** | | |
| TABRECTA | 2 | QPD; SP |
| TEPMETKO | 2 | QPD; SP; LA |
| *Antineoplastic - Mtor Kinase Inhibitors*** | | |
| <i>everolimus oral tablet 10 mg, 2.5 mg, 5 mg, 7.5 mg</i> | 1 | QPD; SP |
| <i>everolimus oral tablet soluble</i> | 1 | QPD; SP |
| *Antineoplastic - Multikinase Inhibitors*** | | |
| CABOMETYX | 2 | QPD; SP; LA |
| CAPRELSA | 2 | QPD; SP; LA |
| COMETRIQ (100 MG DAILY DOSE) ORAL KIT 80 & 20 MG | 2 | QPD; SP; LA |
| COMETRIQ (140 MG DAILY DOSE) ORAL KIT 3 X 20 MG & 80 MG | 2 | QPD; SP; LA |
| COMETRIQ (60 MG DAILY DOSE) | 2 | QPD; SP; LA |
| ENSACOVE | 2 | QPD; SP; LA |
| FOTIVDA | 2 | QPD; SP; LA |
| HYRNUO | 2 | QPD; SP; LA |
| <i>lapatinib ditosylate</i> | 1 | QPD; SP |
| NERLYNX | 2 | QPD; SP; LA |
| <i>pazopanib hcl oral tablet 200 mg</i> | 1 | QPD; SP |
| QINLOCK | 2 | QPD; SP; LA |
| RYDAPT | 2 | QPD; SP |
| <i>sorafenib tosylate</i> | 1 | QPD; SP |
| STIVARGA | 2 | QPD; SP; LA |
| <i>sunitinib malate</i> | 1 | QPD; SP |
| TURALIO ORAL CAPSULE 125 MG | 2 | PA; QPD; SP; LA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| VANFLYTA | 2 | QPD; SP |
| XOSPATA | 2 | QPD; SP; LA |
| *Antineoplastic - Pdgfr-Alpha Inhibitors*** | | |
| AYVAKIT | 2 | QPD; SP; LA |
| *Antineoplastic - Protease Activators*** | | |
| MODEYSO | 2 | QPD; SP; LA |
| *Antineoplastic - Proteasome Inhibitors*** | | |
| NINLARO | 2 | QPD; SP; LA |
| *Antineoplastic - Ret Inhibitors*** | | |
| GAVRETO | 2 | QPD; SP; LA |
| RETEVMO ORAL TABLET | 2 | QPD; SP; LA |
| *Antineoplastic - Tropomyosin Receptor Kinase Inhibitors*** | | |
| AUGTYRO | 2 | QPD; SP |
| IBTROZI | 2 | QPD; SP |
| ROZLYTREK ORAL CAPSULE | 2 | QPD; SP; LA |
| ROZLYTREK ORAL PACKET | 2 | QPD; SP |
| VITRAKVI | 2 | QPD; SP; LA |
| *Antineoplastic - Xpo1 Inhibitors*** | | |
| XPOVIO (100 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 50 MG | 2 | QPD; SP; LA |
| XPOVIO (40 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 10 MG | 2 | QPD; SP; LA |
| XPOVIO (40 MG TWICE WEEKLY) ORAL TABLET THERAPY PACK 40 MG | 2 | QPD; SP; LA |
| XPOVIO (60 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 60 MG | 2 | QPD; SP; LA |
| XPOVIO (60 MG TWICE WEEKLY) | 2 | QPD; SP; LA |
| XPOVIO (80 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 40 MG, 80 MG | 2 | QPD; SP; LA |
| XPOVIO (80 MG TWICE WEEKLY) | 2 | QPD; SP; LA |
| *Antineoplastic Combinations*** | | |
| AVMAPKI FAKZYNJA CO-PACK | 2 | QPD; SP |
| INQOVI | 2 | QPD; SP; LA |
| LONSURF | 2 | SP; LA |
| *Antineoplastics Misc.*** | | |
| ACTIMMUNE | 2 | PA; SP; LA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| BESREMI | 2 | QPD; SP; LA |
| <i>hydroxyurea oral</i> | 1 | |
| MATULANE | 2 | SP; LA |
| *Aromatase Inhibitors*** | | |
| <i>anastrozole oral</i> | \$0 | QPD |
| <i>exemestane</i> | \$0 | QPD |
| <i>letrozole oral</i> | 1 | QPD |
| *Cyclin-Dependent Kinases (Cdk) Inhibitors*** | | |
| IBRANCE | 2 | QPD; SP; LA |
| KISQALI (200 MG DOSE) | 2 | QPD; SP |
| KISQALI (400 MG DOSE) | 2 | QPD; SP |
| KISQALI (600 MG DOSE) | 2 | QPD; SP |
| VERZENIO | 2 | QPD; SP; LA |
| *Estrogen Receptor Antagonist*** | | |
| INLURIYO | 2 | QPD; SP |
| *Folic Acid Antagonists Rescue Agents*** | | |
| <i>lederle leucovorin</i> | 1 | |
| <i>leucovorin calcium oral</i> | 1 | |
| *Gonadotropin Releasing Hormone (Gnrh) Antagonists*** | | |
| ORGOVYX | 2 | QPD; SP; LA |
| *Imidazotetrazines*** | | |
| <i>temozolomide</i> | 1 | SP |
| *Isocitrate Dehydrogenase 1 & 2 (Idh1 & Idh2) Inhibitors*** | | |
| VORANIGO | 2 | PA; QPD; SP; LA |
| *Isocitrate Dehydrogenase-1 (Idh1) Inhibitors*** | | |
| REZLIDHIA | 2 | QPD; SP; LA |
| TIBSOVO | 2 | QPD; SP; LA |
| *Isocitrate Dehydrogenase-2 (Idh2) Inhibitors*** | | |
| IDHIFA | 2 | QPD; SP; LA |
| *Janus Associated Kinase (Jak) Inhibitors*** | | |
| INREBIC | 2 | QPD; SP; LA |
| JAKAFI | 2 | QPD; SP; LA |
| OJJAARA | 2 | QPD; SP |
| VONJO | 2 | QPD; SP; LA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| *Mitotic Inhibitors*** | | |
| <i>etoposide oral</i> | 1 | SP |
| *Nitrogen Mustards And Related Analogues*** | | |
| <i>cyclophosphamide oral capsule</i> | 1 | |
| CYCLOPHOSPHAMIDE ORAL TABLET 50 MG | 2 | |
| LEUKERAN | 2 | |
| *Nitrosoureas*** | | |
| GLEOSTINE ORAL CAPSULE 10 MG, 100 MG, 40 MG | 2 | SP |
| <i>lomustine</i> | 1 | SP |
| *Ornithine Decarboxylase (Odc) Inhibitors*** | | |
| IWILFIN | 2 | QPD; SP |
| *Phosphatidylinositol 3-Kinase (Pi3k) Inhibitors*** | | |
| COPIKTRA | 2 | QPD; SP; LA |
| ITOVEBI | 2 | QPD; SP |
| PIQRAY (200 MG DAILY DOSE) | 2 | QPD; SP |
| PIQRAY (250 MG DAILY DOSE) | 2 | QPD; SP |
| PIQRAY (300 MG DAILY DOSE) | 2 | QPD; SP |
| ZYDELIG | 2 | SP; LA |
| *Poly (Adp-Ribose) Polymerase (Parp) Inhibitors*** | | |
| LYNPARZA ORAL TABLET | 2 | QPD; SP; LA |
| RUBRACA | 2 | QPD; SP; LA |
| TALZENNA ORAL CAPSULE 0.1 MG, 0.35 MG | 2 | QPD; SP |
| TALZENNA ORAL CAPSULE 0.25 MG, 0.5 MG, 0.75 MG, 1 MG | 2 | QPD; SP; LA |
| ZEJULA ORAL TABLET | 2 | QPD; SP |
| *Progestins-Antineoplastic*** | | |
| <i>megestrol acetate oral suspension 40 mg/ml</i> | 1 | |
| <i>megestrol acetate oral tablet</i> | 1 | |
| *Retinoids*** | | |
| <i>tretinoin oral</i> | 1 | |
| *Selective Estrogen Receptor Degradars*** | | |
| ORSERDU | 2 | QPD; SP; LA |
| *Selective Retinoid X Receptor Agonists*** | | |
| <i>bexarotene oral</i> | 1 | SP |
| *Topoisomerase I Inhibitors*** | | |
| HYCAMTIN ORAL | 2 | SP |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| *Vascular Endothelial Growth Factor (Vegf) Inhibitors*** | | |
| FRUZAQLA | 2 | QPD; SP |
| INLYTA | 2 | QPD; SP; LA |
| LENVIMA (10 MG DAILY DOSE) | 2 | QPD; SP; LA |
| LENVIMA (12 MG DAILY DOSE) | 2 | QPD; SP; LA |
| LENVIMA (14 MG DAILY DOSE) | 2 | QPD; SP; LA |
| LENVIMA (18 MG DAILY DOSE) | 2 | QPD; SP; LA |
| LENVIMA (20 MG DAILY DOSE) | 2 | QPD; SP; LA |
| LENVIMA (24 MG DAILY DOSE) | 2 | QPD; SP; LA |
| LENVIMA (4 MG DAILY DOSE) | 2 | QPD; SP; LA |
| LENVIMA (8 MG DAILY DOSE) | 2 | QPD; SP; LA |
| *Antiparkinson And Related Therapy Agents* | | |
| *Antiparkinson Anticholinergics*** | | |
| <i>benztropine mesylate oral</i> | 1 | |
| <i>trihexyphenidyl hcl</i> | 1 | |
| *Antiparkinson Dopaminergics*** | | |
| <i>amantadine hcl oral capsule</i> | 1 | |
| <i>amantadine hcl oral solution 50 mg/5ml</i> | 1 | |
| <i>bromocriptine mesylate oral</i> | 1 | |
| *Antiparkinson Monoamine Oxidase Inhibitors*** | | |
| <i>rasagiline mesylate oral</i> | 1 | |
| <i>selegiline hcl oral</i> | 1 | |
| *Central/Peripheral Comt Inhibitors*** | | |
| <i>tolcapone</i> | 1 | |
| *Decarboxylase Inhibitors*** | | |
| <i>carbidopa oral</i> | 1 | |
| *Levodopa Combinations*** | | |
| <i>carbidopa-levodopa</i> | 1 | |
| <i>carbidopa-levodopa er oral tablet extended release 25-100 mg, 50-200 mg</i> | 1 | |
| <i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25-125-200 mg, 37.5-150-200 mg, 50-200-200 mg</i> | 1 | |
| RYTARY | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| *Nonergoline Dopamine Receptor Agonists*** | | |
| NEUPRO | 2 | QPD |
| <i>pramipexole dihydrochloride</i> | 1 | |
| <i>pramipexole dihydrochloride er</i> | 1 | |
| <i>ropinirole hcl</i> | 1 | |
| <i>ropinirole hcl er</i> | 1 | QPD |
| *Peripheral Comt Inhibitors*** | | |
| <i>entacapone</i> | 1 | |
| *Antipsychotics/Antimanic Agents* | | |
| *Antimanic Agents*** | | |
| <i>lithium</i> | 1 | |
| <i>lithium carbonate er</i> | 1 | |
| <i>lithium carbonate oral</i> | 1 | |
| *Antipsychotics - Misc.*** | | |
| CAPLYTA | 2 | QPD |
| EQUETRO | 2 | |
| <i>lurasidone hcl</i> | 1 | QPD |
| NUPLAZID ORAL CAPSULE | 2 | QPD; SP; LA |
| NUPLAZID ORAL TABLET 10 MG | 2 | QPD; SP; LA |
| VRAYLAR ORAL CAPSULE | 2 | QPD |
| <i>ziprasidone hcl</i> | 1 | QPD |
| *Benzisoxazoles*** | | |
| FANAPT | 2 | QPD |
| FANAPT TITRATION PACK A | 2 | QPD |
| <i>paliperidone er</i> | 1 | QPD |
| <i>risperidone</i> | 1 | |
| *Butyrophenones*** | | |
| <i>haloperidol lactate oral concentrate 2 mg/ml</i> | 1 | |
| <i>haloperidol oral</i> | 1 | |
| *Dibenzodiazepines*** | | |
| <i>clozapine</i> | 1 | |
| *Dibenzo-Oxepino Pyrroles*** | | |
| <i>asenapine maleate</i> | 1 | QPD |
| *Dibenzothiazepines*** | | |
| <i>quetiapine fumarate er</i> | 1 | QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <i>quetiapine fumarate oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</i> | 1 | QPD |
| *Dibenzoxazepines*** | | |
| <i>loxapine succinate oral</i> | 1 | |
| *Dihydroindolones*** | | |
| <i>molindone hcl</i> | 1 | |
| *Phenothiazines*** | | |
| <i>chlorpromazine hcl oral tablet</i> | 1 | |
| <i>compro</i> | 1 | |
| <i>fluphenazine hcl oral</i> | 1 | |
| <i>perphenazine oral</i> | 1 | |
| <i>prochlorperazine</i> | 1 | |
| <i>prochlorperazine maleate oral</i> | 1 | |
| <i>thioridazine hcl oral</i> | 1 | |
| <i>trifluoperazine hcl oral</i> | 1 | |
| *Quinolinone Derivatives*** | | |
| <i>aripiprazole</i> | 1 | QPD |
| REXULTI | 2 | QPD |
| *Thienbenzodiazepines*** | | |
| <i>olanzapine oral</i> | 1 | QPD |
| *Thioxanthenes*** | | |
| <i>thiothixene oral</i> | 1 | |
| *Antivirals* | | |
| *Antiretroviral Combinations*** | | |
| <i>abacavir sulfate-lamivudine</i> | 1 | SP |
| BIKTARVY | 2 | SP |
| CIMDUO | 2 | QPD; SP |
| COMPLERA | 2 | SP |
| DELSTRIGO | 2 | QPD; SP |
| DESCOVY | 2 | SP |
| DOVATO | 2 | QPD; SP |
| <i>efavirenz-emtricitab-tenofo df</i> | 1 | SP |
| <i>efavirenz-lamivudine-tenofovir</i> | 1 | QPD; SP |
| <i>emtricitabine-tenofovir df oral tablet 100-150 mg, 133-200 mg, 167-250 mg</i> | 1 | SP |
| <i>emtricitabine-tenofovir df oral tablet 200-300 mg</i> | \$0 | SP |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| <i>emtricitab- rilpivir- tenofov df</i> | 1 | SP |
| EVOTAZ | 2 | QPD; SP |
| GENVOYA | 2 | SP |
| JULUCA | 2 | QPD; SP |
| <i>lamivudine- zidovudine</i> | 1 | |
| <i>lopinavir- ritonavir oral tablet</i> | 1 | SP |
| ODEFSEY | 2 | SP |
| PREZCOBIX | 2 | QPD; SP |
| STRIBILD | 2 | SP |
| SYMTUZA | 2 | QPD; SP |
| TRIUMEQ | 2 | SP |
| TRIUMEQ PD | 2 | SP |
| *Antiretrovirals - Ccr5 Antagonists (Entry Inhibitor)*** | | |
| <i>maraviroc</i> | 1 | SP |
| SELZENTRY ORAL SOLUTION | 2 | SP |
| *Antiretrovirals - Gp120-Directed Attachment Inhibitor*** | | |
| RUKOBIA | 2 | PA; QPD; SP |
| *Antiretrovirals - Integrase Inhibitors*** | | |
| ISENTRESS | 2 | SP |
| ISENTRESS HD | 2 | SP |
| TIVICAY ORAL TABLET 50 MG | 2 | SP |
| TIVICAY PD | 2 | QPD; SP |
| *Antiretrovirals - Protease Inhibitors*** | | |
| APTIVUS ORAL CAPSULE | 2 | SP |
| <i>atazanavir sulfate</i> | 1 | SP |
| <i>darunavir</i> | 1 | SP |
| <i>fosamprenavir calcium</i> | 1 | SP |
| NORVIR ORAL PACKET | 2 | SP |
| REYATAZ ORAL PACKET | 2 | SP |
| <i>ritonavir</i> | 1 | SP |
| VIRACEPT ORAL TABLET | 2 | SP |
| *Antiretrovirals - Rti-Non-Nucleoside Analogues*** | | |
| EDURANT | 2 | SP |
| EDURANT PED | 2 | PA; QPD; SP |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <i>efavirenz oral tablet</i> | 1 | SP |
| <i>etravirine</i> | 1 | SP |
| INTELENCE ORAL TABLET 25 MG | 2 | SP |
| <i>nevirapine</i> | 1 | |
| <i>nevirapine er oral tablet extended release 24 hour 400 mg</i> | 1 | |
| PIFELTRO | 2 | QPD; SP |
| *Antiretrovirals - Rti-Nucleoside Analogues-Purines*** | | |
| <i>abacavir sulfate oral solution</i> | 1 | SP |
| <i>abacavir sulfate oral tablet</i> | 1 | |
| *Antiretrovirals - Rti-Nucleoside Analogues-Pyrimidines*** | | |
| <i>emtricitabine</i> | 1 | SP |
| EMTRIVA ORAL SOLUTION | 2 | SP |
| <i>lamivudine oral solution 10 mg/ml</i> | 1 | |
| <i>lamivudine oral tablet 150 mg, 300 mg</i> | 1 | |
| *Antiretrovirals - Rti-Nucleoside Analogues-Thymidines*** | | |
| <i>zidovudine</i> | 1 | |
| *Antiretrovirals - Rti-Nucleotide Analogues*** | | |
| <i>tenofovir disoproxil fumarate</i> | 1 | SP |
| VIREAD ORAL POWDER | 2 | SP |
| VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG | 2 | SP |
| *Antiviral Combinations*** | | |
| PAXLOVID (150/100) | 2 | QPD |
| PAXLOVID (300/100) | 2 | QPD |
| *Cmv Agents*** | | |
| PREVYMIS ORAL | 2 | QPD; SP |
| <i>valganciclovir hcl</i> | 1 | |
| *Hepatitis B Agents*** | | |
| <i>adefovir dipivoxil</i> | 1 | SP |
| BARACLUDE ORAL SOLUTION | 2 | SP |
| <i>entecavir</i> | 1 | SP |
| <i>lamivudine oral tablet 100 mg</i> | 1 | |
| VEMLIDY | 2 | SP |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| *Hepatitis C Agent - Combinations*** | | |
| EPCLUSA | 2 | PA; QPD; SP |
| HARVONI | 2 | PA; QPD; SP |
| VOSEVI | 2 | PA; QPD; SP |
| *Hepatitis C Agents*** | | |
| PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML | 2 | PA; QPD; SP |
| PEGASYS SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 2 | PA; QPD; SP |
| <i>ribavirin oral capsule</i> | 1 | QPD |
| <i>ribavirin oral tablet 200 mg</i> | 1 | QPD |
| SOVALDI | 2 | PA; SP |
| *Herpes Agents - Purine Analogues*** | | |
| <i>acyclovir oral capsule</i> | 1 | |
| <i>acyclovir oral suspension 200 mg/5ml</i> | 1 | |
| <i>acyclovir oral tablet</i> | 1 | |
| <i>valacyclovir hcl oral</i> | 1 | QPD |
| *Herpes Agents - Thymidine Analogues*** | | |
| <i>famciclovir oral</i> | 1 | QPD |
| *Influenza Agents*** | | |
| <i>rimantadine hcl</i> | 1 | |
| *Neuraminidase Inhibitors*** | | |
| <i>oseltamivir phosphate oral</i> | 1 | QPD |
| RELENZA DISKHALER INHALATION AEROSOL POWDER BREATH ACTIVATED 5 MG/ACT | 2 | QPD |
| *Pa Endonuclease Inhibitors*** | | |
| XOFLUZA (40 MG DOSE) ORAL TABLET THERAPY PACK 1 X 40 MG | 2 | QPD |
| XOFLUZA (80 MG DOSE) ORAL TABLET THERAPY PACK 1 X 80 MG | 2 | QPD |
| *Beta Blockers* | | |
| *Alpha-Beta Blockers*** | | |
| <i>carvedilol</i> | 1 | |
| <i>carvedilol phosphate er</i> | 1 | |
| <i>labetalol hcl oral tablet 100 mg, 200 mg, 300 mg</i> | 1 | |
| *Beta Blockers Cardio-Selective*** | | |
| <i>acebutolol hcl oral</i> | \$0* | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <i>atenolol oral</i> | \$0* | QPD |
| <i>betaxolol hcl oral</i> | \$0* | |
| <i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i> | \$0* | |
| <i>metoprolol succinate er</i> | \$0* | |
| <i>metoprolol tartrate oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i> | \$0* | QPD |
| <i>nebivolol hcl</i> | \$0* | |
| *Beta Blockers Non-Selective*** | | |
| HEMANGEOL | 2 | SP; LA |
| <i>nadolol oral tablet 20 mg, 40 mg, 80 mg</i> | \$0* | |
| <i>pindolol</i> | \$0* | |
| <i>propranolol hcl er</i> | \$0* | |
| <i>propranolol hcl oral</i> | \$0* | |
| <i>sotalol hcl (af)</i> | 1 | |
| <i>sotalol hcl oral</i> | 1 | |
| <i>timolol maleate oral</i> | \$0* | |
| *Calcium Channel Blockers* | | |
| *Calcium Channel Blockers*** | | |
| <i>amlodipine besylate oral</i> | \$0* | |
| <i>cartia xt</i> | \$0* | |
| <i>diltiazem hcl er beads</i> | \$0* | |
| <i>diltiazem hcl er coated beads oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg</i> | \$0* | |
| <i>diltiazem hcl er oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg</i> | \$0* | |
| <i>diltiazem hcl oral</i> | \$0* | |
| <i>dilt-xr</i> | \$0* | |
| <i>felodipine er</i> | \$0* | |
| <i>isradipine</i> | \$0* | |
| <i>nicardipine hcl oral</i> | \$0* | |
| <i>nifedipine er</i> | \$0* | |
| <i>nifedipine er osmotic release</i> | \$0* | |
| <i>nifedipine oral</i> | \$0* | |
| <i>nimodipine oral capsule</i> | \$0* | QPD |
| <i>nimodipine oral solution</i> | 1 | QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <i>nisoldipine er oral tablet extended release 24 hour 17 mg, 34 mg, 8.5 mg</i> | \$0* | |
| NYMALIZE ORAL SOLUTION 6 MG/ML | 2 | QPD |
| <i>tiadylt er</i> | \$0* | |
| <i>verapamil hcl er oral capsule extended release 24 hour</i> | \$0* | |
| <i>verapamil hcl er oral tablet extended release 120 mg, 180 mg, 240 mg</i> | \$0* | |
| <i>verapamil hcl oral</i> | \$0* | |
| *Cardiotonics* | | |
| *Cardiac Glycosides*** | | |
| <i>digox</i> | 1 | |
| <i>digoxin oral</i> | 1 | |
| *Cardiovascular Agents - Misc.* | | |
| *Calcium Channel Blocker & Hmg Coa Reductase Inhibit Comb*** | | |
| <i>amlodipine-atorvastatin</i> | \$0* | QPD |
| *Cardiac Myosin Inhibitors*** | | |
| CAMZYOS | 2 | PA; QPD; SP |
| *Neprilysin Inhib (Arni)-Angiotensin li Recept Antag Comb*** | | |
| ENTRESTO ORAL CAPSULE SPRINKLE | 2 | QPD |
| <i>sacubitril-valsartan</i> | 1 | QPD |
| *Nitrate & Vasodilator Combinations*** | | |
| <i>isosorb dinitrate-hydralazine oral tablet 20-37.5 mg</i> | 1 | |
| *Pde Inhibitor-Endothelin Receptor Antagonist Combinations*** | | |
| OPSYNVI | 2 | PA; QPD; SP; LA |
| *Prostaglandin Vasodilators*** | | |
| ORENITRAM | 2 | PA; SP; LA |
| ORENITRAM MONTH 1 | 2 | PA; QPD; SP; LA |
| ORENITRAM MONTH 2 | 2 | PA; QPD; SP; LA |
| ORENITRAM MONTH 3 | 2 | PA; QPD; SP; LA |
| TYVASO DPI MAINTENANCE KIT INHALATION POWDER 112 X 32MCG & 112 X64MCG, 112 X 48MCG & 112 X64MCG, 16 MCG, 32 MCG, 48 MCG, 64 MCG, 80 MCG | 2 | PA; QPD; SP; LA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| TYVASO DPI TITRATION KIT INHALATION POWDER 16 & 32 & 48 MCG | 2 | PA; QPD; SP; LA |
| *Pulm Hyperten-Soluble Guanylate Cyclase Stimulator (Sgc)*** | | |
| ADEMPAS | 2 | PA; QPD; SP; LA |
| *Pulmonary Hypertension - Endothelin Receptor Antagonists*** | | |
| <i>ambrisentan</i> | 1 | PA; QPD; SP; LA |
| <i>bosentan</i> | 1 | PA; SP |
| OPSUMIT | 2 | PA; SP; LA |
| TRACLEER ORAL TABLET SOLUBLE | 2 | PA; SP; LA |
| *Pulmonary Hypertension - Phosphodiesterase Inhibitors*** | | |
| <i>alyq</i> | 1 | PA; QPD; SP |
| <i>sildenafil citrate intravenous</i> | 1 | PA; QPD; SP |
| <i>sildenafil citrate oral suspension reconstituted</i> | 1 | PA; QPD; SP |
| <i>sildenafil citrate oral tablet 20 mg</i> | 1 | PA; QPD |
| <i>tadalafil (pah)</i> | 1 | PA; QPD; SP |
| *Pulmonary Hypertension - Prostacyclin Receptor Agonist*** | | |
| UPTRAVI ORAL | 2 | PA; QPD; SP; LA |
| UPTRAVI TITRATION | 2 | PA; QPD; SP; LA |
| *Selective Cgmp Phosphodiesterase Type 5 Inhibitors*** | | |
| <i>tadalafil oral tablet 5 mg</i> | 1 | PA; QPD |
| *Sinus Node Inhibitors** | | |
| <i>ivabradine hcl</i> | 1 | QPD |
| *Cephalosporins* | | |
| *Cephalosporins - 1St Generation*** | | |
| <i>cefadroxil</i> | 1 | |
| <i>cephalexin oral capsule 250 mg, 500 mg</i> | 1 | |
| <i>cephalexin oral suspension reconstituted</i> | 1 | |
| <i>cephalexin oral tablet</i> | 1 | |
| *Cephalosporins - 2Nd Generation*** | | |
| <i>cefaclor er</i> | 1 | |
| <i>cefaclor oral capsule</i> | 1 | |
| <i>cefaclor oral suspension reconstituted 250 mg/5ml</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <i>cefprozil</i> | 1 | |
| <i>cefuroxime axetil oral tablet</i> | 1 | |
| *Cephalosporins - 3Rd Generation*** | | |
| <i>cefdinir</i> | 1 | |
| <i>cefixime oral capsule</i> | 1 | |
| <i>cefixime oral suspension reconstituted</i> | 1 | |
| <i>cefpodoxime proxetil</i> | 1 | |
| *Contraceptives* | | |
| *Biphasic Contraceptives - Oral*** | | |
| <i>azurette</i> | \$0 | |
| <i>desogestrel-ethinyl estradiol oral tablet 0.15-0.02/0.01 mg (21/5)</i> | \$0 | |
| <i>kariva</i> | \$0 | |
| <i>pimtrea</i> | \$0 | |
| <i>simliya</i> | \$0 | |
| <i>viorele</i> | \$0 | |
| <i>volnea</i> | \$0 | |
| *Combination Contraceptives - Oral*** | | |
| <i>afirmelle</i> | \$0 | |
| <i>altavera</i> | \$0 | |
| <i>alyacen 1/35</i> | \$0 | |
| <i>apri</i> | \$0 | |
| <i>aubra eq</i> | \$0 | |
| <i>aurovela 1.5/30</i> | \$0 | |
| <i>aurovela 1/20</i> | \$0 | |
| <i>aurovela 24 fe</i> | \$0 | |
| <i>aurovela fe 1.5/30</i> | \$0 | |
| <i>aurovela fe 1/20</i> | \$0 | |
| <i>aviane</i> | \$0 | |
| <i>ayuna</i> | \$0 | |
| <i>balziva</i> | \$0 | |
| <i>blisovi 24 fe</i> | \$0 | |
| <i>blisovi fe 1.5/30</i> | \$0 | |
| <i>blisovi fe 1/20</i> | \$0 | |
| <i>briellyn</i> | \$0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>charlotte 24 fe</i> | \$0 | |
| <i>chateal eq</i> | \$0 | |
| <i>cryselle-28</i> | \$0 | |
| <i>cyred eq</i> | \$0 | |
| <i>dasetta 1/35 (28)</i> | \$0 | |
| <i>delyla</i> | \$0 | |
| <i>drospiren-eth estrad-levomefol</i> | \$0 | |
| <i>drospirenone-ethinyl estradiol</i> | \$0 | |
| <i>elinest</i> | \$0 | |
| <i>enskyce oral tablet 0.15-30 mg-mcg</i> | \$0 | |
| <i>estarylla</i> | \$0 | |
| <i>ethynodiol diac-eth estradiol</i> | \$0 | |
| <i>falmina</i> | \$0 | |
| <i>feirza 1.5/30</i> | \$0 | |
| <i>feirza 1/20</i> | \$0 | |
| <i>finzala</i> | \$0 | |
| <i>galbriela</i> | \$0 | |
| <i>gemmily</i> | \$0 | |
| <i>hailey 1.5/30</i> | \$0 | |
| <i>hailey 24 fe</i> | \$0 | |
| <i>hailey fe 1.5/30</i> | \$0 | |
| <i>hailey fe 1/20</i> | \$0 | |
| <i>isibloom</i> | \$0 | |
| <i>jasmiel</i> | \$0 | |
| <i>joyeaux</i> | \$0 | |
| <i>juleber</i> | \$0 | |
| <i>junel 1.5/30</i> | \$0 | |
| <i>junel 1/20</i> | \$0 | |
| <i>junel fe 1.5/30</i> | \$0 | |
| <i>junel fe 1/20</i> | \$0 | |
| <i>junel fe 24</i> | \$0 | |
| <i>kaitlib fe</i> | \$0 | |
| <i>kalliga</i> | \$0 | |
| <i>kelnor 1/35</i> | \$0 | |
| <i>kurvelo</i> | \$0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>larin 1.5/30</i> | \$0 | |
| <i>larin 1/20</i> | \$0 | |
| <i>larin 24 fe</i> | \$0 | |
| <i>larin fe 1.5/30</i> | \$0 | |
| <i>larin fe 1/20</i> | \$0 | |
| <i>lessina</i> | \$0 | |
| <i>levonorgest-eth estradiol-iron</i> | \$0 | |
| <i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg, 0.15-30 mg-mcg</i> | \$0 | |
| <i>levora 0.15/30 (28)</i> | \$0 | |
| <i>loryna</i> | \$0 | |
| <i>low-ogestrel</i> | \$0 | |
| <i>lo-zumandimine</i> | \$0 | |
| <i>luizza 1.5/30</i> | \$0 | |
| <i>luizza 1/20</i> | \$0 | |
| <i>lutera</i> | \$0 | |
| <i>marlissa</i> | \$0 | |
| <i>mibelas 24 fe</i> | \$0 | |
| <i>microgestin 1.5/30</i> | \$0 | |
| <i>microgestin 1/20</i> | \$0 | |
| <i>microgestin fe 1.5/30</i> | \$0 | |
| <i>microgestin fe 1/20</i> | \$0 | |
| <i>mili</i> | \$0 | |
| <i>minzoya</i> | \$0 | |
| <i>mono-linyah</i> | \$0 | |
| <i>necon 0.5/35 (28)</i> | \$0 | |
| <i>necon 1/35 (28)</i> | \$0 | |
| <i>nikki</i> | \$0 | |
| <i>norethin ace-eth estrad-fe oral capsule</i> | \$0 | |
| <i>norethin ace-eth estrad-fe oral tablet 1.5-30 mg-mcg</i> | \$0 | |
| <i>norethin ace-eth estrad-fe oral tablet chewable</i> | \$0 | |
| <i>norethindrone acet-ethinyl est oral tablet</i> | \$0 | |
| <i>norethin-eth estradiol-fe oral tablet chewable 0.4-35 mg-mcg</i> | \$0 | |
| <i>norgestimate-eth estradiol oral tablet 0.25-35 mg-mcg</i> | \$0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>nortrel 0.5/35 (28)</i> | \$0 | |
| <i>nortrel 1/35 (21)</i> | \$0 | |
| <i>nortrel 1/35 (28)</i> | \$0 | |
| <i>nylia 1/35</i> | \$0 | |
| <i>orsythia</i> | \$0 | |
| <i>philith</i> | \$0 | |
| <i>portia-28</i> | \$0 | |
| <i>reclipsen</i> | \$0 | |
| <i>sprintec 28</i> | \$0 | |
| <i>sronyx</i> | \$0 | |
| <i>syeda</i> | \$0 | |
| <i>tarina 24 fe</i> | \$0 | |
| <i>tarina fe 1/20 eq</i> | \$0 | |
| <i>taysofy</i> | \$0 | |
| <i>turqoz</i> | 1 | |
| <i>tydemy</i> | \$0 | |
| <i>valtya 1/35</i> | \$0 | |
| <i>valtya 1/50</i> | \$0 | |
| <i>vestura</i> | \$0 | |
| <i>vienva</i> | \$0 | |
| <i>vyfemla</i> | \$0 | |
| <i>vylibra</i> | \$0 | |
| <i>wera</i> | \$0 | |
| <i>wymzya fe</i> | \$0 | |
| <i>xelria fe</i> | \$0 | |
| <i>zovia 1/35 (28)</i> | \$0 | |
| <i>zumandimine</i> | \$0 | |
| *Combination Contraceptives - Transdermal*** | | |
| <i>xulane</i> | \$0 | |
| <i>zafemy</i> | \$0 | |
| *Combination Contraceptives - Vaginal*** | | |
| <i>eluryng</i> | \$0 | |
| <i>etonogestrel-ethinyl estradiol</i> | \$0 | |
| *Continuous Contraceptives - Oral*** | | |
| <i>amethyst</i> | \$0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| <i>dolishale</i> | \$0 | |
| <i>levonorgestrel-ethinyl estrad oral tablet 90-20 mcg</i> | \$0 | |
| *Emergency Contraceptives*** | | |
| <i>afterpill</i> | \$0 | QPD |
| <i>econtra one-step</i> | \$0 | QPD |
| ELLA | \$0 | QPD |
| <i>her style</i> | \$0 | QPD |
| <i>levonorgestrel oral tablet 1.5 mg</i> | \$0 | QPD |
| <i>my choice</i> | \$0 | QPD |
| <i>my way</i> | \$0 | QPD |
| <i>new day</i> | \$0 | QPD |
| <i>opcicon one-step</i> | \$0 | QPD |
| <i>option 2</i> | \$0 | QPD |
| *Extended-Cycle Contraceptives - Oral*** | | |
| <i>ashlyna</i> | \$0 | QPD |
| <i>camrese</i> | \$0 | QPD |
| <i>camrese lo</i> | \$0 | QPD |
| <i>daysee</i> | \$0 | QPD |
| <i>iclevia</i> | \$0 | QPD |
| <i>introvale</i> | \$0 | QPD |
| <i>jaimiess</i> | \$0 | QPD |
| <i>jolessa</i> | \$0 | QPD |
| <i>levonorgest-eth est & eth est</i> | \$0 | QPD |
| <i>levonorgest-eth estrad 91-day</i> | \$0 | QPD |
| <i>lojaimiess</i> | \$0 | QPD |
| <i>rivelsa</i> | \$0 | QPD |
| <i>rosyrah</i> | \$0 | QPD |
| <i>setlakin</i> | \$0 | QPD |
| <i>simpesse</i> | \$0 | QPD |
| *Progestin Contraceptives - Injectable*** | | |
| <i>medroxyprogesterone acetate intramuscular</i> | \$0 | QPD |
| *Progestin Contraceptives - Oral*** | | |
| <i>camila</i> | \$0 | |
| <i>deblitane</i> | \$0 | |
| <i>emzahh</i> | \$0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>errin</i> | \$0 | |
| <i>heather</i> | \$0 | |
| <i>incassia</i> | \$0 | |
| <i>jencycla</i> | \$0 | |
| <i>lyleq</i> | \$0 | |
| <i>lyza</i> | \$0 | |
| <i>meleya</i> | \$0 | |
| <i>nora-be</i> | \$0 | |
| <i>norethindrone oral</i> | \$0 | |
| <i>norlyda</i> | \$0 | |
| <i>norlyroc</i> | \$0 | |
| <i>orquidea</i> | \$0 | |
| <i>sharobel</i> | \$0 | |
| *Triphasic Contraceptives - Oral*** | | |
| <i>alyacen 7/7/7</i> | \$0 | |
| <i>aranelle</i> | \$0 | |
| <i>dasetta 7/7/7</i> | \$0 | |
| <i>levonest</i> | \$0 | |
| <i>levonorg-eth estrad triphasic oral tablet 50-30/75-40/ 125-30 mcg</i> | \$0 | |
| <i>norgestim-eth estrad triphasic</i> | \$0 | |
| <i>nortrel 7/7/7</i> | \$0 | |
| <i>nylia 7/7/7</i> | \$0 | |
| <i>pirmella 7/7/7</i> | \$0 | |
| <i>tilia fe</i> | \$0 | |
| <i>tri femynor</i> | \$0 | |
| <i>tri-estarylla</i> | \$0 | |
| <i>tri-legest fe</i> | \$0 | |
| <i>tri-linyah</i> | \$0 | |
| <i>tri-lo-estarylla</i> | \$0 | |
| <i>tri-lo-marzia</i> | \$0 | |
| <i>tri-lo-mili</i> | \$0 | |
| <i>tri-lo-sprintec</i> | \$0 | |
| <i>tri-mili</i> | \$0 | |
| <i>trinessa (28)</i> | \$0 | |
| <i>tri-sprintec</i> | \$0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <i>trivora (28)</i> | \$0 | |
| <i>tri-vylibra</i> | \$0 | |
| <i>tri-vylibra lo</i> | \$0 | |
| <i>velivet</i> | \$0 | |
| <i>xarah fe</i> | \$0 | |
| *Corticosteroids* | | |
| *Glucocorticosteroids*** | | |
| <i>budesonide er oral tablet extended release 24 hour</i> | 1 | QPD |
| <i>budesonide oral</i> | 1 | |
| <i>cortisone acetate oral</i> | 1 | |
| <i>dexamethasone intensol</i> | 1 | |
| <i>dexamethasone oral elixir</i> | 1 | |
| <i>dexamethasone oral solution</i> | 1 | |
| <i>dexamethasone oral tablet</i> | 1 | |
| <i>hydrocortisone oral</i> | 1 | |
| <i>methylprednisolone oral</i> | 1 | |
| <i>prednisolone oral solution</i> | 1 | |
| <i>prednisolone oral tablet</i> | 1 | |
| <i>prednisolone sodium phosphate oral solution 15 mg/5ml, 25 mg/5ml, 5 mg/5ml</i> | 1 | |
| <i>prednisolone sodium phosphate oral tablet dispersible</i> | 1 | |
| <i>prednisone intensol</i> | 1 | |
| <i>prednisone oral solution</i> | 1 | |
| <i>prednisone oral tablet</i> | 1 | |
| <i>prednisone oral tablet therapy pack</i> | 1 | |
| *Mineralocorticoids*** | | |
| <i>fludrocortisone acetate oral</i> | 1 | |
| *Cough/Cold/Allergy* | | |
| *Antitussive - Nonnarcotic*** | | |
| <i>benzonatate oral capsule 100 mg, 200 mg</i> | 1 | |
| *Antitussive - Opioid*** | | |
| <i>hydrocodone bit-homatrop mbr oral tablet</i> | 1 | |
| <i>hydromet oral solution</i> | 1 | |
| *Antitussive-Expectorant*** | | |
| <i>g tussin ac</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| <i>guaiaatussin ac</i> | 1 | |
| <i>guaifenesin-codeine oral solution</i> | 1 | |
| MAR-COF CG EXPECTORANT | 2 | |
| <i>maxi-tuss ac</i> | 1 | |
| *Decongestant & Antihistamine*** | | |
| <i>promethazine-phenylephrine</i> | 1 | |
| *Iodine Expectorants*** | | |
| <i>potassium iodide (expectorant)</i> | 1 | |
| SSKI | 2 | |
| *Misc. Respiratory Inhalants*** | | |
| HYPERSAL | 2 | |
| <i>nebusal inhalation nebulization solution 3 %</i> | 1 | |
| NEBUSAL INHALATION NEBULIZATION SOLUTION 6 % | 2 | |
| <i>pulmosal</i> | 1 | |
| <i>sodium chloride inhalation nebulization solution 0.9 % , 10 % , 3 % , 7 %</i> | 1 | |
| *Mucolytics*** | | |
| <i>acetylcysteine inhalation</i> | 1 | |
| *Non-Narc Antitussive-Antihistamine*** | | |
| <i>promethazine-dm oral syrup 6.25-15 mg/5ml</i> | 1 | |
| *Non-Narc Antitussive-Decongestant-Antihistamine*** | | |
| <i>pseudoeph-bromphen-dm oral syrup 30-2-10 mg/5ml</i> | 1 | |
| *Opioid Antitussive-Antihistamine*** | | |
| <i>hydrocod poli-chlorphe poli er</i> | 1 | |
| <i>promethazine-codeine</i> | 1 | QPD |
| *Opioid Antitussive-Decongestant-Antihistamine*** | | |
| <i>rydex</i> | 1 | |
| *Dermatologicals* | | |
| *Acne Antibiotics*** | | |
| <i>clindacin</i> | 1 | QPD |
| <i>clindacin etz external swab</i> | 1 | QPD |
| <i>clindacin-p</i> | 1 | QPD |
| <i>clindamycin phos (once-daily)</i> | 1 | QPD |
| <i>clindamycin phos (twice-daily)</i> | 1 | QPD |
| <i>clindamycin phosphate external foam</i> | 1 | QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>clindamycin phosphate external lotion</i> | 1 | QPD |
| <i>clindamycin phosphate external solution</i> | 1 | QPD |
| <i>clindamycin phosphate external swab</i> | 1 | QPD |
| <i>dapsone external gel 5 %</i> | 1 | QPD |
| <i>ery</i> | 1 | QPD |
| <i>erythromycin external gel</i> | 1 | QPD |
| <i>erythromycin external solution</i> | 1 | QPD |
| <i>sulfacetamide sodium (acne)</i> | 1 | QPD |
| *Acne Combinations*** | | |
| <i>benzoyl peroxide-erythromycin</i> | 1 | |
| <i>clindamycin phos-benzoyl perox external gel 1-5 %, 1.2-5 %</i> | 1 | |
| <i>clindamycin-tretinoin</i> | 1 | PA |
| <i>neuac external gel</i> | 1 | |
| *Acne Products*** | | |
| ABSORICA LD | 2 | QPD |
| <i>accutane</i> | 1 | QPD |
| <i>adapalene external cream</i> | 1 | QPD |
| <i>adapalene external gel 0.3 %</i> | 1 | QPD |
| ALTRENO | 2 | PA; QPD |
| <i>amnesteam</i> | 1 | QPD |
| <i>claravis</i> | 1 | QPD |
| <i>isotretinoin oral</i> | 1 | QPD |
| <i>tretinoin external</i> | 1 | PA; QPD |
| <i>tretinoin microsphere external gel 0.04 %, 0.1 %</i> | 1 | PA; QPD |
| <i>tretinoin microsphere pump</i> | 1 | PA; QPD |
| <i>zenatane</i> | 1 | QPD |
| *Alopecia Agents - Janus Kinus (Jak) Inhibitors*** | | |
| LITFULO | 2 | PA; QPD; SP |
| *Antibiotics - Topical*** | | |
| <i>gentamicin sulfate external</i> | 1 | QPD |
| <i>mupirocin external</i> | 1 | QPD |
| *Antifungals - Topical Combinations*** | | |
| <i>clotrimazole-betamethasone</i> | 1 | QPD |
| <i>nystatin-triamcinolone</i> | 1 | QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| *Antifungals - Topical*** | | |
| <i>ciclodan external solution</i> | 1 | QPD |
| <i>ciclopirox external</i> | 1 | QPD |
| <i>ciclopirox olamine external</i> | 1 | QPD |
| <i>klayesta</i> | 1 | QPD |
| <i>naftifine hcl external cream</i> | 1 | PA; QPD |
| <i>naftifine hcl external gel 2 %</i> | 1 | PA; QPD |
| <i>nyamyc</i> | 1 | QPD |
| <i>nystatin external</i> | 1 | QPD |
| <i>nystop</i> | 1 | QPD |
| *Anti-Inflammatory Agents - Topical*** | | |
| <i>diclofenac sodium external gel 1 %</i> | 1 | QPD |
| <i>diclofenac sodium external solution 1.5 %</i> | 1 | QPD |
| *Antineoplastic Alkylating Agents - Topical*** | | |
| VALCHLOR | 2 | SP; LA |
| *Antineoplastic Antimetabolites - Topical*** | | |
| <i>fluorouracil external cream 5 %</i> | 1 | |
| <i>fluorouracil external solution</i> | 1 | |
| *Antineoplastic Or Premalignant Lesions - Topical Nsaid's*** | | |
| <i>diclofenac sodium external gel 3 %</i> | 1 | PA; QPD |
| *Antineoplastic Retinoids - Topical*** | | |
| PANRETIN | 2 | SP |
| *Antipruritics - Topical*** | | |
| <i>doxepin hcl external</i> | 1 | PA; QPD |
| <i>prudoxin</i> | 1 | PA; QPD |
| *Antipsoriatics - Systemic*** | | |
| <i>acitretin</i> | 1 | |
| BIMZELX | 2 | PA; QPD; SP |
| COSENTYX (300 MG DOSE) | 2 | PA; QPD; SP; LA |
| COSENTYX SENSOREADY (300 MG) | 2 | PA; QPD; SP; LA |
| COSENTYX SENSOREADY PEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR 150 MG/ML | 2 | PA; QPD; SP; LA |
| COSENTYX SUBCUTANEOUS | 2 | PA; QPD; SP; LA |
| COSENTYX UNOREADY | 2 | PA; QPD; SP |
| IMULDOSA SUBCUTANEOUS | 2 | PA; QPD; SP |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| <i>methoxsalen rapid</i> | 1 | SP |
| SELARSDI SUBCUTANEOUS | 2 | PA; QPD; SP |
| SILIQ | 2 | PA; QPD; SP |
| SKYRIZI PEN | 2 | PA; QPD; SP |
| SKYRIZI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 2 | PA; QPD; SP |
| SOTYKTU | 2 | PA; QPD; SP |
| TALTZ | 2 | PA; QPD; SP; LA |
| TREMFYA ONE-PRESS SUBCUTANEOUS SOLUTION PEN-INJECTOR | 2 | PA; QPD; SP |
| TREMFYA PEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR 100 MG/ML | 2 | PA; QPD; SP |
| TREMFYA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/ML | 2 | PA; QPD; SP |
| USTEKINUMAB-TTWE SUBCUTANEOUS | 2 | PA; QPD; SP |
| YESINTEK SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 2 | PA; QPD; SP |
| *Antipsoriatics*** | | |
| <i>calcipotriene external cream</i> | 1 | QPD |
| <i>calcipotriene external ointment</i> | 1 | QPD |
| <i>calcipotriene external solution</i> | 1 | QPD |
| <i>calcitrene</i> | 1 | QPD |
| <i>calcitriol external</i> | 1 | QPD |
| <i>tazarotene external cream</i> | 1 | QPD |
| *Antiseborrheic Products*** | | |
| <i>selenium sulfide external lotion</i> | 1 | |
| <i>sodium sulfacetamide external shampoo 10 %</i> | 1 | |
| <i>sulfacetamide sodium (cleans)</i> | 1 | |
| <i>sulfacetamide sodium external liquid</i> | 1 | |
| *Antivirals - Topical*** | | |
| <i>acyclovir external ointment</i> | 1 | PA |
| <i>penciclovir</i> | 1 | PA |
| *Atopic Dermatitis - Janus Kinase (Jak) Inhibitors*** | | |
| OPZELURA | 2 | PA; QPD; SP |
| *Atopic Dermatitis - Monoclonal Antibodies*** | | |
| ADBRY | 2 | PA; QPD; SP; LA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| DUPIXENT SUBCUTANEOUS SOLUTION AUTO-INJECTOR | 2 | PA; QPD; SP |
| DUPIXENT SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 200 MG/1.14ML, 300 MG/2ML | 2 | PA; QPD; SP |
| *Burn Products*** | | |
| <i>silver sulfadiazine external</i> | 1 | |
| <i>ssd</i> | 1 | |
| SULFAMYLON EXTERNAL CREAM | 2 | |
| *Corticosteroids - Topical*** | | |
| <i>ala-cort external cream 1 %</i> | 1 | QPD |
| <i>alclometasone dipropionate</i> | 1 | QPD |
| <i>amcinonide external cream</i> | 1 | QPD |
| <i>amcinonide external ointment</i> | 1 | QPD |
| <i>betamethasone dipropionate aug</i> | 1 | QPD |
| <i>betamethasone dipropionate external</i> | 1 | QPD |
| <i>betamethasone valerate external</i> | 1 | QPD |
| <i>clobetasol prop emollient base</i> | 1 | QPD |
| <i>clobetasol propionate e</i> | 1 | QPD |
| <i>clobetasol propionate emulsion</i> | 1 | QPD |
| <i>clobetasol propionate external cream 0.05 %</i> | 1 | QPD |
| <i>clobetasol propionate external foam</i> | 1 | QPD |
| <i>clobetasol propionate external gel</i> | 1 | QPD |
| <i>clobetasol propionate external liquid</i> | 1 | QPD |
| <i>clobetasol propionate external lotion</i> | 1 | QPD |
| <i>clobetasol propionate external ointment</i> | 1 | QPD |
| <i>clobetasol propionate external shampoo</i> | 1 | QPD |
| <i>clobetasol propionate external solution</i> | 1 | QPD |
| <i>clodan external shampoo</i> | 1 | QPD |
| <i>desonide external cream</i> | 1 | QPD |
| <i>desonide external lotion</i> | 1 | QPD |
| <i>desonide external ointment</i> | 1 | QPD |
| <i>desoximetasone external cream</i> | 1 | QPD |
| <i>desoximetasone external gel</i> | 1 | QPD |
| <i>desoximetasone external ointment</i> | 1 | QPD |
| <i>diflorasone diacetate external</i> | 1 | QPD |
| <i>fluocinolone acetonide body</i> | 1 | QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| <i>fluocinolone acetonide external</i> | 1 | QPD |
| <i>fluocinolone acetonide scalp</i> | 1 | QPD |
| <i>fluocinonide emulsified base</i> | 1 | QPD |
| <i>fluocinonide external</i> | 1 | QPD |
| <i>fluticasone propionate external</i> | 1 | QPD |
| <i>halobetasol propionate external cream</i> | 1 | QPD |
| <i>halobetasol propionate external ointment</i> | 1 | QPD |
| <i>hydrocortisone butyrate external cream</i> | 1 | QPD |
| <i>hydrocortisone butyrate external ointment</i> | 1 | QPD |
| <i>hydrocortisone butyrate external solution</i> | 1 | QPD |
| <i>hydrocortisone external cream 1 %</i> | 1 | |
| <i>hydrocortisone external cream 2.5 %</i> | 1 | QPD |
| <i>hydrocortisone external lotion 2.5 %</i> | 1 | QPD |
| <i>hydrocortisone external ointment 1 %, 2.5 %</i> | 1 | QPD |
| <i>hydrocortisone max st external cream</i> | 1 | QPD |
| <i>hydrocortisone valerate</i> | 1 | QPD |
| <i>medpura hydrocortisone</i> | 1 | |
| <i>mometasone furoate external</i> | 1 | QPD |
| <i>tovet external foam</i> | 1 | ST; QPD |
| <i>triamcinolone acetonide external aerosol solution</i> | 1 | QPD |
| <i>triamcinolone acetonide external cream</i> | 1 | QPD |
| <i>triamcinolone acetonide external lotion</i> | 1 | QPD |
| <i>triamcinolone acetonide external ointment 0.025 %, 0.1 %, 0.5 %</i> | 1 | QPD |
| <i>triderm external cream 0.5 %</i> | 1 | QPD |
| *Enzymes - Topical*** | | |
| SANTYL | 2 | QPD |
| *Imidazole-Related Antifungals - Topical*** | | |
| <i>clotrimazole external cream</i> | 1 | QPD |
| <i>clotrimazole external solution</i> | 1 | QPD |
| <i>econazole nitrate external cream</i> | 1 | QPD |
| ERTACZO | 2 | PA; QPD |
| <i>ketoconazole external cream</i> | 1 | QPD |
| <i>ketoconazole external foam</i> | 1 | QPD |
| <i>ketoconazole external shampoo 2 %</i> | 1 | QPD |
| LULICONAZOLE | 2 | PA; QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <i>oxiconazole nitrate</i> | 1 | PA; QPD |
| SULCONAZOLE NITRATE | 2 | PA; QPD |
| *Immunomodulators Imidazoquinolinamines - Topical*** | | |
| <i>imiquimod external cream 3.75 %</i> | 1 | PA; QPD |
| <i>imiquimod external cream 5 %</i> | 1 | QPD |
| <i>imiquimod pump</i> | 1 | PA; QPD |
| *Keratolytic/Antimitotic/Vesicant Agents*** | | |
| <i>podofilox external solution</i> | 1 | |
| *Local Anesthetics - Topical*** | | |
| <i>glydo external prefilled syringe</i> | 1 | QPD |
| <i>lidocaine external ointment 5 %</i> | 1 | PA; QPD |
| <i>lidocaine external patch 5 %</i> | 1 | PA |
| <i>lidocaine hcl external solution</i> | 1 | QPD |
| <i>lidocaine hcl urethral/mucosal</i> | 1 | QPD |
| ZTLIDO | 2 | PA; QPD |
| *Macrolide Immunosuppressants - Topical*** | | |
| <i>pimecrolimus</i> | 1 | QPD |
| <i>tacrolimus external ointment</i> | 1 | QPD |
| *Misc. Topical*** | | |
| QBREXZA | 2 | PA; QPD |
| SOFDRA | 2 | PA; QPD |
| *Rosacea Agents*** | | |
| <i>azelaic acid external</i> | 1 | |
| <i>brimonidine tartrate external</i> | 1 | QPD |
| FINACEA EXTERNAL FOAM | 2 | |
| <i>metronidazole external</i> | 1 | QPD |
| RHOFADE | 2 | QPD |
| *Scabicides & Pediculicides*** | | |
| <i>crotan</i> | 1 | QPD |
| <i>ivermectin external lotion</i> | 1 | |
| <i>malathion external</i> | 1 | |
| <i>permethrin external cream</i> | 1 | |
| <i>spinosad</i> | 1 | QPD |
| *Steroid-Local Anesthetic Combinations*** | | |
| <i>hydrocortisone ace-pramoxine external cream 2.5-1 %</i> | 1 | QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| *Topical Anesthetic Combinations*** | | |
| <i>lidocaine-prilocaine external cream</i> | 1 | PA; QPD |
| *Topical Selective Retinoid X Receptor Agonists*** | | |
| <i>bexarotene external</i> | 1 | SP |
| *Topical Steroid Combinations*** | | |
| <i>calcipotriene-betameth diprop external ointment</i> | 1 | QPD |
| ENSTILAR | 2 | QPD |
| *Diagnostic Products* | | |
| *Diagnostic Drugs*** | | |
| METOPIRONE | 2 | QPD |
| *Diagnostic Tests*** | | |
| CONTOUR NEXT TEST | 2 | |
| CONTOUR PLUS TEST | 2 | |
| CONTOUR TEST | 2 | |
| DIASTIX | 2 | |
| FORA GTEL BLOOD KETONE TEST | 2 | |
| GHT TEST | 2 | PA |
| GNP TRUE METRIX GLUCOSE STRIPS | 2 | PA |
| GNP TRUETRACK TEST STRIPS | 2 | PA |
| GOJJI BLOOD KETONE TEST | 2 | |
| KETONE TEST | 2 | |
| KETOSTIX | 2 | |
| NOVA MAX PLUS KETONE TEST | 2 | |
| RELION KETONE TEST | 2 | |
| RELION TRUE METRIX TEST STRIPS | 2 | PA |
| TRUE METRIX BLOOD GLUCOSE TEST | 2 | |
| TRUETEST TEST | 2 | |
| TRUETRACK TEST | 2 | |
| *Multiple Urine Tests*** | | |
| CHEMSTRIP 10 MD | 2 | |
| CHEMSTRIP 10/SG | 2 | |
| CHEMSTRIP 2 GP | 2 | |
| CHEMSTRIP 5 OB | 2 | |
| CHEMSTRIP 7 | 2 | |
| CHEMSTRIP 9 | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| CVS KETONE CARE | 2 | |
| KETO-DIASTIX | 2 | |
| MULTISTIX 10 SG | 2 | |
| *Digestive Aids* | | |
| *Digestive Enzymes*** | | |
| CREON | 2 | |
| SUCRAID | 2 | SP; LA |
| ZENPEP ORAL CAPSULE DELAYED RELEASE PARTICLES 10000-32000 UNIT, 15000-47000 UNIT, 20000-63000 UNIT, 25000-79000 UNIT, 3000-10000 UNIT, 40000- 126000 UNIT, 5000-24000 UNIT, 60000-189600 UNIT | 2 | |
| *Diuretics* | | |
| *Carbonic Anhydrase Inhibitors*** | | |
| <i>acetazolamide er</i> | 1 | |
| <i>acetazolamide oral</i> | 1 | |
| <i>dichlorphenamide</i> | 1 | PA; QPD; SP |
| <i>methazolamide oral</i> | 1 | |
| *Diuretic Combinations*** | | |
| <i>amiloride-hydrochlorothiazide</i> | 1 | |
| <i>spironolactone-hctz</i> | 1 | |
| <i>triamterene-hctz oral capsule 37.5-25 mg</i> | 1 | QPD |
| <i>triamterene-hctz oral tablet</i> | 1 | QPD |
| *Loop Diuretics*** | | |
| <i>bumetanide oral</i> | 1 | |
| <i>ethacrynic acid oral</i> | 1 | PA |
| <i>furosemide oral solution 10 mg/ml, 8 mg/ml</i> | 1 | QPD |
| <i>furosemide oral tablet</i> | 1 | QPD |
| <i>toremide oral</i> | 1 | |
| *Potassium Sparing Diuretics*** | | |
| <i>amiloride hcl oral</i> | 1 | |
| <i>spironolactone oral tablet</i> | 1 | |
| <i>triamterene oral</i> | 1 | |
| *Thiazides And Thiazide-Like Diuretics*** | | |
| <i>chlorthalidone oral tablet 25 mg, 50 mg</i> | \$0* | |
| DIURIL | 2 | |
| <i>hydrochlorothiazide oral</i> | \$0* | QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| <i>indapamide oral</i> | \$0* | |
| <i>metolazone</i> | \$0* | |
| *Endocrine And Metabolic Agents - Misc.* | | |
| *Bisphosphonates*** | | |
| <i>alendronate sodium oral solution</i> | \$0* | QPD |
| <i>alendronate sodium oral tablet 10 mg, 35 mg, 70 mg</i> | \$0* | QPD |
| <i>ibandronate sodium oral</i> | \$0* | QPD |
| <i>risedronate sodium oral tablet 150 mg, 30 mg, 35 mg, 5 mg</i> | \$0* | QPD |
| <i>risedronate sodium oral tablet delayed release</i> | \$0* | QPD |
| *Calcimimetic Agents*** | | |
| <i>cinacalcet hcl</i> | 1 | PA |
| *Calcitonins*** | | |
| <i>calcitonin (salmon) injection</i> | 1 | |
| <i>calcitonin (salmon) nasal</i> | 1 | QPD |
| *Carnitine Replenisher - Agents*** | | |
| <i>levocarnitine oral solution</i> | 1 | |
| <i>levocarnitine oral tablet</i> | 1 | |
| *Corticotropin*** | | |
| ACTHAR | 2 | PA; SP; LA |
| ACTHAR GEL SUBCUTANEOUS PEN-INJECTOR | 2 | PA; QPD; SP; LA |
| *Dopamine Receptor Agonists*** | | |
| <i>cabergoline</i> | 1 | |
| *Fabry Disease - Agents*** | | |
| GALAFOLD | 2 | PA; QPD; SP; LA |
| *Gnrh/Lhrh Antagonists*** | | |
| ORLISSA | 2 | PA; QPD |
| *Growth Hormone Receptor Antagonists*** | | |
| SOMAVERT | 2 | QPD; SP; LA |
| *Growth Hormone Releasing Hormones (Ghrh)*** | | |
| EGRIFTA SV | 2 | PA; SP; LA |
| *Growth Hormones*** | | |
| GENOTROPIN MINIQUICK SUBCUTANEOUS PREFILLED SYRINGE | 2 | PA; SP |
| GENOTROPIN SUBCUTANEOUS CARTRIDGE | 2 | PA; SP |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| NORDITROPIN FLEXPRO SUBCUTANEOUS SOLUTION PEN-INJECTOR 10 MG/1.5ML, 15 MG/1.5ML, 5 MG/1.5ML | 2 | PA; SP |
| SKYTROFA | 2 | PA; SP |
| SOGROYA | 2 | PA; SP |
| *Hereditary Orotic Aciduria Treatment - Agents** | | |
| XURIDEN | 2 | PA; QPD; SP; LA |
| *Hereditary Tyrosinemia Type 1 (Ht-1) Treatment - Agents*** | | |
| <i>nitisinone oral capsule 10 mg, 2 mg, 5 mg</i> | 1 | PA; SP; LA |
| <i>nitisinone oral capsule 20 mg</i> | 1 | PA; SP |
| NITYR | 2 | PA; SP; LA |
| ORFADIN ORAL SUSPENSION | 2 | PA; SP; LA |
| *Hyperparathyroid Treatment - Vitamin D Analogs*** | | |
| <i>calcitriol oral</i> | 1 | |
| <i>doxercalciferol oral</i> | 1 | |
| <i>paricalcitol oral</i> | 1 | |
| *Hypophosphatasia (Hpp) Agents*** | | |
| STRENSIQ | 2 | PA; SP; LA |
| *Insulin-Like Growth Factors (Somatomedins)*** | | |
| INCRELEX | 2 | PA; SP; LA |
| *Leptin Analogues*** | | |
| MYALEPT | 2 | PA; SP; LA |
| *Lhrh/Gnrh Agonist Analog Pituitary Suppressants*** | | |
| SYNAREL | 2 | SP |
| *Neurokinin 3 (Nk3) Receptor Antagonists*** | | |
| VEOZAH | 2 | QPD |
| *Parathyroid Hormone And Derivatives*** | | |
| TYMLOS | 2 | PA; QPD; SP |
| *Phenylketonuria Treatment - Agents*** | | |
| <i>javygtor</i> | 1 | PA; SP; LA |
| <i>sapropterin dihydrochloride oral packet</i> | 1 | PA; SP |
| <i>sapropterin dihydrochloride oral tablet</i> | 1 | PA; SP |
| <i>zelvysia</i> | 1 | PA; SP; LA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| *Selective Estrogen Receptor Modulators (Serms)*** | | |
| OSPHENA | 2 | QPD |
| <i>raloxifene hcl</i> | \$0 | QPD |
| *Selective Vasopressin V2-Receptor Antagonists*** | | |
| <i>tolvaptan</i> | 1 | PA; QPD; SP |
| <i>tolvaptan (hyponatremia) oral tablet 15 mg, 30 mg</i> | 1 | PA; QPD; SP |
| *Somatostatic Agents*** | | |
| <i>octreotide acetate injection solution 100 mcg/ml, 1000 mcg/ml, 200 mcg/ml, 50 mcg/ml, 500 mcg/ml</i> | 1 | SP |
| <i>octreotide acetate subcutaneous</i> | 1 | SP |
| SIGNIFOR | 2 | PA; QPD; SP; LA |
| *Urea Cycle Disorder - Agents*** | | |
| <i>glycerol phenylbutyrate</i> | 1 | PA; QPD; SP; LA |
| RAVICTI | 2+ | PA; QPD; SP; LA |
| <i>sodium phenylbutyrate oral powder 3 gm/tsp</i> | 1 | PA; QPD; SP |
| <i>sodium phenylbutyrate oral tablet</i> | 1 | PA; QPD; SP |
| *Vasopressin*** | | |
| <i>desmopressin ace spray refrig</i> | 1 | |
| <i>desmopressin acetate oral</i> | 1 | |
| <i>desmopressin acetate spray</i> | 1 | |
| *Estrogens* | | |
| *Estrogen & Androgen*** | | |
| <i>covaryx</i> | 1 | |
| <i>covaryx hs</i> | 1 | |
| <i>eemt</i> | 1 | |
| <i>eemt hs</i> | 1 | |
| <i>est estrogens-methyltest ds</i> | 1 | |
| <i>est estrogens-methyltest hs</i> | 1 | |
| <i>est estrogens-methyltest oral tablet 1.25-2.5 mg</i> | 1 | |
| *Estrogen & Progestin*** | | |
| <i>abigale</i> | 1 | |
| <i>abigale lo</i> | 1 | |
| CLIMARA PRO | 2 | QPD |
| COMBIPATCH | 2 | QPD |
| <i>estradiol-norethindrone acet</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| <i>fyavolv</i> | 1 | |
| <i>jinteli</i> | 1 | |
| <i>mimvey</i> | 1 | |
| <i>norethindrone-eth estradiol</i> | 1 | |
| PREMPHASE | 2 | QPD |
| PREMPRO | 2 | QPD |
| *Estrogen-Progestin-Gnrh Antagonist*** | | |
| MYFEMBREE | 2 | PA; QPD |
| ORIAHNN | 2 | PA; QPD |
| *Estrogens*** | | |
| DEPO-ESTRADIOL | 2 | |
| <i>dotti</i> | 1 | QPD |
| ELESTRIN | 2 | QPD |
| <i>estradiol oral</i> | 1 | |
| <i>estradiol transdermal gel 0.25 mg/0.25gm, 0.5 mg/0.5gm, 0.75 mg/0.75gm, 1 mg/gm, 1.25 mg/1.25gm</i> | 1 | QPD |
| <i>estradiol transdermal patch twice weekly</i> | 1 | QPD |
| <i>estradiol transdermal patch weekly</i> | 1 | QPD |
| <i>estradiol valerate intramuscular</i> | 1 | |
| <i>estrogens conjugated</i> | 1 | QPD |
| EVAMIST | 2 | QPD |
| <i>lyllana</i> | 1 | QPD |
| PREMARIN ORAL | 2 | QPD |
| *Estrogen-Selective Estrogen Receptor Modulator Comb*** | | |
| DUAVEE | 2 | |
| *Fluoroquinolones* | | |
| *Fluoroquinolones*** | | |
| BAXDELA ORAL | 2 | QPD |
| <i>ciprofloxacin hcl oral tablet 250 mg, 500 mg, 750 mg</i> | 1 | |
| <i>levofloxacin oral</i> | 1 | |
| <i>moxifloxacin hcl oral</i> | 1 | |
| <i>ofloxacin oral tablet 300 mg, 400 mg</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| *Gastrointestinal Agents - Misc.* | | |
| *Bile Acid Synthesis Disorder Agents*** | | |
| CHOLBAM | 2 | PA; SP; LA |
| *Cic Agents - Guanylate Cyclase-C (Gc-C) Agonists*** | | |
| TRULANCE | 2 | QPD |
| *Gallstone Solubilizing Agents*** | | |
| <i>ursodiol oral capsule 300 mg</i> | 1 | |
| <i>ursodiol oral tablet</i> | 1 | |
| *Gastrointestinal Antiallergy Agents*** | | |
| <i>cromolyn sodium oral</i> | 1 | PA |
| *Gastrointestinal Chloride Channel Activators*** | | |
| <i>lubiprostone</i> | 1 | QPD |
| *Gastrointestinal Stimulants*** | | |
| <i>metoclopramide hcl oral solution 10 mg/10ml, 5 mg/5ml</i> | 1 | |
| <i>metoclopramide hcl oral tablet</i> | 1 | |
| *Glucagon-Like Peptide-2 (Glp-2) Analogs*** | | |
| GATTEX | 2 | PA; SP; LA |
| *Ibs Agent - Guanylate Cyclase-C (Gc-C) Agonists*** | | |
| LINZESS | 2 | QPD |
| *Ibs Agent - Mu-Opioid Receptor Agonists*** | | |
| VIBERZI | 2 | QPD |
| *Ibs Agent - Selective 5-Ht3 Receptor Antagonists*** | | |
| <i>alosetron hcl</i> | 1 | QPD |
| *Inflammatory Bowel Agents*** | | |
| <i>balsalazide disodium</i> | 1 | |
| DIPENTUM | 2 | |
| <i>mesalamine er</i> | 1 | |
| <i>mesalamine oral</i> | 1 | |
| <i>mesalamine rectal enema</i> | 1 | |
| <i>mesalamine rectal suppository</i> | 1 | QPD |
| PENTASA ORAL CAPSULE EXTENDED RELEASE 250 MG | 2 | |
| <i>sulfasalazine oral</i> | 1 | |
| *Integrin Receptor Antagonists*** | | |
| ENTYVIO PEN | 2 | PA; QPD; SP |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| *Interleukin Antagonists*** | | |
| OMVOH (300 MG DOSE) | 2 | PA; QPD; SP; LA |
| OMVOH SUBCUTANEOUS | 2 | PA; QPD; SP; LA |
| SKYRIZI SUBCUTANEOUS SOLUTION CARTRIDGE | 2 | PA; QPD; SP |
| TREMFYA PEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR 200 MG/2ML | 2 | PA; QPD; SP |
| TREMFYA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 200 MG/2ML | 2 | PA; QPD; SP |
| TREMFYA-CD/UC INDUCTION | 2 | PA; QPD; SP |
| *Intestinal Acidifiers*** | | |
| <i>enulose</i> | 1 | |
| <i>generlac</i> | 1 | |
| <i>lactulose encephalopathy oral solution 10 gm/15ml</i> | 1 | |
| *Peripheral Opioid Receptor Antagonists*** | | |
| MOVANTIK | 2 | QPD |
| RELISTOR ORAL | 2 | QPD; SP |
| RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6ML | 2 | QPD; SP |
| RELISTOR SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 2 | QPD; SP |
| SYMPROIC | 2 | QPD |
| *Peroxisome Proliferator-Activated Receptor Agonists*** | | |
| LIVDELZI | 2 | PA; QPD; SP; LA |
| *Phosphate Binder Agents*** | | |
| <i>calcium acetate (phos binder)</i> | 1 | |
| <i>calcium acetate oral tablet 667 mg</i> | 1 | |
| <i>lanthanum carbonate</i> | 1 | PA |
| <i>sevelamer carbonate</i> | 1 | PA |
| VELPHORO | 2 | PA |
| *Tumor Necrosis Factor Alpha Blockers*** | | |
| CIMZIA (1 SYRINGE) | 2 | PA; QPD; SP; LA |
| CIMZIA (2 SYRINGE) | 2 | PA; QPD; SP; LA |
| CIMZIA-STARTER | 2 | PA; QPD; SP; LA |
| ZYMFENTRA (2 PEN) | 2 | PA; QPD; SP |
| ZYMFENTRA (2 SYRINGE) | 2 | PA; QPD; SP |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| *Genitourinary Agents - Miscellaneous* | | |
| *5-Alpha Reductase Inhibitors*** | | |
| <i>dutasteride oral</i> | 1 | QPD |
| <i>finasteride oral tablet 5 mg</i> | 1 | QPD |
| *Alpha 1-Adrenoceptor Antagonists*** | | |
| <i>alfuzosin hcl er</i> | 1 | |
| <i>silodosin</i> | 1 | QPD |
| <i>tamsulosin hcl</i> | 1 | QPD |
| *Citrates*** | | |
| <i>cytra k crystals</i> | 1 | |
| <i>potassium citrate er</i> | 1 | |
| *Cystinosis Agents*** | | |
| CYSTAGON | 2 | SP; LA |
| PROCYSBI | 2 | PA; SP; LA |
| *Genitourinary Irrigants*** | | |
| <i>acetic acid irrigation</i> | 1 | |
| <i>glycine urologic</i> | 1 | |
| <i>sodium chloride irrigation solution 0.9 %</i> | 1 | |
| *Interstitial Cystitis Agents*** | | |
| ELMIRON | 2 | |
| *Prostatic Hypertrophy Agent Combinations*** | | |
| <i>dutasteride-tamsulosin hcl</i> | 1 | QPD |
| *Urinary Analgesics*** | | |
| <i>phenazopyridine hcl oral tablet 100 mg, 200 mg</i> | 1 | |
| *Urinary Stone Agents*** | | |
| LITHOSTAT | 2 | SP |
| <i>tiopronin oral</i> | 1 | SP |
| <i>venxxiva</i> | 1 | SP |
| *Gout Agents* | | |
| *Gout Agent Combinations*** | | |
| <i>colchicine-probenecid</i> | 1 | |
| *Gout Agents*** | | |
| <i>allopurinol oral tablet 100 mg, 300 mg</i> | 1 | |
| <i>colchicine oral tablet</i> | 1 | |
| <i>febuxostat</i> | 1 | QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| *Uricosurics*** | | |
| <i>probenecid oral</i> | 1 | |
| *Hematological Agents - Misc.* | | |
| *Bradykinin B2 Receptor Antagonists*** | | |
| <i>icatibant acetate subcutaneous solution prefilled syringe</i> | 1 | PA; QPD; SP |
| <i>sajazir subcutaneous solution prefilled syringe</i> | 1 | PA; QPD; SP; LA |
| *C1 Esterase Inhibitors*** | | |
| CINRYZE | 2 | PA; QPD; SP; LA |
| HAEGARDA | 2 | PA; QPD; SP; LA |
| RUCONEST | 2 | PA; QPD; SP; LA |
| *Complement C3 Inhibitors*** | | |
| EMPAVELI | 2 | PA; QPD; SP |
| *Complement Factor B Inhibitors*** | | |
| FABHALTA | 2 | PA; QPD; SP |
| *Complement Factor D Inhibitors*** | | |
| VOYDEYA | 2 | PA; QPD; SP; LA |
| *Direct-Acting P2y12 Inhibitors*** | | |
| <i>ticagrelor</i> | 1 | QPD |
| *Hematorheologic Agents*** | | |
| <i>pentoxifylline er</i> | 1 | |
| *Phosphodiesterase Iii Inhibitors*** | | |
| <i>cilostazol</i> | 1 | QPD |
| *Plasma Kallikrein Inhibitors - Monoclonal Antibodies*** | | |
| TAKHZYRO SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 2 | PA; QPD; SP; LA |
| *Plasma Kallikrein Inhibitors*** | | |
| ORLADEYO ORAL CAPSULE | 2 | PA; QPD; SP; LA |
| *Platelet Aggregation Inhibitor Combinations*** | | |
| <i>aspirin-dipyridamole er</i> | \$0* | QPD |
| *Platelet Aggregation Inhibitors*** | | |
| <i>dipyridamole oral</i> | \$0* | |
| *Protease-Activated Receptor-1 (Par-1) Antagonists*** | | |
| ZONTIVITY | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| *Quinazoline Agents*** | | |
| <i>anagrelide hcl</i> | 1 | |
| *Thienopyridine Derivatives*** | | |
| <i>clopidogrel bisulfate oral</i> | \$0* | QPD |
| <i>prasugrel hcl</i> | \$0* | QPD |
| *Hematopoietic Agents* | | |
| *Agents For Gaucher Disease*** | | |
| CERDELGA | 2 | PA; SP |
| <i>miglustat</i> | 1 | PA; SP; LA |
| *Cobalamins*** | | |
| <i>cyanocobalamin injection solution 1000 mcg/ml</i> | 1 | |
| <i>hydroxocobalamin acetate</i> | 1 | |
| *Cytotoxic Agents*** | | |
| DROXIA | 2 | |
| *Folic Acid/Folate Combinations*** | | |
| <i>foltabs 800</i> | \$0 | |
| *Folic Acid/Folates*** | | |
| <i>cvs folic acid oral tablet 800 mcg</i> | \$0 | |
| <i>folate</i> | \$0 | |
| <i>folic acid oral tablet 1 mg</i> | \$0* | |
| <i>folic acid oral tablet 400 mcg, 800 mcg</i> | \$0 | |
| <i>gnp folic acid</i> | \$0 | |
| <i>kp folic acid oral tablet 800 mcg</i> | \$0 | |
| *Iron Combinations*** | | |
| <i>folitab 500</i> | 1 | |
| *Thrombopoietin (Tpo) Receptor Agonists*** | | |
| ALVAIZ | 2 | PA; QPD; SP |
| DOPTELET ORAL TABLET 20 MG | 2 | PA; QPD; SP; LA |
| <i>eltrombopag olamine</i> | 1 | PA; SP; LA |
| *Hemostatics* | | |
| *Hemostatics - Systemic*** | | |
| <i>tranexamic acid oral</i> | 1 | |
| *Hypnotics/Sedatives/Sleep Disorder Agents* | | |
| *Barbiturate Hypnotics*** | | |
| <i>phenobarbital oral elixir</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| <i>phenobarbital oral tablet</i> | 1 | |
| *Benzodiazepine Hypnotics*** | | |
| <i>estazolam</i> | 1 | QPD |
| <i>flurazepam hcl</i> | 1 | QPD |
| <i>temazepam</i> | 1 | QPD |
| <i>triazolam</i> | 1 | QPD |
| *Non-Benzodiazepine - Gaba-Receptor Modulators*** | | |
| <i>eszopiclone</i> | 1 | QPD |
| <i>zaleplon</i> | 1 | QPD |
| <i>zolpidem tartrate er</i> | 1 | QPD |
| <i>zolpidem tartrate oral tablet</i> | 1 | QPD |
| *Selective Melatonin Receptor Agonists*** | | |
| HETLIOZ LQ | 2 | PA; SP; LA |
| <i>tasimelteon</i> | 1 | PA; QPD; SP |
| *Laxatives* | | |
| *Bowel Evacuant Combinations*** | | |
| <i>gavilyte-c</i> | \$0 | |
| <i>gavilyte-g</i> | \$0 | |
| <i>gavilyte-n with flavor pack</i> | \$0 | |
| <i>na sulfate-k sulfate-mg sulf oral solution 17.5-3.13-1.6 gm/177ml</i> | \$0 | |
| <i>peg 3350-kcl-na bicarb-nacl</i> | \$0 | |
| <i>peg-3350/electrolytes</i> | \$0 | |
| <i>peg-3350/electrolytes/ascorbat</i> | \$0 | |
| <i>peg-kcl-nacl-nasulf-na asc-c</i> | \$0 | |
| <i>peg-prep</i> | \$0 | |
| *Electrolyte-Based Osmotic Laxatives*** | | |
| <i>citroma</i> | \$0 | |
| <i>cvs magnesium citrate oral solution</i> | \$0 | |
| <i>cvs milk of magnesia oral suspension 1200 mg/15ml</i> | \$0 | |
| <i>dulcolax oral suspension</i> | \$0 | |
| <i>eq magnesium citrate</i> | \$0 | |
| <i>eql magnesium citrate</i> | \$0 | |
| <i>ft magnesium citrate</i> | \$0 | |
| FT MILK OF MAGNESIA | \$0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>gnp magnesium citrate</i> | \$0 | |
| <i>gnp milk of magnesia</i> | \$0 | |
| <i>goodsense magnesium citrate</i> | \$0 | |
| <i>goodsense milk of magnesia</i> | \$0 | |
| <i>magnesium citrate oral solution 1.745 gm/30ml</i> | \$0 | |
| <i>milk of magnesia</i> | \$0 | |
| <i>milk of magnesia concentrate</i> | \$0 | |
| <i>onelax magnesium citrate</i> | \$0 | |
| <i>qc magnesium citrate</i> | \$0 | |
| <i>qc milk of magnesia</i> | \$0 | |
| <i>sb milk of magnesia</i> | \$0 | |
| *Laxatives - Miscellaneous*** | | |
| <i>clearlax oral powder</i> | \$0 | |
| <i>constulose</i> | 1 | |
| <i>cvs purelax</i> | \$0 | |
| <i>eq clearlax</i> | \$0 | |
| <i>eql clearlax</i> | \$0 | |
| <i>ft clearlax</i> | \$0 | |
| <i>gavilax oral packet 8.5 gm</i> | \$0 | |
| <i>gavilax oral powder</i> | \$0 | |
| <i>glycolax</i> | \$0 | |
| <i>gnp clearlax</i> | \$0 | |
| <i>goodsense clearlax</i> | \$0 | |
| <i>healthylax</i> | \$0 | |
| <i>kls laxaclear</i> | \$0 | |
| <i>lactulose oral solution</i> | 1 | |
| <i>miralax mix-in pax</i> | \$0 | |
| <i>peg 3350</i> | \$0 | |
| <i>polyethylene glycol 3350 oral packet 17 gm</i> | \$0 | |
| <i>polyethylene glycol 3350 oral powder</i> | \$0 | |
| <i>sb polyethylene glycol 3350</i> | \$0 | |
| <i>smooth lax</i> | \$0 | |
| *Stimulant Laxatives*** | | |
| <i>bisacodyl ec</i> | \$0 | |
| <i>cvs gentle laxative oral</i> | \$0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <i>cvs gentle laxative womens</i> | \$0 | |
| <i>eq gentle laxative</i> | \$0 | |
| <i>eql gentle laxative</i> | \$0 | |
| <i>eql laxative oral tablet delayed release</i> | \$0 | |
| <i>ft laxative</i> | \$0 | |
| <i>gentle laxative oral tablet delayed release</i> | \$0 | |
| <i>gnp gentle laxative oral</i> | \$0 | |
| <i>gnp womens gentle laxative</i> | \$0 | |
| <i>goodsense bisacodyl laxative</i> | \$0 | |
| <i>kp bisacodyl</i> | \$0 | |
| <i>qc gentle laxative oral</i> | \$0 | |
| <i>sb bisacodyl laxative ec</i> | \$0 | |
| <i>womans laxative oral tablet delayed release</i> | \$0 | |
| <i>womens laxative</i> | \$0 | |
| *Macrolides* | | |
| *Azithromycin*** | | |
| <i>azithromycin oral suspension reconstituted</i> | 1 | |
| <i>azithromycin oral tablet 250 mg, 500 mg, 600 mg</i> | 1 | |
| *Clarithromycin*** | | |
| <i>clarithromycin er</i> | 1 | |
| <i>clarithromycin oral</i> | 1 | |
| *Erythromycins*** | | |
| <i>e.e.s. 400 oral tablet</i> | 1 | |
| <i>ery-tab oral tablet delayed release 250 mg, 333 mg</i> | 1 | |
| <i>erythromycin base oral</i> | 1 | |
| <i>erythromycin ethylsuccinate oral</i> | 1 | |
| <i>erythromycin oral</i> | 1 | |
| *Fidaxomicin*** | | |
| DIFICID | 2 | QPD |
| <i>fidaxomicin</i> | 1 | QPD |
| *Medical Devices And Supplies* | | |
| *Cervical Caps*** | | |
| FEMCAP | \$0 | |
| *Condoms - Female*** | | |
| FC2 FEMALE CONDOM | \$0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| *Condoms - Male*** | | |
| AIMSCO LUBRICATED | \$0 | |
| DUREX REALFEEL | \$0 | |
| FANTASY LUBRICATED | \$0 | |
| FANTASY LUBRICATED/SPERMICIDE | \$0 | |
| KIMONO | \$0 | |
| KIMONO MICRO THIN | \$0 | |
| KIMONO MICRO THIN PLUS | \$0 | |
| KIMONO SENSATION | \$0 | |
| KIMONO SENSATION PLUS | \$0 | |
| MAXX | \$0 | |
| TRUSTEX LUB/RIBBED/STUDED | \$0 | |
| TRUSTEX LUB/SPERMICIDE EX ST | \$0 | |
| TRUSTEX LUB/SPERMICIDE XL | \$0 | |
| TRUSTEX LUBRICATED | \$0 | |
| TRUSTEX LUBRICATED EX LARGE | \$0 | |
| TRUSTEX LUBRICATED EXTRA ST | \$0 | |
| TRUSTEX LUBRICATED/SPERMICIDE | \$0 | |
| TRUSTEX NON-LUBRICATED | \$0 | |
| TRUSTEX RIA LUB/SPERMICIDE | \$0 | |
| TRUSTEX RIA LUBRICATED | \$0 | |
| TRUSTEX RIA NON-LUBRICATED | \$0 | |
| TRUSTEX-NONNOXYNOL-9/RIB/STUD | \$0 | |
| *Diaphragms*** | | |
| CAYA | \$0 | |
| WIDE-SEAL DIAPHRAGM 60 | \$0 | |
| WIDE-SEAL DIAPHRAGM 65 | \$0 | |
| WIDE-SEAL DIAPHRAGM 70 | \$0 | |
| WIDE-SEAL DIAPHRAGM 75 | \$0 | |
| WIDE-SEAL DIAPHRAGM 80 | \$0 | |
| WIDE-SEAL DIAPHRAGM 85 | \$0 | |
| WIDE-SEAL DIAPHRAGM 90 | \$0 | |
| WIDE-SEAL DIAPHRAGM 95 | \$0 | |
| *Glucose Monitoring Test Supplies*** | | |
| DEXCOM G6 RECEIVER | 2 | PA; QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| DEXCOM G6 SENSOR | 2 | PA; QPD |
| DEXCOM G6 TRANSMITTER | 2 | PA; QPD |
| DEXCOM G7 RECEIVER | 2 | PA; QPD |
| DEXCOM G7 SENSOR | 2 | PA; QPD |
| FREESTYLE LIBRE 14 DAY READER | 2 | PA; QPD |
| FREESTYLE LIBRE 14 DAY SENSOR | 2 | PA; QPD |
| FREESTYLE LIBRE 2 PLUS SENSOR | 2 | PA; QPD |
| FREESTYLE LIBRE 2 READER | 2 | PA; QPD |
| FREESTYLE LIBRE 2 SENSOR | 2 | PA; QPD |
| FREESTYLE LIBRE 3 PLUS SENSOR | 2 | PA; QPD |
| FREESTYLE LIBRE 3 READER | 2 | PA; QPD |
| FREESTYLE LIBRE 3 SENSOR | 2 | PA; QPD |
| FREESTYLE LIBRE READER | 2 | PA; QPD |
| *Insulin Administration Supplies*** | | |
| OMNIPOD 5 DEXG7G6 INTRO GEN 5 | 2 | PA; QPD |
| OMNIPOD 5 DEXG7G6 PODS GEN 5 | 2 | PA; QPD |
| OMNIPOD 5 LIBRE2 G6 INTRO GEN5 | 2 | PA; QPD |
| OMNIPOD 5 LIBRE2 PLUS G6 PODS | 2 | PA; QPD |
| OMNIPOD DASH INTRO (GEN 4) | 2 | PA; QPD |
| OMNIPOD DASH PODS (GEN 4) | 2 | PA; QPD |
| *Migraine Products* | | |
| *Calcitonin Gene-Related Peptide Receptor Antag (Cgrp)*** | | |
| NURTEC | 2 | PA; QPD |
| QULIPTA | 2 | PA; QPD |
| UBRELVY | 2 | PA; QPD |
| *Cgrp Receptor Antagonists - Monoclonal Antibodies*** | | |
| AIMOVIG | 2 | PA; QPD |
| AJOVY | 2 | PA; QPD |
| EMGALITY | 2 | PA; QPD |
| EMGALITY (300 MG DOSE) | 2 | PA; QPD |
| *Ergot Combinations*** | | |
| <i>ergotamine-caffeine</i> | 1 | PA; QPD |
| *Migraine Products*** | | |
| <i>dihydroergotamine mesylate injection</i> | 1 | PA; QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <i>dihydroergotamine mesylate nasal</i> | 1 | PA; QPD |
| ERGOMAR | 2 | PA; QPD |
| *Selective Serotonin Agonists 5-Ht(1)*** | | |
| <i>almotriptan malate</i> | 1 | QPD |
| <i>eletriptan hydrobromide</i> | 1 | QPD |
| <i>frovatriptan succinate</i> | 1 | QPD |
| <i>naratriptan hcl</i> | 1 | QPD |
| <i>rizatriptan benzoate</i> | 1 | QPD |
| <i>sumatriptan nasal</i> | 1 | QPD |
| <i>sumatriptan succinate oral</i> | 1 | QPD |
| <i>sumatriptan succinate subcutaneous solution 6 mg/0.5ml</i> | 1 | QPD |
| <i>sumatriptan succinate subcutaneous solution auto-injector 6 mg/0.5ml</i> | 1 | QPD |
| <i>zolmitriptan nasal solution 5 mg</i> | 1 | QPD |
| <i>zolmitriptan oral</i> | 1 | QPD |
| ZOMIG NASAL SOLUTION 2.5 MG | 2 | QPD |
| *Selective Serotonin Agonists 5-Ht(1F)*** | | |
| REYVOW | 2 | PA; QPD |
| *Minerals & Electrolytes* | | |
| *Fluoride*** | | |
| <i>sodium fluoride oral solution</i> | \$0 | |
| <i>sodium fluoride oral tablet 1.1 (0.5 f) mg</i> | \$0 | |
| <i>sodium fluoride oral tablet 2.2 (1 f) mg</i> | 1 | |
| <i>sodium fluoride oral tablet chewable</i> | \$0 | |
| *Phosphate*** | | |
| K-PHOS | 2 | |
| *Potassium Combinations*** | | |
| EFFER-K ORAL TABLET EFFERVESCENT 10 MEQ, 20 MEQ | 2 | |
| *Potassium*** | | |
| <i>effer-k oral tablet effervescent 25 meq</i> | 1 | |
| <i>klor-con 10</i> | 1 | |
| <i>klor-con m10</i> | 1 | |
| <i>klor-con m15</i> | 1 | |
| <i>klor-con m20</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| <i>klor-con oral tablet extended release</i> | 1 | |
| <i>potassium chloride crys er</i> | 1 | |
| <i>potassium chloride er oral capsule extended release</i> | 1 | |
| <i>potassium chloride er oral tablet extended release 10 meq, 20 meq, 8 meq</i> | 1 | |
| <i>potassium chloride oral packet 20 meq</i> | 1 | |
| <i>potassium chloride oral solution 10 %, 20 meq/15ml (10%), 40 meq/15ml (20%)</i> | 1 | |
| *Zinc*** | | |
| GALZIN | 2 | |
| *Miscellaneous Therapeutic Classes* | | |
| *Antileptotics*** | | |
| THALOMID ORAL CAPSULE 100 MG, 50 MG | 2 | SP; LA |
| *B-Lymphocyte Stimulator (Blys)-Specific Inhibitors*** | | |
| BENLYSTA SUBCUTANEOUS | 2 | PA; QPD; SP; LA |
| *Chelating Agents*** | | |
| <i>penicillamine oral tablet</i> | 1 | SP |
| *Cyclosporine Analogs*** | | |
| <i>cyclosporine modified</i> | 1 | |
| <i>cyclosporine oral capsule</i> | 1 | |
| <i>gengraf oral capsule 100 mg, 25 mg</i> | 1 | |
| *Immunomodulators - Combinations*** | | |
| VYVGART HYTRULO SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 2 | PA; QPD; SP; LA |
| *Immunomodulators For Myelodysplastic Syndromes*** | | |
| <i>lenalidomide</i> | 1 | QPD; SP; LA |
| REVLIMID | 2+ | QPD; SP; LA |
| *Inosine Monophosphate Dehydrogenase Inhibitors*** | | |
| <i>mycophenolate mofetil oral</i> | 1 | |
| <i>mycophenolate sodium</i> | 1 | |
| *Irrigation Solutions*** | | |
| <i>lactated ringers irrigation</i> | 1 | |
| <i>ringers irrigation</i> | 1 | |
| <i>sterile water for irrigation</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| <i>water for irrigation, sterile</i> | 1 | |
| *Macrolide Immunosuppressants*** | | |
| <i>everolimus oral tablet 0.25 mg, 0.5 mg, 0.75 mg, 1 mg</i> | 1 | |
| <i>sirolimus oral</i> | 1 | |
| <i>tacrolimus oral</i> | 1 | |
| *Monoclonal Antibodies*** | | |
| ENSPRYNG | 2 | PA; QPD; SP; LA |
| *Potassium Removing Agents*** | | |
| <i>kionex combination</i> | 1 | |
| LOKELMA | 2 | QPD |
| <i>sodium polystyrene sulfonate combination</i> | 1 | |
| <i>sodium polystyrene sulfonate oral powder</i> | 1 | |
| <i>sps (sodium polystyrene sulf)</i> | 1 | |
| VELTASSA | 2 | QPD |
| *Purine Analogs*** | | |
| <i>azathioprine oral tablet 50 mg</i> | 1 | |
| *Rock Inhibitors*** | | |
| REZUROCK | 2 | QPD; SP; LA |
| *Mouth/Throat/Dental Agents* | | |
| *Anesthetics Topical Oral*** | | |
| <i>lidocaine viscous hcl</i> | 1 | QPD |
| *Anti-Infectives - Throat*** | | |
| <i>clotrimazole mouth/throat troche</i> | 1 | |
| <i>nystatin mouth/throat</i> | 1 | |
| ORAVIG | 2 | PA |
| *Antiseptics - Mouth/Throat*** | | |
| <i>chlorhexidine gluconate mouth/throat</i> | 1 | |
| <i>periogard</i> | 1 | |
| *Dental Products - Combinations*** | | |
| <i>sodium fluoride 5000 enamel dental gel</i> | 1 | |
| *Fluoride Dental Products*** | | |
| <i>denta 5000 plus</i> | 1 | |
| <i>dentagel</i> | 1 | |
| <i>sf</i> | 1 | |
| <i>sf 5000 plus</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <i>sodium fluoride 5000 plus</i> | 1 | |
| <i>sodium fluoride dental cream</i> | 1 | |
| <i>sodium fluoride dental gel 1.1 %</i> | 1 | |
| *Saliva Stimulants*** | | |
| <i>cevimeline hcl</i> | 1 | |
| <i>pilocarpine hcl oral</i> | 1 | |
| *Steroids - Mouth/Throat/Dental*** | | |
| <i>oralone</i> | 1 | |
| <i>triamcinolone acetonide mouth/throat</i> | 1 | |
| *Multivitamins* | | |
| *B-Complex Vitamins*** | | |
| <i>b-complex/b-12 oral</i> | \$0 | |
| <i>vitamin b complex oral tablet</i> | \$0 | |
| <i>vitamin-b complex</i> | \$0 | |
| *B-Complex W/ C & Folic Acid*** | | |
| <i>b complex-c-folic acid</i> | \$0 | |
| <i>b-complex balanced</i> | \$0 | |
| <i>b-complex/vitamin c</i> | \$0 | |
| <i>b-plex</i> | 1 | |
| <i>dialyvite 800 oral tablet</i> | \$0 | |
| <i>eql super b complex/vitamin c</i> | \$0 | |
| <i>full spectrum b/vitamin c</i> | \$0 | |
| <i>rena-vite</i> | \$0 | |
| <i>stress formula (folic acid)</i> | \$0 | |
| <i>super b complex/fa/vit c</i> | \$0 | |
| <i>super b-complex/vit c/fa</i> | \$0 | |
| *B-Complex W/ C*** | | |
| <i>b complex-c oral tablet</i> | \$0 | |
| <i>b-complex-c oral tablet</i> | \$0 | |
| <i>cvs b complex plus c</i> | \$0 | |
| <i>cvs super b complex/c</i> | \$0 | |
| <i>vitamin b complex-c</i> | \$0 | |
| *B-Complex W/ C-Biotin-E & Folic Acid*** | | |
| <i>b complex-c-biotin-e-fa</i> | \$0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| *B-Complex W/ Folic Acid*** | | |
| <i>b complex formula 1 (w/ fa)</i> | \$0 | |
| <i>b-complex (folic acid)</i> | \$0 | |
| <i>kobee</i> | \$0 | |
| *B-Complex W/Biotin & Folic Acid*** | | |
| <i>b-100 tr</i> | \$0 | |
| <i>b-50 complex oral tablet</i> | \$0 | |
| <i>balance b-50</i> | \$0 | |
| <i>balanced b-100 oral tablet extended release</i> | \$0 | |
| <i>b-complex oral tablet</i> | \$0 | |
| <i>complex b-100</i> | \$0 | |
| <i>eql b complex 50 oral tablet</i> | \$0 | |
| <i>eql b-100 complex</i> | \$0 | |
| <i>gnp b-100 complex</i> | \$0 | |
| <i>super quintis b-50</i> | \$0 | |
| *Multiple Vitamins W/ Iron*** | | |
| <i>stress formula/iron</i> | \$0 | |
| *Multivitamins*** | | |
| <i>stress formula</i> | \$0 | |
| *Ped Mv W/ Fluoride*** | | |
| <i>multivitamin/fluoride oral suspension 0.25 mg/ml</i> | \$0 | |
| <i>multivitamin/fluoride oral tablet chewable 0.25 mg, 0.5 mg, 1 mg</i> | \$0 | |
| *Ped Vitamins Acid W/ Fluoride*** | | |
| <i>tri-vite/fluoride</i> | \$0 | |
| *Prenatal Mv & Min W/Fe-Fa*** | | |
| <i>classic prenatal</i> | \$0 | |
| <i>cvs prenatal oral tablet 27-0.8 mg</i> | \$0 | |
| <i>eql prenatal formula</i> | \$0 | |
| <i>folivane-ob oral capsule 85-1 mg</i> | 1 | |
| <i>gnp prenatal</i> | \$0 | |
| <i>inatal gt</i> | 1 | |
| <i>m-natal plus</i> | \$0* | |
| <i>pnv prenatal plus multivitamin</i> | \$0* | |
| <i>prena1 pearl</i> | \$0* | |
| <i>prenatabs fa oral tablet 29-1 mg</i> | \$0* | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| <i>prenatabs rx</i> | \$0* | |
| <i>prenatal (w/iron & fa)</i> | \$0 | |
| <i>prenatal complete oral tablet</i> | \$0 | |
| <i>prenatal one daily</i> | \$0 | |
| <i>prenatal oral tablet 27-0.8 mg, 28-0.8 mg</i> | \$0 | |
| <i>prenatal oral tablet 27-1 mg</i> | \$0* | |
| <i>prenatal plus</i> | \$0* | |
| <i>prenatal vitamin and mineral</i> | \$0 | |
| <i>prenatal vitamins oral tablet 28-0.8 mg</i> | \$0 | |
| <i>prenatal/iron oral tablet</i> | \$0 | |
| <i>prenatal-u</i> | 1 | |
| <i>qc prenatal</i> | \$0 | |
| <i>relnate dha</i> | 1 | |
| <i>se-natal 19</i> | \$0* | |
| <i>taron-c dha oral capsule 35-1 mg</i> | 1 | |
| <i>trinatal rx 1</i> | \$0* | |
| <i>trinate</i> | \$0* | |
| *Prenatal Mv & Min W/Fe-Fa-Ca-Omega 3 Fish Oil*** | | |
| <i>complete natal dha oral 29-1-200 & 200 mg</i> | \$0* | |
| *Prenatal Mv & Min W/Fe-Fa-Dha*** | | |
| <i>cvs prenatal multi+dha</i> | \$0 | |
| <i>pnv-dha</i> | 1 | |
| <i>prena 1 true</i> | 1 | |
| <i>prenatal multi +dha oral capsule 27-0.8-250 mg</i> | \$0 | |
| <i>wescap-pn dha</i> | 1 | |
| *Prenatal Vitamins*** | | |
| <i>prena1</i> | \$0* | |
| *Vitamins W/ Lipotropics*** | | |
| <i>b complex formula 1 (lipotrop)</i> | 1 | |
| <i>balanced b-50 complex oral tablet</i> | \$0 | |
| <i>ultra b-100 complex</i> | \$0 | |
| *Musculoskeletal Therapy Agents* | | |
| *Central Muscle Relaxants*** | | |
| <i>baclofen oral tablet 10 mg, 20 mg</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <i>baclofen oral tablet 5 mg</i> | 1 | QPD |
| <i>carisoprodol oral tablet 350 mg</i> | 1 | QPD |
| <i>chlorzoxazone oral tablet 500 mg</i> | 1 | |
| <i>cyclobenzaprine hcl oral tablet 10 mg, 5 mg</i> | 1 | |
| <i>metaxalone oral tablet 400 mg, 800 mg</i> | 1 | |
| <i>methocarbamol oral tablet 500 mg, 750 mg</i> | 1 | |
| <i>orphenadrine citrate er</i> | 1 | |
| <i>tizanidine hcl oral capsule 2 mg, 4 mg, 6 mg</i> | 1 | |
| <i>tizanidine hcl oral tablet</i> | 1 | |
| *Direct Muscle Relaxants*** | | |
| <i>dantrolene sodium oral</i> | 1 | |
| *Nasal Agents - Systemic And Topical* | | |
| *Nasal Anticholinergics*** | | |
| <i>ipratropium bromide nasal</i> | 1 | |
| *Nasal Antihistamines*** | | |
| <i>azelastine hcl nasal solution 0.1 %, 137 mcg/spray</i> | 1 | QPD |
| <i>olopatadine hcl nasal</i> | 1 | QPD |
| *Nasal Steroids*** | | |
| <i>budesonide nasal</i> | 1 | QPD |
| <i>flunisolide nasal solution 25 mcg/act (0.025%)</i> | 1 | QPD |
| <i>fluticasone propionate nasal</i> | 1 | QPD |
| <i>mometasone furoate nasal</i> | 1 | QPD |
| <i>triamcinolone acetonide nasal aerosol</i> | 1 | QPD |
| XHANCE | 2 | PA; ST; QPD |
| *Neuromuscular Agents* | | |
| *Benzothiazoles*** | | |
| <i>riluzole</i> | 1 | |
| *Rett Syndrome Agents - Glycine-Proline-Glutamate Analogs*** | | |
| DAYBUE | 2 | PA; QPD; SP; LA |
| DAYBUE STIX | 2 | PA; QPD; SP; LA |
| *Ophthalmic Agents* | | |
| *Alpha Adrenergic Agonist & Carbonic Anhydrase Inhib Comb*** | | |
| SIMBRINZA | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| *Beta-Blockers - Ophthalmic Combinations*** | | |
| <i>brimonidine tartrate-timolol</i> | 1 | |
| <i>dorzolamide hcl-timolol mal</i> | 1 | |
| <i>dorzolamide hcl-timolol mal pf ophthalmic solution 2-0.5 %</i> | 1 | |
| *Beta-Blockers - Ophthalmic*** | | |
| <i>betaxolol hcl ophthalmic</i> | 1 | |
| BETOPTIC-S | 2 | |
| <i>carteolol hcl</i> | 1 | |
| <i>levobunolol hcl ophthalmic solution 0.5 %</i> | 1 | |
| <i>timolol hemihydrate</i> | 1 | |
| <i>timolol maleate (once-daily)</i> | 1 | |
| <i>timolol maleate ocudose</i> | 1 | |
| <i>timolol maleate ophthalmic</i> | 1 | |
| <i>timolol maleate pf</i> | 1 | |
| TIMOPTIC OCUDOSE OPHTHALMIC SOLUTION 0.25 % | 2 | |
| *Cycloplegic Mydriatics*** | | |
| <i>atropine sulfate ophthalmic solution 1 %</i> | 1 | |
| <i>cyclopentolate hcl ophthalmic solution 1 %</i> | 1 | |
| <i>homatropaire</i> | 1 | |
| <i>phenylephrine hcl ophthalmic solution 10 %, 2.5 %</i> | 1 | |
| *Lymphocyte Function-Associated Antigen-1 (Lfa-1) Antag*** | | |
| XIIDRA | 2 | QPD |
| *Miotics - Cholinesterase Inhibitors*** | | |
| PHOSPHOLINE IODIDE | 2 | |
| *Miotics - Direct Acting*** | | |
| <i>pilocarpine hcl ophthalmic solution 1 %, 2 %, 4 %</i> | 1 | |
| *Ophthalmic Antiallergic*** | | |
| ALOCRIAL | 2 | |
| <i>azelastine hcl ophthalmic</i> | 1 | |
| <i>bepotastine besilate</i> | 1 | |
| <i>cromolyn sodium ophthalmic</i> | 1 | |
| <i>epinastine hcl</i> | 1 | |
| LASTACAFIT | 2 | |
| <i>olopatadine hcl ophthalmic</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| *Ophthalmic Antibiotics*** | | |
| AZASITE | 2 | |
| <i>bacitracin ophthalmic</i> | 1 | |
| BESIFLOXACIN HCL | 2 | |
| BESIVANCE | 2 | |
| CILOXAN OPHTHALMIC OINTMENT | 2 | |
| <i>ciprofloxacin hcl ophthalmic</i> | 1 | |
| <i>erythromycin ophthalmic</i> | 1 | |
| <i>gatifloxacin ophthalmic</i> | 1 | |
| <i>gentamicin sulfate ophthalmic solution</i> | 1 | |
| <i>levofloxacin ophthalmic solution 0.5 %</i> | 1 | |
| <i>moxifloxacin hcl (2x day)</i> | 1 | |
| <i>moxifloxacin hcl ophthalmic solution</i> | 1 | |
| <i>ofloxacin ophthalmic</i> | 1 | |
| <i>tobramycin ophthalmic</i> | 1 | |
| TOBEX OPHTHALMIC OINTMENT | 2 | |
| *Ophthalmic Antifungal*** | | |
| NATACYN | 2 | |
| *Ophthalmic Anti-Infective Combinations*** | | |
| <i>bacitracin-polymyxin b ophthalmic ointment 500-10000 unit/gm</i> | 1 | |
| <i>neomycin-bacitracin zn-polymyx ophthalmic ointment 5-400-10000</i> | 1 | |
| <i>neomycin-polymyxin-gramicidin ophthalmic solution 1.75-10000-.025</i> | 1 | |
| <i>polymyxin b-trimethoprim</i> | 1 | |
| *Ophthalmic Antivirals*** | | |
| <i>trifluridine ophthalmic</i> | 1 | |
| ZIRGAN | 2 | |
| *Ophthalmic Carbonic Anhydrase Inhibitors*** | | |
| <i>brinzolamide</i> | 1 | |
| <i>dorzolamide hcl ophthalmic</i> | 1 | |
| *Ophthalmic Ectoparasiticide** | | |
| XDEM VY | 2 | QPD; SP |
| *Ophthalmic Immunomodulators*** | | |
| <i>cyclosporine (pf)</i> | 1 | QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| *Ophthalmic Nerve Growth Factors*** | | |
| OXERVATE | 2 | PA; QPD; SP; LA |
| *Ophthalmic Nonsteroidal Anti-Inflammatory Agents*** | | |
| ACUVAIL | 2 | |
| <i>bromfenac sodium (once-daily)</i> | 1 | |
| <i>bromfenac sodium ophthalmic solution 0.07 %, 0.075 %</i> | 1 | |
| <i>diclofenac sodium ophthalmic</i> | 1 | |
| <i>flurbiprofen sodium</i> | 1 | |
| ILEVRO | 2 | |
| <i>ketorolac tromethamine ophthalmic</i> | 1 | |
| NEVANAC | 2 | |
| *Ophthalmic Selective Alpha Adrenergic Agonists*** | | |
| <i>apraclonidine hcl</i> | 1 | |
| <i>brimonidine tartrate ophthalmic</i> | 1 | |
| IOPIDINE OPHTHALMIC SOLUTION 1 % | 2 | |
| *Ophthalmic Steroid Combinations*** | | |
| <i>bacitra-neomycin-polymyxin-hc</i> | 1 | |
| <i>loteprednol-tobramycin</i> | 1 | |
| <i>neomycin-polymyxin-dexameth ophthalmic ointment</i> | 1 | |
| <i>neomycin-polymyxin-dexameth ophthalmic suspension 3.5-10000-0.1</i> | 1 | |
| <i>neomycin-polymyxin-hc ophthalmic suspension 3.5-10000-1</i> | 1 | |
| <i>sulfacetamide-prednisolone ophthalmic solution</i> | 1 | |
| TOBRADEX OPHTHALMIC OINTMENT | 2 | |
| TOBRADEX ST | 2 | |
| <i>tobramycin-dexamethasone</i> | 1 | |
| ZYLET | 2 | |
| *Ophthalmic Steroids*** | | |
| <i>dexamethasone sodium phosphate ophthalmic</i> | 1 | |
| <i>difluprednate</i> | 1 | |
| <i>fluorometholone ophthalmic</i> | 1 | |
| FML FORTE | 2 | |
| LOTEMAX OPHTHALMIC OINTMENT | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| LOTEMAX SM | 2 | |
| <i>loteprednol etabonate</i> | 1 | |
| PRED MILD | 2 | |
| <i>prednisolone acetate ophthalmic</i> | 1 | |
| <i>prednisolone sodium phosphate ophthalmic</i> | 1 | |
| *Ophthalmic Sulfonamides*** | | |
| <i>sulfacetamide sodium ophthalmic solution</i> | 1 | |
| *Ophthalmics - Cystinosis Agents** | | |
| CYSTARAN | 2 | SP; LA |
| *Ophthalmics Misc. - Other*** | | |
| MIEBO | 2 | QPD |
| *Prostaglandins - Ophthalmic*** | | |
| <i>bimatoprost ophthalmic solution 0.03 %</i> | 1 | |
| <i>latanoprost ophthalmic</i> | 1 | |
| <i>travoprost (bak free)</i> | 1 | |
| *Otic Agents* | | |
| *Otic Agents - Miscellaneous*** | | |
| <i>acetic acid otic</i> | 1 | |
| *Otic Anti-Infectives*** | | |
| <i>ciprofloxacin hcl otic</i> | 1 | |
| <i>ofloxacin otic</i> | 1 | |
| *Otic Steroid-Anti-Infective Combinations*** | | |
| CIPRO HC | 2+ | |
| <i>ciprofloxacin-dexamethasone</i> | 1 | |
| <i>ciprofloxacin-hydrocortisone</i> | 1 | |
| CORTISPORIN-TC | 2 | |
| <i>neomycin-polymyxin-hc otic</i> | 1 | |
| *Otic Steroids*** | | |
| <i>fluocinolone acetonide otic</i> | 1 | |
| <i>hydrocortisone-acetic acid</i> | 1 | |
| *Oxytocics* | | |
| *Oxytocics*** | | |
| <i>methergine oral</i> | 1 | QPD |
| <i>methylergonovine maleate oral</i> | 1 | QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| *Passive Immunizing And Treatment Agents* | | |
| *Immune Serums*** | | |
| VARIZIG INTRAMUSCULAR SOLUTION | \$0 | |
| *Penicillins* | | |
| *Aminopenicillins*** | | |
| <i>amoxicillin oral capsule</i> | 1 | |
| <i>amoxicillin oral suspension reconstituted</i> | 1 | |
| <i>amoxicillin oral tablet</i> | 1 | |
| <i>amoxicillin oral tablet chewable 125 mg, 250 mg</i> | 1 | |
| <i>ampicillin oral capsule 500 mg</i> | 1 | |
| *Natural Penicillins*** | | |
| <i>penicillin v potassium</i> | 1 | |
| *Penicillin Combinations*** | | |
| <i>amoxicillin-pot clavulanate er</i> | 1 | |
| <i>amoxicillin-pot clavulanate oral suspension reconstituted</i> | 1 | |
| <i>amoxicillin-pot clavulanate oral tablet</i> | 1 | |
| *Penicillinase-Resistant Penicillins*** | | |
| <i>dicloxacillin sodium</i> | 1 | |
| *Progestins* | | |
| *Progestins*** | | |
| <i>gallifrey</i> | 1 | |
| <i>medroxyprogesterone acetate oral</i> | 1 | |
| <i>norethindrone acetate oral</i> | 1 | |
| <i>progesterone oral</i> | 1 | |
| *Psychotherapeutic And Neurological Agents - Misc.* | | |
| *Alcohol Deterrents*** | | |
| <i>acamprosate calcium</i> | 1 | |
| <i>disulfiram oral</i> | 1 | |
| *Anti-Cataleptic Agents*** | | |
| LUMRYZ | 2 | PA; QPD; SP; LA |
| LUMRYZ STARTER PACK | 2 | PA; QPD; SP; LA |
| <i>sodium oxybate</i> | 1 | PA; QPD; SP |
| XYREM | 2 | PA; QPD; SP; LA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| *Anti-Cataleptic Combinations*** | | |
| XYWAV | 2 | PA; QPD; SP; LA |
| *Benzodiazepines & Tricyclic Agents*** | | |
| <i>chlordiazepoxide-amitriptyline</i> | 1 | |
| *Cholinomimetics - Ache Inhibitors*** | | |
| <i>donepezil hcl</i> | 1 | QPD |
| <i>galantamine hydrobromide</i> | 1 | QPD |
| <i>galantamine hydrobromide er</i> | 1 | QPD |
| <i>rivastigmine</i> | 1 | QPD |
| <i>rivastigmine tartrate</i> | 1 | QPD |
| *Fibromyalgia Agent - Snris*** | | |
| SAVELLA | 2 | QPD |
| SAVELLA TITRATION PACK | 2 | QPD |
| *Movement Disorder Drug Therapy*** | | |
| AUSTEDO | 2 | PA; QPD; SP |
| AUSTEDO XR | 2 | PA; QPD; SP |
| AUSTEDO XR PATIENT TITRATION ORAL TABLET EXTENDED RELEASE THERAPY PACK 12 & 18 & 24 & 30 MG | 2 | PA; QPD; SP |
| INGREZZA | 2 | PA; QPD; SP |
| <i>tetrabenazine</i> | 1 | PA; SP |
| *Ms Agents - Pyrimidine Synthesis Inhibitors*** | | |
| <i>teriflunomide</i> | 1 | PA; QPD; SP |
| *Multiple Sclerosis Agents - Antimetabolites*** | | |
| <i>cladribine (10 tabs)</i> | 1 | PA; QPD; SP; LA |
| <i>cladribine (4 tabs)</i> | 1 | PA; QPD; SP; LA |
| <i>cladribine (5 tabs)</i> | 1 | PA; QPD; SP; LA |
| <i>cladribine (6 tabs)</i> | 1 | PA; QPD; SP; LA |
| <i>cladribine (7 tabs)</i> | 1 | PA; QPD; SP; LA |
| <i>cladribine (8 tabs)</i> | 1 | PA; QPD; SP; LA |
| <i>cladribine (9 tabs)</i> | 1 | PA; QPD; SP; LA |
| MAVENCLAD (10 TABS) | 2 | PA; QPD; SP; LA |
| MAVENCLAD (4 TABS) | 2 | PA; QPD; SP; LA |
| MAVENCLAD (5 TABS) | 2 | PA; QPD; SP; LA |
| MAVENCLAD (6 TABS) | 2 | PA; QPD; SP; LA |
| MAVENCLAD (7 TABS) | 2 | PA; QPD; SP; LA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| MAVENCLAD (8 TABS) | 2 | PA; QPD; SP; LA |
| MAVENCLAD (9 TABS) | 2 | PA; QPD; SP; LA |
| *Multiple Sclerosis Agents - Interferons*** | | |
| AVONEX PEN INTRAMUSCULAR AUTO-INJECTOR KIT | 2 | PA; QPD; SP |
| AVONEX PREFILLED INTRAMUSCULAR PREFILLED SYRINGE KIT | 2 | PA; QPD; SP |
| BETASERON SUBCUTANEOUS KIT | 2 | PA; QPD; SP |
| PLEGRIDY INTRAMUSCULAR | 2 | PA; QPD; SP |
| PLEGRIDY STARTER PACK SUBCUTANEOUS SOLUTION AUTO-INJECTOR | 2 | PA; QPD; SP |
| PLEGRIDY STARTER PACK SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 2 | PA; QPD; SP |
| PLEGRIDY SUBCUTANEOUS SOLUTION AUTO-INJECTOR | 2 | PA; QPD; SP |
| PLEGRIDY SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 2 | PA; QPD; SP |
| REBIF REBIDOSE SUBCUTANEOUS SOLUTION AUTO-INJECTOR | 2 | PA; QPD; SP |
| REBIF REBIDOSE TITRATION PACK SUBCUTANEOUS SOLUTION AUTO-INJECTOR | 2 | PA; QPD; SP |
| REBIF SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 2 | PA; QPD; SP |
| REBIF TITRATION PACK SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 2 | PA; QPD; SP |
| *Multiple Sclerosis Agents - Monoclonal Antibodies*** | | |
| KESIMPTA | 2 | PA; QPD; SP |
| *Multiple Sclerosis Agents - Nrf2 Pathway Activators*** | | |
| BAFIERTAM | 2 | PA; QPD; SP; LA |
| <i>dimethyl fumarate oral</i> | 1 | QPD; SP |
| <i>dimethyl fumarate starter pack oral capsule delayed release therapy pack</i> | 1 | QPD; SP |
| VUMERITY | 2 | PA; QPD; SP; LA |
| *Multiple Sclerosis Agents - Potassium Channel Blockers*** | | |
| <i>dalfampridine er</i> | 1 | PA; QPD; SP |
| *Multiple Sclerosis Agents*** | | |
| <i>glatiramer acetate</i> | 1 | QPD; SP |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <i>glatopa</i> | 1 | QPD; SP |
| *N-Methyl-D-Aspartate (Nmda) Receptor Antagonists*** | | |
| <i>memantine hcl er</i> | 1 | |
| <i>memantine hcl oral solution 2 mg/ml</i> | 1 | |
| <i>memantine hcl oral tablet 10 mg, 5 mg</i> | 1 | |
| *Phenothiazines & Tricyclic Agents*** | | |
| <i>perphenazine-amitriptyline</i> | 1 | |
| *Premenstrual Dysphoric Disorder (Pmdd) Agents - Ssris*** | | |
| <i>fluoxetine hcl (pmdd) oral tablet</i> | 1 | QPD |
| *Pseudobulbar Affect Agent Combinations*** | | |
| NUDEXTA | 2 | PA; QPD; SP |
| *Psychotherapeutic And Neurological Agents - Misc.*** | | |
| <i>pimozide</i> | 1 | |
| *Smoking Deterrents*** | | |
| <i>bupropion hcl er (smoking det)</i> | \$0 | QPD |
| CHANTIX | \$0 | |
| CHANTIX CONTINUING MONTH PAK | \$0 | |
| CHANTIX STARTING MONTH PAK ORAL TABLET THERAPY PACK | \$0 | |
| <i>cvs nicotine</i> | \$0 | |
| <i>cvs nicotine polacrilex</i> | \$0 | |
| <i>eq nicotine mouth/throat lozenge</i> | \$0 | |
| <i>eq nicotine polacrilex</i> | \$0 | |
| <i>eq nicotine step 3</i> | \$0 | |
| <i>eq nicotine transdermal patch 24 hour 14 mg/24hr, 21 mg/24hr</i> | \$0 | |
| <i>gnp nicotine</i> | \$0 | |
| GNP NICOTINE MINI | \$0 | |
| <i>gnp nicotine polacrilex mouth/throat gum</i> | \$0 | |
| GNP NICOTINE POLACRILEX MOUTH/THROAT LOZENGE | \$0 | |
| <i>goodsense nicotine</i> | \$0 | |
| <i>kls quit2</i> | \$0 | |
| <i>kls quit4</i> | \$0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| <i>nicorelief mouth/throat gum 2 mg</i> | \$0 | |
| NICORETTE MINI | \$0 | |
| NICORETTE MOUTH/THROAT LOZENGE | \$0 | |
| <i>nicotine</i> | \$0 | |
| NICOTINE MINI LOZENGE 2 MG MOUTH/THROAT | \$0 | |
| NICOTINE MINI LOZENGE 4 MG MOUTH/THROAT | \$0 | |
| <i>nicotine mini mouth/throat lozenge 2 mg, 4 mg</i> | \$0 | |
| NICOTINE POLACRILEX MINI | \$0 | |
| <i>nicotine polacrilex mouth/throat gum</i> | \$0 | |
| <i>nicotine polacrilex mouth/throat lozenge 2 mg</i> | \$0 | |
| NICOTINE POLACRILEX MOUTH/THROAT LOZENGE 4 MG | \$0 | |
| <i>nicotine step 1</i> | \$0 | |
| <i>nicotine step 2</i> | \$0 | |
| <i>nicotine step 3</i> | \$0 | |
| NICOTROL NS | \$0 | |
| <i>qc nicotine transdermal system</i> | \$0 | |
| <i>sm nicotine mouth/throat</i> | \$0 | |
| SM NICOTINE POLACRILEX MOUTH/THROAT LOZENGE 4 MG | \$0 | |
| <i>varenicline tartrate (starter)</i> | \$0 | |
| <i>varenicline tartrate oral tablet 0.5 mg, 1 mg</i> | \$0 | |
| <i>varenicline tartrate(continue)</i> | 1 | |
| *Sphingosine 1-Phosphate (S1p) Receptor Modulators*** | | |
| <i>fingolimod hcl</i> | 1 | PA; QPD; SP |
| GILENYA ORAL CAPSULE 0.25 MG | 2 | PA; QPD; SP |
| MAYZENT | 2 | PA; QPD; SP; LA |
| MAYZENT STARTER PACK | 2 | PA; QPD; SP; LA |
| PONVORY | 2 | PA; QPD; SP; LA |
| PONVORY STARTER PACK | 2 | PA; QPD; SP; LA |
| ZEPOSIA | 2 | PA; QPD; SP; LA |
| ZEPOSIA 7-DAY STARTER PACK | 2 | PA; QPD; SP; LA |
| ZEPOSIA STARTER KIT ORAL CAPSULE THERAPY PACK 0.23MG & 0.46MG 0.92MG(21) | 2 | PA; QPD; SP |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| *Respiratory Agents - Misc.* | | |
| *Cftr Potentiators*** | | |
| KALYDECO ORAL PACKET 13.4 MG, 25 MG, 50 MG, 75 MG | 2 | PA; QPD; SP; LA |
| KALYDECO ORAL PACKET 5.8 MG | 2 | PA; QPD; SP |
| KALYDECO ORAL TABLET | 2 | PA; QPD; SP; LA |
| *Cystic Fibrosis Agent - Combinations*** | | |
| ORKAMBI | 2 | PA; QPD; SP; LA |
| SYMDEKO | 2 | PA; QPD; SP; LA |
| TRIKAFTA | 2 | PA; QPD; SP; LA |
| *Hydrolytic Enzymes*** | | |
| PULMOZYME INHALATION SOLUTION 2.5 MG/2.5ML | 2 | QPD; SP |
| *Pulmonary Fibrosis Agents - Kinase Inhibitors*** | | |
| OFEV | 2 | PA; SP; LA |
| *Pulmonary Fibrosis Agents*** | | |
| <i>pirfenidone oral capsule</i> | 1 | PA; QPD; SP |
| <i>pirfenidone oral tablet 267 mg, 801 mg</i> | 1 | PA; SP |
| *Sulfonamides* | | |
| *Sulfonamides*** | | |
| <i>sulfadiazine oral</i> | 1 | |
| *Tetracyclines* | | |
| *Aminomethylcyclines*** | | |
| NUZYRA ORAL TABLET 150 MG | 2 | QPD |
| *Tetracyclines*** | | |
| <i>avidoxy</i> | 1 | |
| <i>demeclocycline hcl oral</i> | 1 | |
| <i>doxycycline hyclate oral capsule</i> | 1 | |
| <i>doxycycline hyclate oral tablet 100 mg, 20 mg</i> | 1 | |
| <i>doxycycline monohydrate oral capsule 100 mg, 50 mg</i> | 1 | QPD |
| <i>doxycycline monohydrate oral suspension reconstituted</i> | 1 | |
| <i>doxycycline monohydrate oral tablet</i> | 1 | QPD |
| <i>minocycline hcl oral capsule</i> | 1 | |
| <i>mondoxylene nl oral capsule 100 mg</i> | 1 | QPD |
| <i>tetracycline hcl oral capsule</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| *Thyroid Agents* | | |
| *Antithyroid Agents*** | | |
| <i>methimazole oral</i> | 1 | |
| <i>propylthiouracil oral</i> | 1 | |
| *Thyroid Hormones*** | | |
| ARMOUR THYROID | 2 | |
| CYTOMEL | 2 | |
| <i>levo-t</i> | 1 | |
| <i>levothyroxine sodium oral tablet</i> | 1 | |
| <i>levoxyl</i> | 1 | |
| <i>liomny</i> | 1 | |
| <i>liothyronine sodium oral</i> | 1 | |
| <i>np thyroid</i> | 1 | |
| SYNTHROID | 2 | |
| <i>thyroid oral tablet 120 mg, 15 mg, 30 mg, 60 mg, 90 mg</i> | 1 | |
| TIROSINT | 2 | PA |
| TIROSINT-SOL | 2 | PA; QPD |
| <i>unithroid</i> | 1 | |
| *Toxoids* | | |
| *Toxoid Combinations*** | | |
| ADACEL INTRAMUSCULAR SUSPENSION 5-2-15.5 LF-MCG/0.5 | \$0 | |
| ADACEL INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | \$0 | |
| BOOSTRIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | \$0 | |
| DAPTACEL INTRAMUSCULAR SUSPENSION 23-15-5 | \$0 | |
| INFANRIX | \$0 | |
| KINRIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | \$0 | |
| PEDIARIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | \$0 | |
| PENTACEL INTRAMUSCULAR SUSPENSION RECONSTITUTED | \$0 | |
| QUADRACEL INTRAMUSCULAR SUSPENSION | \$0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| QUADRACEL INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | \$0 | |
| TENIVAC INTRAMUSCULAR SUSPENSION | \$0 | |
| VAXELIS | \$0 | |
| *Ulcer Drugs/Antispasmodics/Anticholinergics* | | |
| *Anticholinergic Combinations*** | | |
| <i>belladonna alkaloids-opium</i> | 1 | PA |
| <i>chlordiazepoxide-clidinium</i> | 1 | |
| *Antispasmodics*** | | |
| <i>dicyclomine hcl oral capsule</i> | 1 | |
| <i>dicyclomine hcl oral solution 10 mg/5ml</i> | 1 | |
| <i>dicyclomine hcl oral tablet 20 mg</i> | 1 | |
| *Belladonna Alkaloids*** | | |
| <i>hyoscyamine sulfate er oral tablet extended release 12 hour</i> | 1 | |
| <i>hyoscyamine sulfate oral</i> | 1 | |
| <i>hyoscyamine sulfate sl</i> | 1 | |
| <i>hyoscyamine sulfate sublingual</i> | 1 | |
| <i>hyosyne</i> | 1 | |
| <i>oscimin oral tablet</i> | 1 | |
| <i>oscimin sublingual</i> | 1 | |
| *H-2 Antagonists*** | | |
| <i>cimetidine hcl oral solution 300 mg/5ml</i> | 1 | |
| <i>cimetidine oral</i> | 1 | |
| <i>famotidine oral suspension reconstituted</i> | 1 | |
| <i>famotidine oral tablet 20 mg, 40 mg</i> | 1 | |
| <i>nizatidine oral capsule</i> | 1 | |
| <i>ranitidine hcl oral tablet 150 mg, 300 mg</i> | 1 | QPD |
| *Misc. Anti-Ulcer*** | | |
| <i>sucralfate oral</i> | 1 | |
| *Ppi - Potassium-Competitive Acid Blockers (P-Cab)*** | | |
| VOQUEZNA | 2 | PA; QPD |
| *Proton Pump Inhibitors*** | | |
| <i>esomeprazole magnesium oral capsule delayed release</i> | 1 | QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <i>esomeprazole magnesium oral packet</i> | 1 | QPD |
| <i>lansoprazole oral capsule delayed release 30 mg</i> | 1 | QPD |
| <i>omeprazole magnesium oral capsule delayed release</i> | 1 | QPD |
| <i>omeprazole oral capsule delayed release</i> | 1 | QPD |
| <i>pantoprazole sodium oral tablet delayed release</i> | 1 | QPD |
| <i>rabeprazole sodium oral tablet delayed release</i> | 1 | QPD |
| *Quaternary Anticholinergics*** | | |
| <i>glycopyrrolate oral tablet 1 mg, 2 mg</i> | 1 | |
| <i>methscopolamine bromide oral</i> | 1 | |
| *Ulcer Anti-Infective W/ Bismuth Combinations*** | | |
| <i>bis subcit-metronid-tetracyc</i> | 1 | |
| <i>bismuth/metronidaz/tetracyclin</i> | 1 | |
| *Ulcer Anti-Infective W/ Proton Pump Inhibitors*** | | |
| <i>amoxicill-clarithro-lansopraz oral therapy pack</i> | 1 | |
| TALICIA | 2 | QPD |
| *Ulcer Drugs - Prostaglandins*** | | |
| <i>misoprostol oral</i> | 1 | |
| *Urinary Antispasmodics* | | |
| *Urinary Antispasmodic - Antimuscarinic (Anticholinergic)*** | | |
| <i>darifenacin hydrobromide er</i> | 1 | QPD |
| <i>fesoterodine fumarate er</i> | 1 | QPD |
| <i>oxybutynin chloride er</i> | 1 | QPD |
| <i>oxybutynin chloride oral solution</i> | 1 | QPD |
| <i>oxybutynin chloride oral tablet 5 mg</i> | 1 | QPD |
| <i>solifenacin succinate</i> | 1 | QPD |
| <i>tolterodine tartrate</i> | 1 | QPD |
| <i>tolterodine tartrate er</i> | 1 | QPD |
| <i>trospium chloride</i> | 1 | QPD |
| <i>trospium chloride er</i> | 1 | QPD |
| *Urinary Antispasmodics - Beta-3 Adrenergic Agonists*** | | |
| <i>mirabegron er</i> | 1 | QPD |
| *Urinary Antispasmodics - Cholinergic Agonists*** | | |
| <i>bethanechol chloride oral</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| *Urinary Antispasmodics - Direct Muscle Relaxants*** | | |
| <i>flavoxate hcl</i> | 1 | QPD |
| *Vaccines* | | |
| *Bacterial Vaccines*** | | |
| ACTHIB | \$0 | |
| BEXSERO | \$0 | |
| CAPVAXIVE | \$0 | |
| HIBERIX INJECTION | \$0 | |
| MENQUADFI INTRAMUSCULAR SOLUTION | \$0 | |
| MENVEO | \$0 | |
| PEDVAX HIB INTRAMUSCULAR SUSPENSION | \$0 | |
| PENMENVY | \$0 | |
| PNEUMOVAX 23 INJECTION SOLUTION PREFILLED SYRINGE | \$0 | |
| PREVNAR 20 | \$0 | |
| TRUMENBA | \$0 | |
| VAXNEUVANCE | \$0 | |
| *Viral Vaccine Combinations*** | | |
| M-M-R II INJECTION | \$0 | |
| PRIORIX | \$0 | |
| PROQUAD SUBCUTANEOUS SUSPENSION RECONSTITUTED | \$0 | |
| TWINRIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | \$0 | |
| *Viral Vaccines*** | | |
| ABRYSVO | \$0 | |
| AFLURIA | \$0 | |
| AFLURIA PRESERVATIVE FREE INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | \$0 | |
| AREXVY | \$0 | |
| COMIRNATY 5-11 YEARS | \$0 | |
| COMIRNATY INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | \$0 | |
| DENGVAXIA | \$0 | |
| ENGERIX-B INJECTION SUSPENSION 20 MCG/ML | \$0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| ENGERIX-B INJECTION SUSPENSION PREFILLED SYRINGE | \$0 | |
| FLUAD | \$0 | |
| FLUARIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | \$0 | |
| FLUBLOK INTRAMUSCULAR SOLUTION PREFILLED SYRINGE | \$0 | |
| FLUCELVAX INTRAMUSCULAR SUSPENSION | \$0 | |
| FLUCELVAX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | \$0 | |
| FLULAVAL INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | \$0 | |
| FLUMIST | \$0 | |
| FLUZONE HIGH-DOSE INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | \$0 | |
| FLUZONE INTRAMUSCULAR SUSPENSION | \$0 | |
| FLUZONE INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | \$0 | |
| GARDASIL 9 | \$0 | |
| HAVRIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | \$0 | |
| HEPLISAV-B INTRAMUSCULAR SOLUTION PREFILLED SYRINGE | \$0 | |
| IPOL INJECTION SUSPENSION | \$0 | |
| MNEXSPIKE | \$0 | |
| MRESVIA | \$0 | |
| NUVAXOVID COVID-19 VACCINE | \$0 | |
| RECOMBIVAX HB INJECTION SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5ML | \$0 | |
| RECOMBIVAX HB INJECTION SUSPENSION PREFILLED SYRINGE | \$0 | |
| ROTARIX ORAL SUSPENSION | \$0 | |
| ROTATEQ ORAL SOLUTION | \$0 | |
| SHINGRIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | \$0 | |
| SHINGRIX INTRAMUSCULAR SUSPENSION RECONSTITUTED 50 MCG/0.5ML | \$0 | |
| SPIKEVAX 6M-11Y | \$0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| SPIKEVAX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | \$0 | |
| VAQTA INTRAMUSCULAR SUSPENSION 25 UNIT/0.5ML, 50 UNIT/ML | \$0 | |
| VAQTA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | \$0 | |
| VARIVAX INJECTION | \$0 | |
| *Vaginal And Related Products* | | |
| *Imidazole-Related Antifungals*** | | |
| GYNAZOLE-1 | 2 | |
| <i>miconazole 3 vaginal suppository</i> | 1 | |
| <i>terconazole</i> | 1 | |
| *Miscellaneous Vaginal Combinations*** | | |
| <i>fem ph</i> | 1 | |
| *Miscellaneous Vaginal Products*** | | |
| INTRAROSA | 2 | QPD |
| *Spermicides*** | | |
| <i>options gynol ii contraceptive</i> | \$0 | |
| TODAY SPONGE | \$0 | |
| *Vaginal Anti-Infectives*** | | |
| CLEOCIN VAGINAL SUPPOSITORY | 2 | |
| <i>clindamycin phosphate vaginal</i> | 1 | |
| CLINDESSE | 2 | |
| <i>metronidazole vaginal</i> | 1 | |
| NUVESSA | 2 | |
| <i>vandazole</i> | 1 | |
| *Vaginal Estrogens*** | | |
| <i>estradiol vaginal cream 0.01 %</i> | 1 | |
| <i>estradiol vaginal tablet</i> | 1 | |
| ESTRING VAGINAL RING 7.5 MCG/24HR | 2 | QPD |
| PREMARIN VAGINAL | 2 | |
| <i>yuvafem</i> | 1 | |
| *Vaginal Progestins*** | | |
| CRINONE VAGINAL GEL 4 % | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| *Vasopressors* | | |
| *Anaphylaxis Therapy Agents*** | | |
| AUVI-Q INJECTION SOLUTION AUTO-INJECTOR | 2 | QPD |
| <i>epinephrine injection solution auto-injector 0.15 mg/0.3ml, 0.3 mg/0.3ml</i> | 1 | QPD |
| *Neurogenic Orthostatic Hypotension (Noh) - Agents*** | | |
| <i>droxidopa</i> | 1 | PA; SP |
| *Vasopressors*** | | |
| <i>midodrine hcl</i> | 1 | |
| *Vitamins* | | |
| *Vitamin D*** | | |
| <i>ergocalciferol oral capsule</i> | 1 | |
| <i>vitamin d (ergocalciferol) oral capsule 1.25 mg (50000 ut)</i> | 1 | |
| *Vitamin K*** | | |
| <i>phytonadione injection solution 1 mg/0.5ml</i> | 1 | |
| <i>phytonadione oral</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Index | | | | | |
|--|--------|---|----|---|----|
| <i>abacavir sulfate</i> | 42 | <i>alclometasone dipropionate</i> | 58 | APIDRA SOLOSTAR | 21 |
| <i>abacavir sulfate-lamivudine</i> | 40 | ALECENSA | 32 | <i>apraclonidine hcl</i> | 86 |
| <i>abigale</i> | 65 | <i>alendronate sodium</i> | 63 | <i>aprepitant</i> | 24 |
| <i>abigale lo</i> | 65 | <i>alfuzosin hcl er</i> | 69 | <i>apri</i> | 47 |
| <i>abiraterone acetate</i> | 31 | <i>aliskiren fumarate</i> | 28 | APTIVUS | 41 |
| ABIRATERONE ACETATE | | <i>allopurinol</i> | 69 | <i>aranella</i> | 52 |
| MICRONIZED | 31 | <i>almotriptan malate</i> | 77 | ARCALYST | 5 |
| <i>abirtega</i> | 31 | ALOCRIIL | 84 | AREXVY | 97 |
| ABRYSVO | 97 | ALOGLIPTIN BENZOATE | 20 | <i>arformoterol tartrate</i> | 13 |
| ABSORICA LD | 55 | <i>alose tron hcl</i> | 67 | ARIKAYCE | 4 |
| <i>acamprosate calcium</i> | 88 | <i>alprazolam</i> | 11 | <i>aripiprazole</i> | 40 |
| <i>acarbose</i> | 20 | <i>alprazolam er</i> | 11 | <i>armodafinil</i> | 3 |
| <i>accutane</i> | 55 | <i>alprazolam intensol</i> | 11 | ARMOUR THYROID | 94 |
| <i>acebutolol hcl</i> | 43 | <i>alprazolam xr</i> | 11 | ARNUIITY ELLIPTA | 14 |
| <i>acetaminophen-codeine</i> | 8 | <i>altavera</i> | 47 | <i>ascomp-codeine</i> | 8 |
| <i>acetazolamide</i> | 62 | ALTRENO | 55 | <i>asenapine maleate</i> | 39 |
| <i>acetazolamide er</i> | 62 | ALUNBRIG | 32 | <i>ashlyna</i> | 51 |
| <i>acetic acid</i> | 69, 87 | ALVAIZ | 71 | ASMANEX (120 METERED DOSES) ... | 14 |
| <i>acetylcysteine</i> | 54 | ALVESCO | 14 | ASMANEX (14 METERED DOSES) | 14 |
| <i>acitretin</i> | 56 | <i>alyacen 1/35</i> | 47 | ASMANEX (30 METERED DOSES) | 14 |
| ACTEMRA | 5 | <i>alyacen 7/7/7</i> | 52 | ASMANEX (60 METERED DOSES) | 14 |
| ACTEMRA ACTPEN | 5 | <i>alyq</i> | 46 | ASMANEX HFA | 14 |
| ACTHAR | 63 | <i>amantadine hcl</i> | 38 | <i>aspirin</i> | 7 |
| ACTHAR GEL | 63 | <i>ambrisentan</i> | 46 | <i>aspirin 81</i> | 7 |
| ACTHIB | 97 | <i>amcinonide</i> | 58 | <i>aspirin adult low dose</i> | 7 |
| ACTIMMUNE | 35 | <i>amethyst</i> | 50 | <i>aspirin adult low strength</i> | 7 |
| ACUVAIL | 86 | <i>amiloride hcl</i> | 62 | <i>aspirin childrens</i> | 7 |
| <i>acyclovir</i> | 43, 57 | <i>amiloride-hydrochlorothiazide</i> | 62 | <i>aspirin ec</i> | 7 |
| ADACEL | 94 | <i>amiodarone hcl</i> | 12 | <i>aspirin ec adult low dose</i> | 7 |
| ADALIMUMAB-ADAZ | 4 | <i>amitriptyline hcl</i> | 19 | <i>aspirin ec low dose</i> | 7 |
| ADALIMUMAB-ADB (2 PEN) | 4 | <i>amlodipine besy-benazepril hcl</i> | 27 | <i>aspirin ec low strength</i> | 7 |
| ADALIMUMAB-ADB (2 SYRINGE) | 4 | <i>amlodipine besylate</i> | 44 | <i>aspirin low dose</i> | 7 |
| ADALIMUMAB-RYVK (2 PEN) | 4 | <i>amlodipine besylate-valsartan</i> | 27 | <i>aspirin low strength</i> | 7 |
| ADALIMUMAB-RYVK (2 SYRINGE) | 4 | <i>amlodipine-atorvastatin</i> | 45 | <i>aspirin-dipyridamole er</i> | 70 |
| <i>adapalene</i> | 55 | <i>amlodipine-olmesartan</i> | 27 | <i>atazanavir sulfate</i> | 41 |
| ADBRY | 57 | <i>amlodipine-valsartan-hctz</i> | 28 | <i>atenolol</i> | 44 |
| <i>adefovir dipivoxil</i> | 42 | <i>amnesteem</i> | 55 | <i>atenolol-chlorthalidone</i> | 28 |
| ADEMPAS | 46 | <i>amoxapine</i> | 19 | <i>atomoxetine hcl</i> | 3 |
| ADVAIR HFA | 12 | <i>amoxicill-clarithro-lansopraz</i> | 96 | <i>atorvastatin calcium</i> | 26 |
| <i>afirmelle</i> | 47 | <i>amoxicillin</i> | 88 | <i>atovaquone</i> | 29 |
| AFLURIA | 97 | <i>amoxicillin-pot clavulanate</i> | 88 | <i>atovaquone-proguanil hcl</i> | 30 |
| AFLURIA PRESERVATIVE FREE | 97 | <i>amoxicillin-pot clavulanate er</i> | 88 | <i>atropine sulfate</i> | 84 |
| <i>afterpill</i> | 51 | <i>amphetamine-dextroamphet er</i> | 3 | ATROVENT HFA | 14 |
| AIMOVIG | 76 | <i>amphetamine-dextroamphetamine</i> ... | 3 | <i>aubra eq</i> | 47 |
| AIMSCO LUBRICATED | 75 | <i>amphet-dextroamphet 3-bead er</i> | 3 | AUGTYRO | 35 |
| AJOVY | 76 | <i>ampicillin</i> | 88 | <i>aurovela 1.5/30</i> | 47 |
| AKEEGA | 33 | <i>anagrelide hcl</i> | 71 | <i>aurovela 1/20</i> | 47 |
| AKYNZEO | 24 | <i>anastrozole</i> | 36 | <i>aurovela 24 fe</i> | 47 |
| <i>ala-cort</i> | 58 | ANORO ELLIPTA | 12 | <i>aurovela fe 1.5/30</i> | 47 |
| <i>albendazole</i> | 11 | <i>anucort-hc</i> | 10 | <i>aurovela fe 1/20</i> | 47 |
| <i>albuterol sulfate</i> | 13 | ANZEMET | 24 | AUSTEDO | 89 |
| <i>albuterol sulfate hfa</i> | 13 | APIDRA | 20 | AUSTEDO XR | 89 |

| | | | | | |
|---|--------|---|----------------|---|--------|
| AUSTEDO XR PATIENT TITRATION ... | 89 | <i>benzonatate</i> | 53 | <i>bupropion hcl er (smoking det)</i> | 91 |
| AUVI-Q | 100 | <i>benzoyl peroxide-erythromycin</i> | 55 | <i>bupropion hcl er (sr)</i> | 18 |
| <i>aviane</i> | 47 | <i>benztropine mesylate</i> | 38 | <i>bupropion hcl er (xl)</i> | 18 |
| <i>avidoxy</i> | 93 | <i>bepotastine besilate</i> | 84 | <i>bupirone hcl</i> | 11 |
| AVMAPKI FAKZYNJA CO-PACK | 35 | BESIFLOXACIN HCL | 85 | <i>butalbital-acetaminophen</i> | 6 |
| AVONEX PEN | 90 | BESIVANCE | 85 | <i>butalbital-apap-caff-cod</i> | 8 |
| AVONEX PREFILLED | 90 | BESREMI | 36 | <i>butalbital-apap-caffeine</i> | 6 |
| <i>ayuna</i> | 47 | <i>betamethasone dipropionate</i> | 58 | <i>butalbital-asa-caff-codeine</i> | 8 |
| AYVAKIT | 35 | <i>betamethasone dipropionate aug</i> .. | 58 | <i>butalbital-aspirin-caffeine</i> | 6 |
| AZASITE | 85 | <i>betamethasone valerate</i> | 58 | <i>butorphanol tartrate</i> | 10 |
| <i>azathioprine</i> | 79 | BETASERON | 90 | <i>cabergoline</i> | 63 |
| <i>azelaic acid</i> | 60 | <i>betaxolol hcl</i> | 44, 84 | CABOMETYX | 34 |
| <i>azelastine hcl</i> | 83, 84 | <i>bethanechol chloride</i> | 96 | <i>caffeine citrate</i> | 3 |
| <i>azithromycin</i> | 74 | BETOPTIC-S | 84 | <i>calcipotriene</i> | 57 |
| AZSTARYS | 3 | BEVESPI AEROSPHERE | 12 | <i>calcipotriene-betameth diprop</i> | 61 |
| <i>azurette</i> | 47 | <i>bexarotene</i> | 37, 61 | <i>calcitonin (salmon)</i> | 63 |
| <i>b complex formula 1 (lipotrop)</i> | 82 | BEXSERO | 97 | <i>calcitrene</i> | 57 |
| <i>b complex formula 1 (w/ fa)</i> | 81 | <i>bicalutamide</i> | 31 | <i>calcitriol</i> | 57, 64 |
| <i>b complex-c</i> | 80 | BIKTARVY | 40 | <i>calcium acetate</i> | 68 |
| <i>b complex-c-biotin-e-fa</i> | 80 | <i>bimatoprost</i> | 87 | <i>calcium acetate (phos binder)</i> | 68 |
| <i>b complex-c-folic acid</i> | 80 | BIMZELX | 56 | CALQUENCE | 33 |
| <i>b-100 tr</i> | 81 | <i>bis subcit-metronid-tetracyc</i> | 96 | <i>camila</i> | 51 |
| <i>b-50 complex</i> | 81 | <i>bisacodyl ec</i> | 73 | <i>camrese</i> | 51 |
| <i>bac (butalbital-acetamin-caff)</i> | 6 | <i>bismuth/metronidaz/tetracyclin</i> | 96 | <i>camrese lo</i> | 51 |
| <i>bacitracin</i> | 85 | <i>bisoprolol fumarate</i> | 44 | CAMZYOS | 45 |
| <i>bacitracin-polymyxin b</i> | 85 | <i>bisoprolol-hydrochlorothiazide</i> | 28 | <i>candesartan cilexetil</i> | 28 |
| <i>bacitra-neomycin-polymyxin-hc</i> | 86 | <i>blisovi 24 fe</i> | 47 | <i>candesartan cilexetil-hctz</i> | 28 |
| <i>baclofen</i> | 82, 83 | <i>blisovi fe 1.5/30</i> | 47 | <i>capecitabine</i> | 31 |
| BAFIERTAM | 90 | <i>blisovi fe 1/20</i> | 47 | CAPLYTA | 39 |
| <i>balance b-50</i> | 81 | BONJESTA | 24 | CAPRELSA | 34 |
| <i>balanced b-100</i> | 81 | BOOSTRIX | 94 | <i>captopril</i> | 27 |
| <i>balanced b-50 complex</i> | 82 | <i>bosentan</i> | 46 | <i>captopril-hydrochlorothiazide</i> | 27 |
| <i>balsalazide disodium</i> | 67 | BOSULIF | 32 | CAPVAXIVE | 97 |
| BALVERSA | 33 | <i>b-plex</i> | 80 | <i>carbamazepine</i> | 16 |
| <i>balziva</i> | 47 | BRAFTOVI | 32 | <i>carbamazepine er</i> | 16 |
| BAQSIMI ONE PACK | 20 | BREO ELLIPTA | 12 | CARBATROL | 16 |
| BAQSIMI TWO PACK | 20 | <i>breyna</i> | 12 | <i>carbidopa</i> | 38 |
| BARACLUDE | 42 | BREZTRI AEROSPHERE | 13 | <i>carbidopa-levodopa</i> | 38 |
| BAXDELA | 66 | <i>briellyn</i> | 47 | <i>carbidopa-levodopa er</i> | 38 |
| <i>bayer aspirin ec low dose</i> | 7 | <i>brimonidine tartrate</i> | 60, 86 | <i>carbidopa-levodopa-entacapone</i> | 38 |
| <i>bayer low dose</i> | 7 | <i>brimonidine tartrate-timolol</i> | 84 | <i>carbinoxamine maleate</i> | 25 |
| <i>b-complex</i> | 81 | <i>brinzolamide</i> | 85 | <i>carisoprodol</i> | 83 |
| <i>b-complex (folic acid)</i> | 81 | <i>bromfenac sodium</i> | 86 | <i>carteolol hcl</i> | 84 |
| <i>b-complex balanced</i> | 80 | <i>bromfenac sodium (once-daily)</i> | 86 | <i>cartia xt</i> | 44 |
| <i>b-complex/b-12</i> | 80 | <i>bromocriptine mesylate</i> | 38 | <i>carvedilol</i> | 43 |
| <i>b-complex/vitamin c</i> | 80 | BRUKINSA | 33 | <i>carvedilol phosphate er</i> | 43 |
| <i>b-complex-c</i> | 80 | <i>budesonide</i> | 10, 14, 53, 83 | CAYA | 75 |
| <i>bd heparin posiflush</i> | 15 | <i>budesonide er</i> | 53 | CAYSTON | 29 |
| BELBUCA | 9 | <i>budesonide-formoterol fumarate</i> | 13 | <i>cefaclor</i> | 46 |
| <i>belladonna alkaloids-opium</i> | 95 | <i>bumetanide</i> | 62 | <i>cefaclor er</i> | 46 |
| <i>benazepril hcl</i> | 27 | <i>buprenorphine</i> | 10 | <i>cefadroxil</i> | 46 |
| <i>benazepril-hydrochlorothiazide</i> | 27 | <i>buprenorphine hcl-naloxone hcl</i> | 9 | <i>cefdinir</i> | 47 |
| BENLYSTA | 78 | <i>bupropion hcl</i> | 18 | <i>cefixime</i> | 47 |

| | | | | | |
|---|------------|---|------------|---|------------|
| <i>cefpodoxime proxetil</i> | 47 | <i>cladribine (5 tabs)</i> | 89 | COMPLERA..... | 40 |
| <i>cefprozil</i> | 47 | <i>cladribine (6 tabs)</i> | 89 | <i>complete natal dha</i> | 82 |
| <i>cefuroxime axetil</i> | 47 | <i>cladribine (7 tabs)</i> | 89 | <i>complex b-100</i> | 81 |
| <i>celecoxib</i> | 5 | <i>cladribine (8 tabs)</i> | 89 | <i>compro</i> | 40 |
| <i>cephalexin</i> | 46 | <i>cladribine (9 tabs)</i> | 89 | <i>constulose</i> | 73 |
| CERDELGA..... | 71 | <i>claravis</i> | 55 | CONTOUR NEXT TEST..... | 61 |
| <i>cevimeline hcl</i> | 80 | <i>clarithromycin</i> | 74 | CONTOUR PLUS TEST..... | 61 |
| CHANTIX..... | 91 | <i>clarithromycin er</i> | 74 | CONTOUR TEST..... | 61 |
| CHANTIX CONTINUING MONTH | | <i>classic prenatal</i> | 81 | COPIKTRA..... | 37 |
| PAK..... | 91 | <i>clearlax</i> | 73 | CORTIFOAM..... | 10 |
| CHANTIX STARTING MONTH PAK.... | 91 | <i>clemastine fumarate</i> | 25 | <i>cortisone acetate</i> | 53 |
| <i>charlotte 24 fe</i> | 48 | CLEOCIN..... | 99 | CORTISPORIN-TC..... | 87 |
| <i>chateal eq</i> | 48 | CLIMARA PRO..... | 65 | COSENTYX..... | 56 |
| CHEMET..... | 23 | <i>clindacin</i> | 54 | COSENTYX (300 MG DOSE)..... | 56 |
| CHEMSTRIP 10 MD..... | 61 | <i>clindacin etz</i> | 54 | COSENTYX SENSOREADY (300 MG).. | 56 |
| CHEMSTRIP 10/SG..... | 61 | <i>clindacin-p</i> | 54 | COSENTYX SENSOREADY PEN..... | 56 |
| CHEMSTRIP 2 GP..... | 61 | <i>clindamycin hcl</i> | 29 | COSENTYX UNOREADY..... | 56 |
| CHEMSTRIP 5 OB..... | 61 | <i>clindamycin palmitate hcl</i> | 29 | COTELLIC..... | 34 |
| CHEMSTRIP 7..... | 61 | <i>clindamycin phos (once-daily)</i> | 54 | <i>covaryx</i> | 65 |
| CHEMSTRIP 9..... | 61 | <i>clindamycin phos (twice-daily)</i> | 54 | <i>covaryx hs</i> | 65 |
| <i>childrens aspirin</i> | 7 | <i>clindamycin phos-benzoyl perox</i> | 55 | CREON..... | 62 |
| <i>chlordiazepoxide hcl</i> | 11 | <i>clindamycin phosphate</i> | 54, 55, 99 | CRESEMBA..... | 25 |
| <i>chlordiazepoxide-amitriptyline</i> | 89 | <i>clindamycin-tretinoin</i> | 55 | CRINONE..... | 99 |
| <i>chlordiazepoxide-clidinium</i> | 95 | CLINDESSE..... | 99 | <i>cromolyn sodium</i> | 13, 67, 84 |
| <i>chlorhexidine gluconate</i> | 79 | <i>clobazam</i> | 16 | <i>crotan</i> | 60 |
| <i>chloroquine phosphate</i> | 30 | <i>clobetasol prop emollient base</i> | 58 | <i>cryselle-28</i> | 48 |
| <i>chlorpromazine hcl</i> | 40 | <i>clobetasol propionate</i> | 58 | <i>cvs aspirin adult low dose</i> | 7 |
| <i>chlorthalidone</i> | 62 | <i>clobetasol propionate e</i> | 58 | <i>cvs aspirin adult low strength</i> | 7 |
| <i>chlorzoxazone</i> | 83 | <i>clobetasol propionate emulsion</i> | 58 | <i>cvs aspirin ec</i> | 7 |
| CHOLBAM..... | 67 | <i>clodan</i> | 58 | <i>cvs aspirin low dose</i> | 7 |
| <i>cholestyramine</i> | 26 | <i>clomipramine hcl</i> | 19 | <i>cvs aspirin low strength</i> | 7 |
| <i>cholestyramine light</i> | 26 | <i>clonazepam</i> | 16 | <i>cvs b complex plus c</i> | 80 |
| <i>ciclodan</i> | 56 | <i>clonidine</i> | 28 | <i>cvs folic acid</i> | 71 |
| <i>ciclopirox</i> | 56 | <i>clonidine hcl</i> | 28 | <i>cvs gentle laxative</i> | 73 |
| <i>ciclopirox olamine</i> | 56 | <i>clonidine hcl er</i> | 3 | <i>cvs gentle laxative womens</i> | 74 |
| <i>cilostazol</i> | 70 | <i>clopidogrel bisulfate</i> | 71 | CVS KETONE CARE..... | 62 |
| CILOXAN..... | 85 | <i>clorazepate dipotassium</i> | 11 | <i>cvs magnesium citrate</i> | 72 |
| CIMDUO..... | 40 | <i>clotrimazole</i> | 59, 79 | <i>cvs milk of magnesia</i> | 72 |
| <i>cimetidine</i> | 95 | <i>clotrimazole-betamethasone</i> | 55 | <i>cvs nicotine</i> | 91 |
| <i>cimetidine hcl</i> | 95 | <i>clozapine</i> | 39 | <i>cvs nicotine polacrilex</i> | 91 |
| CIMZIA (1 SYRINGE)..... | 68 | COARTEM..... | 30 | <i>cvs prenatal</i> | 81 |
| CIMZIA (2 SYRINGE)..... | 68 | <i>codeine sulfate</i> | 8 | <i>cvs prenatal multi+dha</i> | 82 |
| CIMZIA-STARTER..... | 68 | <i>colchicine</i> | 69 | <i>cvs purelax</i> | 73 |
| <i>cinacalcet hcl</i> | 63 | <i>colchicine-probenecid</i> | 69 | <i>cvs super b complex/c</i> | 80 |
| CINRYZE..... | 70 | <i>colesevelam hcl</i> | 26 | <i>cyanocobalamin</i> | 71 |
| CIPRO HC..... | 87 | <i>colestipol hcl</i> | 26 | <i>cyclobenzaprine hcl</i> | 83 |
| <i>ciprofloxacin hcl</i> | 66, 85, 87 | COMBIPATCH..... | 65 | <i>cyclopentolate hcl</i> | 84 |
| <i>ciprofloxacin-dexamethasone</i> | 87 | COMBIVENT RESPIMAT..... | 13 | <i>cyclophosphamide</i> | 37 |
| <i>ciprofloxacin-hydrocortisone</i> | 87 | COMETRIQ (100 MG DAILY DOSE)... | 34 | CYCLOPHOSPHAMIDE..... | 37 |
| <i>citalopram hydrobromide</i> | 18 | COMETRIQ (140 MG DAILY DOSE)... | 34 | CYCLOSERINE..... | 30 |
| <i>citroma</i> | 72 | COMETRIQ (60 MG DAILY DOSE).... | 34 | CYCLOSET..... | 20 |
| <i>cladribine (10 tabs)</i> | 89 | COMIRNATY..... | 97 | <i>cyclosporine</i> | 78 |
| <i>cladribine (4 tabs)</i> | 89 | COMIRNATY 5-11 YEARS..... | 97 | <i>cyclosporine (pf)</i> | 85 |

| | | | | | |
|---|--------|---|-----------|--|-----|
| <i>cyclosporine modified</i> | 78 | <i>dexmethylphenidate hcl er</i> | 3 | <i>doxycycline hyclate</i> | 93 |
| <i>cyproheptadine hcl</i> | 25 | <i>dextroamphetamine sulfate</i> | 3 | <i>doxycycline monohydrate</i> | 93 |
| <i>cyred eq</i> | 48 | <i>dextroamphetamine sulfate er</i> | 3 | <i>doxylamine-pyridoxine</i> | 24 |
| CYSTAGON..... | 69 | <i>dialyvite 800</i> | 80 | <i>dronabinol</i> | 24 |
| CYSTARAN..... | 87 | DIASTIX..... | 61 | <i>drospirene-eth estrad-levomefol</i> | 48 |
| CYTOMEL..... | 94 | <i>diazepam</i> | 12, 16 | <i>drospirenone-ethinyl estradiol</i> | 48 |
| <i>cytra k crystals</i> | 69 | <i>diazepam intensol</i> | 11 | DROXIA..... | 71 |
| <i>dabigatran etexilate mesylate</i> | 16 | <i>diazoxide</i> | 20 | <i>droxidopa</i> | 100 |
| <i>dalfampridine er</i> | 90 | <i>dichlorphenamide</i> | 62 | DUAVEE..... | 66 |
| <i>danazol</i> | 10 | <i>diclofenac potassium</i> | 5 | <i>dulcolax</i> | 72 |
| <i>dantrolene sodium</i> | 83 | <i>diclofenac sodium</i> | 5, 56, 86 | DULERA..... | 13 |
| DANZITEN..... | 32 | <i>diclofenac sodium er</i> | 5 | <i>duloxetine hcl</i> | 19 |
| <i>dapsone</i> | 29, 55 | <i>diclofenac-misoprostol</i> | 5 | DUPIXENT..... | 58 |
| DAPTACEL..... | 94 | <i>dicloxacillin sodium</i> | 88 | DUREX REALFEEL..... | 75 |
| <i>darifenacin hydrobromide er</i> | 96 | <i>dicyclomine hcl</i> | 95 | <i>dutasteride</i> | 69 |
| <i>darunavir</i> | 41 | DIFICID..... | 74 | <i>dutasteride-tamsulosin hcl</i> | 69 |
| <i>dasatinib</i> | 32 | <i>diflorasone diacetate</i> | 58 | <i>e.e.s. 400</i> | 74 |
| <i>dasetta 1/35 (28)</i> | 48 | <i>diflunisal</i> | 7 | <i>econazole nitrate</i> | 59 |
| <i>dasetta 7/7/7</i> | 52 | <i>difluprednate</i> | 86 | <i>econtra one-step</i> | 51 |
| DAURISMO..... | 33 | <i>digox</i> | 45 | <i>ecotrin low strength</i> | 7 |
| DAYBUE..... | 83 | <i>digoxin</i> | 45 | EDURANT..... | 41 |
| DAYBUE STIX..... | 83 | <i>dihydroergotamine mesylate</i> | 76, 77 | EDURANT PED..... | 41 |
| <i>daysee</i> | 51 | DILANTIN..... | 18 | <i>eemt</i> | 65 |
| <i>deblitane</i> | 51 | DILANTIN INFATABS..... | 17 | <i>eemt hs</i> | 65 |
| <i>deferasirox</i> | 24 | <i>diltiazem hcl</i> | 44 | <i>efavirenz</i> | 42 |
| <i>deferasirox granules</i> | 24 | <i>diltiazem hcl er</i> | 44 | <i>efavirenz-emtricitab-tenofo df</i> | 40 |
| <i>deferiprone</i> | 24 | <i>diltiazem hcl er beads</i> | 44 | <i>efavirenz-lamivudine-tenofovir</i> | 40 |
| DELSTRIGO..... | 40 | <i>diltiazem hcl er coated beads</i> | 44 | EFFER-K..... | 77 |
| <i>delyla</i> | 48 | <i>dilt-xr</i> | 44 | <i>effer-k</i> | 77 |
| <i>demeclocycline hcl</i> | 93 | <i>dimethyl fumarate</i> | 90 | EGRIFTA SV..... | 63 |
| DENGVAZIA..... | 97 | <i>dimethyl fumarate starter pack</i> | 90 | ELESTRIN..... | 66 |
| <i>denta 5000 plus</i> | 79 | DIPENTUM..... | 67 | <i>eletriptan hydrobromide</i> | 77 |
| <i>dentagel</i> | 79 | <i>diphenhydramine hcl</i> | 25 | <i>elinest</i> | 48 |
| DEPO-ESTRADIOL..... | 66 | <i>diphenoxylate-atropine</i> | 23 | ELIQUIS..... | 15 |
| DESCOVY..... | 40 | <i>dipyridamole</i> | 70 | ELIQUIS (1.5 MG PACK)..... | 15 |
| <i>desipramine hcl</i> | 19 | <i>diskets</i> | 8 | ELIQUIS (2 MG PACK)..... | 15 |
| <i>desloratadine</i> | 25 | <i>disopyramide phosphate</i> | 12 | ELIQUIS DVT/PE STARTER PACK..... | 15 |
| <i>desmopressin ace spray refrig</i> | 65 | <i>disulfiram</i> | 88 | ELLA..... | 51 |
| <i>desmopressin acetate</i> | 65 | DIURIL..... | 62 | ELMIRON..... | 69 |
| <i>desmopressin acetate spray</i> | 65 | <i>divalproex sodium</i> | 18 | <i>eltrombopag olamine</i> | 71 |
| <i>desogestrel-ethinyl estradiol</i> | 47 | <i>divalproex sodium er</i> | 18 | <i>eluryng</i> | 50 |
| <i>desonide</i> | 58 | <i>dofetilide</i> | 12 | EMEND..... | 25 |
| <i>desoximetasone</i> | 58 | <i>dolishale</i> | 51 | EMGALITY..... | 76 |
| <i>desvenlafaxine succinate er</i> | 19 | <i>donepezil hcl</i> | 89 | EMGALITY (300 MG DOSE)..... | 76 |
| <i>dexamethasone</i> | 53 | DOPTELET..... | 71 | EMPAVELI..... | 70 |
| <i>dexamethasone intensol</i> | 53 | <i>dorzolamide hcl</i> | 85 | EMSAM..... | 18 |
| <i>dexamethasone sodium phosphate</i> | 86 | <i>dorzolamide hcl-timolol mal</i> | 84 | <i>emtricitabine</i> | 42 |
| DEXCOM G6 RECEIVER..... | 75 | <i>dorzolamide hcl-timolol mal pf</i> | 84 | <i>emtricitabine-tenofovir df</i> | 40 |
| DEXCOM G6 SENSOR..... | 76 | <i>dotti</i> | 66 | <i>emtricitab-rilpivir-tenofov df</i> | 41 |
| DEXCOM G6 TRANSMITTER..... | 76 | DOVATO..... | 40 | EMTRIVA..... | 42 |
| DEXCOM G7 RECEIVER..... | 76 | <i>doxazosin mesylate</i> | 28 | EMVERM..... | 11 |
| DEXCOM G7 SENSOR..... | 76 | <i>doxepin hcl</i> | 19, 56 | <i>emzahh</i> | 51 |
| <i>dexmethylphenidate hcl</i> | 3 | <i>doxercalciferol</i> | 64 | <i>enalapril maleate</i> | 27 |

| | | | | | |
|--|------------|---|--------|---|--------|
| <i>enalapril-hydrochlorothiazide</i> | 27 | <i>eslicarbazepine acetate</i> | 16 | <i>fesoterodine fumarate er</i> | 96 |
| ENBREL | 6 | <i>esomeprazole magnesium</i> | 95, 96 | FETZIMA | 19 |
| ENBREL MINI | 6 | <i>est estrogens-methyltest</i> | 65 | FETZIMA TITRATION | 19 |
| ENBREL SURECLICK | 6 | <i>est estrogens-methyltest ds</i> | 65 | FIASP | 21 |
| <i>endocet</i> | 9 | <i>est estrogens-methyltest hs</i> | 65 | FIASP FLEXTOUCH | 21 |
| ENGERIX-B | 97, 98 | <i>estarylla</i> | 48 | FIASP PENFILL | 21 |
| <i>enoxaparin sodium</i> | 15, 16 | <i>estazolam</i> | 72 | FIASP PUMPCART | 21 |
| ENSACOVE | 34 | <i>estradiol</i> | 66, 99 | <i>fidaxomicin</i> | 74 |
| <i>enskyce</i> | 48 | <i>estradiol valerate</i> | 66 | FINACEA | 60 |
| ENSPRYNG | 79 | <i>estradiol-norethindrone acet</i> | 65 | <i>finasteride</i> | 69 |
| ENSTILAR | 61 | ESTRING | 99 | <i> fingolimod hcl</i> | 92 |
| <i>entacapone</i> | 39 | <i>estrogens conjugated</i> | 66 | <i>finzala</i> | 48 |
| <i>entecavir</i> | 42 | <i>eszopiclone</i> | 72 | <i>flavoxate hcl</i> | 97 |
| ENTRESTO | 45 | <i>ethacrynic acid</i> | 62 | <i>flecainide acetate</i> | 12 |
| ENTYVIO PEN | 67 | <i>ethambutol hcl</i> | 31 | FLUAD | 98 |
| <i>enulose</i> | 68 | <i>ethosuximide</i> | 18 | FLUARIX | 98 |
| EPCLUSA | 43 | <i>ethynodiol diac-eth estradiol</i> | 48 | FLUBLOK | 98 |
| EPIDIOLEX | 16 | <i>etodolac</i> | 5 | FLUCELVAX | 98 |
| <i>epinastine hcl</i> | 84 | <i>etodolac er</i> | 5 | <i>fluconazole</i> | 25 |
| <i>epinephrine</i> | 100 | <i>etonogestrel-ethinyl estradiol</i> | 50 | <i>flucytosine</i> | 25 |
| <i>eplerenone</i> | 29 | <i>etoposide</i> | 37 | <i>fludrocortisone acetate</i> | 53 |
| <i>eq aspirin adult low dose</i> | 7 | <i>etravirine</i> | 42 | FLULAVAL | 98 |
| <i>eq aspirin low dose</i> | 7 | EVAMIST | 66 | FLUMIST | 98 |
| <i>eq clearlax</i> | 73 | <i>everolimus</i> | 34, 79 | <i>flunisolide</i> | 83 |
| <i>eq gentle laxative</i> | 74 | EVOTAZ | 41 | <i>fluocinolone acetonide</i> | 59, 87 |
| <i>eq magnesium citrate</i> | 72 | <i>exemestane</i> | 36 | <i>fluocinolone acetonide body</i> | 58 |
| <i>eq nicotine</i> | 91 | <i>ezetimibe</i> | 26 | <i>fluocinolone acetonide scalp</i> | 59 |
| <i>eq nicotine polacrilex</i> | 91 | <i>ezetimibe-simvastatin</i> | 26 | <i>fluocinonide</i> | 59 |
| <i>eq nicotine step 3</i> | 91 | FABHALTA | 70 | <i>fluocinonide emulsified base</i> | 59 |
| <i>eql aspirin low dose</i> | 7 | <i>falmina</i> | 48 | <i>fluorometholone</i> | 86 |
| <i>eql b complex 50</i> | 81 | <i>famciclovir</i> | 43 | <i>fluorouracil</i> | 56 |
| <i>eql b-100 complex</i> | 81 | <i>famotidine</i> | 95 | <i>fluoxetine hcl</i> | 19 |
| <i>eql clearlax</i> | 73 | FANAPT | 39 | <i>fluoxetine hcl (pmdd)</i> | 91 |
| <i>eql gentle laxative</i> | 74 | FANAPT TITRATION PACK A | 39 | <i>fluphenazine hcl</i> | 40 |
| <i>eql laxative</i> | 74 | FANTASY LUBRICATED | 75 | <i>flurazepam hcl</i> | 72 |
| <i>eql magnesium citrate</i> | 72 | FANTASY | | <i>flurbiprofen</i> | 5 |
| <i>eql prenatal formula</i> | 81 | LUBRICATED/SPERMICIDE | 75 | <i>flurbiprofen sodium</i> | 86 |
| <i>eql super b complex/vitamin c</i> | 80 | FARXIGA | 23 | <i>fluticasone propionate</i> | 59, 83 |
| EQUETRO | 39 | FASENRA PEN | 14 | FLUTICASONE PROPIONATE HFA | 15 |
| <i>ergocalciferol</i> | 100 | FC2 FEMALE CONDOM | 74 | <i>fluticasone-salmeterol</i> | 13 |
| ERGOMAR | 77 | <i>febuxostat</i> | 69 | FLUTICASONE-SALMETEROL | 13 |
| <i>ergotamine-caffeine</i> | 76 | <i>feirza 1.5/30</i> | 48 | <i>fluvastatin sodium</i> | 26 |
| ERIVEDGE | 33 | <i>feirza 1/20</i> | 48 | <i>fluvastatin sodium er</i> | 26 |
| ERLEADA | 31 | <i>felbamate</i> | 17 | <i>fluvoxamine maleate</i> | 19 |
| <i>erlotinib hcl</i> | 33 | <i>felodipine er</i> | 44 | <i>fluvoxamine maleate er</i> | 19 |
| <i>errin</i> | 52 | <i>fem ph</i> | 99 | FLUZONE | 98 |
| ERTACZO | 59 | FEMCAP | 74 | FLUZONE HIGH-DOSE | 98 |
| <i>ery</i> | 55 | <i>fenofibrate</i> | 26 | FML FORTE | 86 |
| <i>ery-tab</i> | 74 | <i>fenofibrate micronized</i> | 26 | <i>folate</i> | 71 |
| <i>erythromycin</i> | 55, 74, 85 | <i>fenofibric acid</i> | 26 | <i>folic acid</i> | 71 |
| <i>erythromycin base</i> | 74 | <i>fentanyl</i> | 8 | <i>folitab 500</i> | 71 |
| <i>erythromycin ethylsuccinate</i> | 74 | FERRIPROX | 24 | <i>folivane-ob</i> | 81 |
| <i>escitalopram oxalate</i> | 18 | FERRIPROX TWICE-A-DAY | 24 | <i>foltabs 800</i> | 71 |

| | | | | | |
|--|--------|---|----|---|------------|
| <i>fondaparinux sodium</i> | 16 | <i>gentle laxative</i> | 74 | <i>guanfacine hcl</i> | 28 |
| FORA GTEL BLOOD KETONE TEST | 61 | GENVOYA | 41 | <i>guanfacine hcl er</i> | 3 |
| <i>formoterol fumarate</i> | 13 | GHT TEST | 61 | GVOKE HYPOPEN 1-PACK | 20 |
| <i>fosamprenavir calcium</i> | 41 | GILENYA | 92 | GVOKE HYPOPEN 2-PACK | 20 |
| <i>fosfomycin tromethamine</i> | 29 | GILOTRIF | 33 | GVOKE KIT | 20 |
| <i>fosinopril sodium</i> | 27 | <i>glatiramer acetate</i> | 90 | GVOKE PFS | 20 |
| <i>fosinopril sodium-hctz</i> | 27 | <i>glatopa</i> | 91 | GYNAZOLE-1 | 99 |
| FOTIVDA | 34 | GLEOSTINE | 37 | HAEGARDA | 70 |
| FRAGMIN | 16 | <i>glimepiride</i> | 23 | <i>hailey 1.5/30</i> | 48 |
| FREESTYLE LIBRE 14 DAY READER | 76 | <i>glipizide</i> | 23 | <i>hailey 24 fe</i> | 48 |
| FREESTYLE LIBRE 14 DAY SENSOR | 76 | <i>glipizide er</i> | 23 | <i>hailey fe 1.5/30</i> | 48 |
| FREESTYLE LIBRE 2 PLUS SENSOR | 76 | <i>glipizide-metformin hcl</i> | 23 | <i>hailey fe 1/20</i> | 48 |
| FREESTYLE LIBRE 2 READER | 76 | GLUCAGON EMERGENCY | 20 | <i>halobetasol propionate</i> | 59 |
| FREESTYLE LIBRE 2 SENSOR | 76 | <i>glucagon emergency</i> | 20 | <i>haloperidol</i> | 39 |
| FREESTYLE LIBRE 3 PLUS SENSOR | 76 | <i>glyburide</i> | 23 | <i>haloperidol lactate</i> | 39 |
| FREESTYLE LIBRE 3 READER | 76 | <i>glyburide-metformin</i> | 23 | HARVONI | 43 |
| FREESTYLE LIBRE 3 SENSOR | 76 | <i>glycerol phenylbutyrate</i> | 65 | HAVRIX | 98 |
| FREESTYLE LIBRE READER | 76 | <i>glycine urologic</i> | 69 | <i>healthylax</i> | 73 |
| <i>frovatriptan succinate</i> | 77 | <i>glycolax</i> | 73 | <i>heather</i> | 52 |
| FRUZAQLA | 38 | <i>glycopyrrolate</i> | 96 | HEMANGEOL | 44 |
| <i>ft aspirin low dose</i> | 7 | <i>glydo</i> | 60 | <i>heparin na (pork) lock flsh pf</i> | 15 |
| <i>ft clearlax</i> | 73 | GLYXAMBI | 23 | <i>heparin sod (pork) lock flush</i> | 15 |
| <i>ft laxative</i> | 74 | <i>gnp adult aspirin low strength</i> | 7 | <i>heparin sodium (porcine)</i> | 15 |
| <i>ft magnesium citrate</i> | 72 | <i>gnp aspirin</i> | 7 | <i>heparin sodium (porcine) pf</i> | 15 |
| FT MILK OF MAGNESIA | 72 | <i>gnp aspirin low dose</i> | 7 | HEPLISAV-B | 98 |
| <i>full spectrum b/vitamin c</i> | 80 | <i>gnp b-100 complex</i> | 81 | <i>her style</i> | 51 |
| <i>furosemide</i> | 62 | <i>gnp clearlax</i> | 73 | HERNEXEOS | 32 |
| <i>fyavolv</i> | 66 | <i>gnp folic acid</i> | 71 | HETLIOZ LQ | 72 |
| FYCOMPA | 16 | <i>gnp gentle laxative</i> | 74 | HIBERIX | 97 |
| <i>g tussin ac</i> | 53 | <i>gnp magnesium citrate</i> | 73 | <i>homatropaire</i> | 84 |
| <i>gabapentin</i> | 17 | <i>gnp milk of magnesia</i> | 73 | HUMALOG | 21 |
| GALAFOLD | 63 | <i>gnp nicotine</i> | 91 | HUMALOG JUNIOR KWIKPEN | 21 |
| <i>galantamine hydrobromide</i> | 89 | GNP NICOTINE MINI | 91 | HUMALOG KWIKPEN | 21 |
| <i>galantamine hydrobromide er</i> | 89 | <i>gnp nicotine polacrilex</i> | 91 | HUMALOG MIX 50/50 KWIKPEN | 21 |
| <i>galbriela</i> | 48 | GNP NICOTINE POLACRILEX | 91 | HUMALOG MIX 75/25 | 21 |
| <i>gallifrey</i> | 88 | <i>gnp prenatal</i> | 81 | HUMALOG MIX 75/25 KWIKPEN | 21 |
| GALZIN | 78 | GNP TRUE METRIX GLUCOSE | | HUMULIN R U-500 KWIKPEN | 21 |
| GARDASIL 9 | 98 | STRIPS | 61 | HYCAMTIN | 37 |
| <i>gatifloxacin</i> | 85 | GNP TRUETRACK TEST STRIPS | 61 | <i>hydralazine hcl</i> | 29 |
| GATTEX | 67 | <i>gnp womens gentle laxative</i> | 74 | <i>hydrochlorothiazide</i> | 62 |
| <i>gavilax</i> | 73 | GOJJI BLOOD KETONE TEST | 61 | <i>hydrocod poli-chlorphe poli er</i> | 54 |
| <i>gavilyte-c</i> | 72 | <i>goodsense aspirin</i> | 7 | <i>hydrocodone bitartrate er</i> | 8 |
| <i>gavilyte-g</i> | 72 | <i>goodsense aspirin low dose</i> | 7 | <i>hydrocodone bit-homatrop mbr</i> | 53 |
| <i>gavilyte-n with flavor pack</i> | 72 | <i>goodsense bisacodyl laxative</i> | 74 | <i>hydrocodone-acetaminophen</i> | 8 |
| GAVRETO | 35 | <i>goodsense clearlax</i> | 73 | <i>hydrocodone-ibuprofen</i> | 8 |
| <i>gefitinib</i> | 33 | <i>goodsense magnesium citrate</i> | 73 | <i>hydrocortisone</i> | 10, 53, 59 |
| <i>gemfibrozil</i> | 26 | <i>goodsense milk of magnesia</i> | 73 | <i>hydrocortisone (perianal)</i> | 10 |
| <i>gemmily</i> | 48 | <i>goodsense nicotine</i> | 91 | <i>hydrocortisone ace-pramoxine</i> .. | 10, 60 |
| <i>generlac</i> | 68 | <i>granisetron hcl</i> | 24 | <i>hydrocortisone acetate</i> | 10 |
| <i>gengraf</i> | 78 | <i>griseofulvin microsize</i> | 25 | <i>hydrocortisone butyrate</i> | 59 |
| GENOTROPIN | 63 | <i>griseofulvin ultramicrosize</i> | 25 | <i>hydrocortisone max st</i> | 59 |
| GENOTROPIN MINIQUICK | 63 | <i>guaiaatussin ac</i> | 54 | <i>hydrocortisone valerate</i> | 59 |
| <i>gentamicin sulfate</i> | 55, 85 | <i>guaifenesin-codeine</i> | 54 | <i>hydrocortisone-acetic acid</i> | 87 |

| | | | | | |
|---|--------|---|--------|---------------------------------------|----|
| <i>hydrocort-pramoxine (perianal)</i> | 10 | <i>irbesartan</i> | 28 | KIMONO..... | 75 |
| <i>hydromet</i> | 53 | <i>irbesartan-hydrochlorothiazide</i> | 28 | KIMONO MICRO THIN..... | 75 |
| <i>hydromorphone hcl</i> | 8 | ISENTRESS..... | 41 | KIMONO MICRO THIN PLUS..... | 75 |
| <i>hydromorphone hcl er</i> | 8 | ISENTRESS HD..... | 41 | KIMONO SENSATION..... | 75 |
| <i>hydroxocobalamin acetate</i> | 71 | <i>isibloom</i> | 48 | KIMONO SENSATION PLUS..... | 75 |
| <i>hydroxychloroquine sulfate</i> | 30 | <i>isoniazid</i> | 31 | KINERET..... | 5 |
| <i>hydroxyurea</i> | 36 | <i>isosorb dinitrate-hydralazine</i> | 45 | KINRIX..... | 94 |
| <i>hydroxyzine hcl</i> | 11 | <i>isosorbide dinitrate</i> | 11 | <i>kionex</i> | 79 |
| <i>hydroxyzine pamoate</i> | 11 | <i>isosorbide mononitrate</i> | 11 | KISQALI (200 MG DOSE)..... | 36 |
| <i>hyoscyamine sulfate</i> | 95 | <i>isosorbide mononitrate er</i> | 11 | KISQALI (400 MG DOSE)..... | 36 |
| <i>hyoscyamine sulfate er</i> | 95 | <i>isotretinoin</i> | 55 | KISQALI (600 MG DOSE)..... | 36 |
| <i>hyoscyamine sulfate sl</i> | 95 | <i>isradipine</i> | 44 | <i>klayesta</i> | 56 |
| <i>hyosyne</i> | 95 | ITOVEBI..... | 37 | <i>klor-con</i> | 78 |
| HYPERSAL..... | 54 | <i>itraconazole</i> | 25 | <i>klor-con 10</i> | 77 |
| HYRNUO..... | 34 | <i>ivabradine hcl</i> | 46 | <i>klor-con m10</i> | 77 |
| <i>ibandronate sodium</i> | 63 | <i>ivermectin</i> | 11, 60 | <i>klor-con m15</i> | 77 |
| IBRANCE..... | 36 | IWILFIN..... | 37 | <i>klor-con m20</i> | 77 |
| IBTROZI..... | 35 | <i>jaimiess</i> | 51 | KLOXXADO..... | 24 |
| <i>ibu</i> | 5 | JAKAFI..... | 36 | <i>kls aspirin low dose</i> | 7 |
| <i>ibuprofen</i> | 5 | <i>jantoven</i> | 15 | <i>kls laxaclear</i> | 73 |
| <i>icatibant acetate</i> | 70 | JANUMET..... | 20 | <i>kls quit2</i> | 91 |
| <i>iclevia</i> | 51 | JANUMET XR..... | 20 | <i>kls quit4</i> | 91 |
| ICLUSIG..... | 32 | JANUVIA..... | 20 | <i>kobee</i> | 81 |
| <i>icosapent ethyl</i> | 26 | JARDIANCE..... | 23 | KOMZIFTI..... | 34 |
| IDHIFA..... | 36 | <i>jasmiel</i> | 48 | <i>kp aspirin</i> | 7 |
| ILEVRO..... | 86 | <i>javygtor</i> | 64 | <i>kp bisacodyl</i> | 74 |
| <i>imatinib mesylate</i> | 32 | JAYPIRCA..... | 33 | <i>kp folic acid</i> | 71 |
| IMBRUVICA..... | 33 | <i>jencycla</i> | 52 | K-PHOS..... | 77 |
| <i>imipramine hcl</i> | 19 | JENTADUETO..... | 20 | KRAZATI..... | 34 |
| <i>imipramine pamoate</i> | 19 | JENTADUETO XR..... | 20 | KRINTAFEL..... | 30 |
| <i>imiquimod</i> | 60 | <i>jinteli</i> | 66 | <i>kurvelo</i> | 48 |
| <i>imiquimod pump</i> | 60 | <i>jolessa</i> | 51 | <i>labetalol hcl</i> | 43 |
| IMULDOSA..... | 56 | <i>joyeaux</i> | 48 | <i>lacosamide</i> | 17 |
| <i>inatal gt</i> | 81 | <i>juleber</i> | 48 | <i>lactated ringers</i> | 78 |
| <i>incassia</i> | 52 | JULUCA..... | 41 | <i>lactulose</i> | 73 |
| INCRELEX..... | 64 | <i>junel 1.5/30</i> | 48 | <i>lactulose encephalopathy</i> | 68 |
| INCRUSE ELLIPTA..... | 14 | <i>junel 1/20</i> | 48 | <i>lamivudine</i> | 42 |
| <i>indapamide</i> | 63 | <i>junel fe 1.5/30</i> | 48 | <i>lamivudine-zidovudine</i> | 41 |
| <i>indomethacin</i> | 5 | <i>junel fe 1/20</i> | 48 | <i>lamotrigine</i> | 17 |
| <i>indomethacin er</i> | 5 | <i>junel fe 24</i> | 48 | <i>lamotrigine er</i> | 17 |
| INFANRIX..... | 94 | <i>kaitlib fe</i> | 48 | <i>lansoprazole</i> | 96 |
| INGREZZA..... | 89 | <i>kalliga</i> | 48 | <i>lanthanum carbonate</i> | 68 |
| INLURIYO..... | 36 | KALYDECO..... | 93 | LANTUS..... | 21 |
| INLYTA..... | 38 | <i>kariva</i> | 47 | LANTUS SOLOSTAR..... | 21 |
| INQOVI..... | 35 | <i>kelnor 1/35</i> | 48 | <i>lapatinib ditosylate</i> | 34 |
| INREBIC..... | 36 | KESIMPTA..... | 90 | <i>larin 1.5/30</i> | 49 |
| INTELENCE..... | 42 | <i>ketoconazole</i> | 25, 59 | <i>larin 1/20</i> | 49 |
| INTRAROSA..... | 99 | KETO-DIASTIX..... | 62 | <i>larin 24 fe</i> | 49 |
| <i>introvale</i> | 51 | KETONE TEST..... | 61 | <i>larin fe 1.5/30</i> | 49 |
| IOPIDINE..... | 86 | <i>ketoprofen</i> | 5 | <i>larin fe 1/20</i> | 49 |
| IPOL..... | 98 | <i>ketorolac tromethamine</i> | 5, 86 | LASTACAFT..... | 84 |
| <i>ipratropium bromide</i> | 14, 83 | KETOSTIX..... | 61 | <i>latanoprost</i> | 87 |
| <i>ipratropium-albuterol</i> | 13 | KEVZARA..... | 5 | LAZCLUZE..... | 33 |

| | | | | | |
|--|--------|--------------------------------------|----|---|--------|
| <i>lederle leucovorin</i> | 36 | LIVDELZI | 68 | MAXX | 75 |
| <i>leflunomide</i> | 6 | <i>lojaimiess</i> | 51 | MAYZENT | 92 |
| <i>lenalidomide</i> | 78 | LOKELMA | 79 | MAYZENT STARTER PACK | 92 |
| LENVIMA (10 MG DAILY DOSE) | 38 | <i>lomustine</i> | 37 | <i>me/naphos/mb/hyo1</i> | 30 |
| LENVIMA (12 MG DAILY DOSE) | 38 | LONSURF | 35 | <i>meclizine hcl</i> | 24 |
| LENVIMA (14 MG DAILY DOSE) | 38 | <i>loperamide hcl</i> | 23 | <i>meclofenamate sodium</i> | 5 |
| LENVIMA (18 MG DAILY DOSE) | 38 | <i>lopinavir-ritonavir</i> | 41 | <i>medpura hydrocortisone</i> | 59 |
| LENVIMA (20 MG DAILY DOSE) | 38 | <i>lorazepam</i> | 12 | <i>medroxyprogesterone acetate</i> ... | 51, 88 |
| LENVIMA (24 MG DAILY DOSE) | 38 | <i>lorazepam intensol</i> | 12 | <i>mefenamic acid</i> | 6 |
| LENVIMA (4 MG DAILY DOSE) | 38 | LORBRENA | 32 | <i>mefloquine hcl</i> | 30 |
| LENVIMA (8 MG DAILY DOSE) | 38 | <i>loryna</i> | 49 | <i>megestrol acetate</i> | 37 |
| <i>lessina</i> | 49 | <i>losartan potassium</i> | 28 | MEKINIST | 34 |
| <i>letrozole</i> | 36 | <i>losartan potassium-hctz</i> | 28 | MEKTOVI | 34 |
| <i>leucovorin calcium</i> | 36 | LOTEMAX | 86 | <i>meleya</i> | 52 |
| LEUKERAN | 37 | LOTEMAX SM | 87 | <i>meloxicam</i> | 6 |
| <i>levabuterol hcl</i> | 13 | <i>loteprednol etabonate</i> | 87 | <i>memantine hcl</i> | 91 |
| LEVALBUTEROL TARTRATE | 13 | <i>loteprednol-tobramycin</i> | 86 | <i>memantine hcl er</i> | 91 |
| <i>levetiracetam</i> | 17 | <i>lovastatin</i> | 26 | MENQUADFI | 97 |
| <i>levetiracetam er</i> | 17 | <i>low-ogestrel</i> | 49 | MENVEO | 97 |
| <i>levobunolol hcl</i> | 84 | <i>loxapine succinate</i> | 40 | <i>meperidine hcl</i> | 8 |
| <i>levocarnitine</i> | 63 | <i>lo-zumandimine</i> | 49 | <i>meprobamate</i> | 11 |
| <i>levofloxacin</i> | 66, 85 | <i>lubiprostone</i> | 67 | <i>mercaptopurine</i> | 31 |
| <i>levonest</i> | 52 | <i>luizza 1.5/30</i> | 49 | <i>mesalamine</i> | 67 |
| <i>levonorgest-eth est & eth est</i> | 51 | <i>luizza 1/20</i> | 49 | <i>mesalamine er</i> | 67 |
| <i>levonorgest-eth estrad 91-day</i> | 51 | LULICONAZOLE | 59 | <i>metaxalone</i> | 83 |
| <i>levonorgest-eth estradiol-iron</i> | 49 | LUMAKRAS | 34 | <i>metformin hcl</i> | 20 |
| <i>levonorgestrel</i> | 51 | LUMRYZ | 88 | <i>metformin hcl er</i> | 20 |
| <i>levonorgestrel-ethinyl estrad</i> | 49, 51 | LUMRYZ STARTER PACK | 88 | <i>methadone hcl</i> | 9 |
| <i>levonorg-eth estrad triphasic</i> | 52 | <i>lurasidone hcl</i> | 39 | <i>methadone hcl intensol</i> | 8 |
| <i>levora 0.15/30 (28)</i> | 49 | <i>lutera</i> | 49 | <i>methadose</i> | 9 |
| <i>levorphanol tartrate</i> | 8 | <i>lyleq</i> | 52 | <i>methadose sugar-free</i> | 9 |
| <i>levo-t</i> | 94 | <i>lyllana</i> | 66 | <i>methamphetamine hcl</i> | 3 |
| <i>levothyroxine sodium</i> | 94 | LYNPARZA | 37 | <i>methazolamide</i> | 62 |
| <i>levoxyl</i> | 94 | LYSODREN | 31 | <i>methenamine hippurate</i> | 30 |
| <i>lidocaine</i> | 60 | LYTGOBI (12 MG DAILY DOSE) | 33 | <i>methenamine mandelate</i> | 30 |
| <i>lidocaine hcl</i> | 60 | LYTGOBI (16 MG DAILY DOSE) | 33 | <i>methergine</i> | 87 |
| <i>lidocaine hcl urethral/mucosal</i> | 60 | LYTGOBI (20 MG DAILY DOSE) | 33 | <i>methimazole</i> | 94 |
| <i>lidocaine viscous hcl</i> | 79 | <i>lyza</i> | 52 | METHITEST | 10 |
| <i>lidocaine-hydrocort (perianal)</i> | 10 | <i>magnesium citrate</i> | 73 | <i>methocarbamol</i> | 83 |
| <i>lidocaine-prilocaine</i> | 61 | <i>malathion</i> | 60 | <i>methotrexate sodium</i> | 31, 32 |
| LIKMEZ | 29 | <i>maraviroc</i> | 41 | <i>methotrexate sodium (pf)</i> | 31 |
| <i>linezolid</i> | 29 | MAR-COF CG EXPECTORANT | 54 | <i>methoxsalen rapid</i> | 57 |
| LINZESS | 67 | <i>marlissa</i> | 49 | <i>methscopolamine bromide</i> | 96 |
| <i>liomny</i> | 94 | MARPLAN | 18 | <i>methsuximide</i> | 18 |
| <i>liothyronine sodium</i> | 94 | MATULANE | 36 | <i>methyl dopa</i> | 28 |
| <i>lisdexamfetamine dimesylate</i> | 3 | MAVENCLAD (10 TABS) | 89 | <i>methylergonovine maleate</i> | 87 |
| <i>lisinopril</i> | 27 | MAVENCLAD (4 TABS) | 89 | <i>methylphenidate</i> | 3 |
| <i>lisinopril-hydrochlorothiazide</i> | 27 | MAVENCLAD (5 TABS) | 89 | <i>methylphenidate hcl</i> | 4 |
| LITFULO | 55 | MAVENCLAD (6 TABS) | 89 | <i>methylphenidate hcl er</i> | 3 |
| <i>lithium</i> | 39 | MAVENCLAD (7 TABS) | 89 | <i>methylphenidate hcl er (cd)</i> | 3 |
| <i>lithium carbonate</i> | 39 | MAVENCLAD (8 TABS) | 90 | <i>methylphenidate hcl er (la)</i> | 3 |
| <i>lithium carbonate er</i> | 39 | MAVENCLAD (9 TABS) | 90 | <i>methylphenidate hcl er (osm)</i> | 4 |
| LITHOSTAT | 69 | <i>maxi-tuss ac</i> | 54 | <i>methylphenidate hcl er(diffus)</i> | 4 |

| | | | | | |
|---|------------|---|--------|---|--------|
| <i>methylprednisolone</i> | 53 | MULTAQ | 12 | <i>nicotine step 1</i> | 92 |
| <i>metoclopramide hcl</i> | 67 | MULTISTIX 10 SG | 62 | <i>nicotine step 2</i> | 92 |
| <i>metolazone</i> | 63 | <i>multivitamin/fluoride</i> | 81 | <i>nicotine step 3</i> | 92 |
| METOPIRONE | 61 | <i>mupirocin</i> | 55 | NICOTROL NS | 92 |
| <i>metoprolol succinate er</i> | 44 | <i>my choice</i> | 51 | <i>nifedipine</i> | 44 |
| <i>metoprolol tartrate</i> | 44 | <i>my way</i> | 51 | <i>nifedipine er</i> | 44 |
| <i>metoprolol-hydrochlorothiazide</i> | 28 | MYALEPT | 64 | <i>nifedipine er osmotic release</i> | 44 |
| <i>metronidazole</i> | 29, 60, 99 | <i>mycophenolate mofetil</i> | 78 | <i>nikki</i> | 49 |
| <i>metyrosine</i> | 27 | <i>mycophenolate sodium</i> | 78 | NILOTINIB D-TARTRATE | 32 |
| <i>mexiletine hcl</i> | 12 | MYFEMBREE | 66 | <i>nilotinib hcl</i> | 32 |
| <i>mibelas 24 fe</i> | 49 | MYLERAN | 31 | <i>nilutamide</i> | 31 |
| <i>miconazole 3</i> | 99 | MYTESI | 23 | <i>nimodipine</i> | 44 |
| <i>microgestin 1.5/30</i> | 49 | <i>na sulfate-k sulfate-mg sulf</i> | 72 | NINLARO | 35 |
| <i>microgestin 1/20</i> | 49 | <i>nabumetone</i> | 6 | <i>nisoldipine er</i> | 45 |
| <i>microgestin fe 1.5/30</i> | 49 | <i>nadolol</i> | 44 | <i>nitazoxanide</i> | 29 |
| <i>microgestin fe 1/20</i> | 49 | <i>naftifine hcl</i> | 56 | <i>nitisinone</i> | 64 |
| <i>midodrine hcl</i> | 100 | <i>naloxone hcl</i> | 24 | <i>nitro-bid</i> | 11 |
| MIEBO | 87 | <i>naltrexone hcl</i> | 24 | <i>nitrofurantoin</i> | 30 |
| <i>mifepristone</i> | 22 | <i>naproxen</i> | 6 | <i>nitrofurantoin macrocrystal</i> | 30 |
| <i>miglitol</i> | 20 | <i>naproxen sodium</i> | 6 | <i>nitrofurantoin monohyd macro</i> | 30 |
| <i>miglustat</i> | 71 | <i>naratriptan hcl</i> | 77 | <i>nitroglycerin</i> | 10, 11 |
| <i>mili</i> | 49 | NATACYN | 85 | <i>nitro-time</i> | 11 |
| <i>milk of magnesia</i> | 73 | <i>nateglinide</i> | 22 | NITYR | 64 |
| <i>milk of magnesia concentrate</i> | 73 | NAYZILAM | 16 | <i>nizatidine</i> | 95 |
| <i>mimvey</i> | 66 | <i>nebivolol hcl</i> | 44 | <i>nora-be</i> | 52 |
| <i>minocycline hcl</i> | 93 | <i>nebusal</i> | 54 | NORDITROPIN FLEXPRO | 64 |
| <i>minoxidil</i> | 29 | NEBUSAL | 54 | <i>norethin ace-eth estrad-fe</i> | 49 |
| <i>minzoya</i> | 49 | <i>necon 0.5/35 (28)</i> | 49 | <i>norethindrone</i> | 52 |
| <i>mirabegron er</i> | 96 | <i>necon 1/35 (28)</i> | 49 | <i>norethindrone acetate</i> | 88 |
| <i>miralax mix-in pax</i> | 73 | <i>nefazodone hcl</i> | 19 | <i>norethindrone acet-ethinyl est</i> | 49 |
| <i>mirtazapine</i> | 18 | <i>neomycin sulfate</i> | 4 | <i>norethindrone-eth estradiol</i> | 66 |
| <i>misoprostol</i> | 96 | <i>neomycin-bacitracin zn-polymyx</i> | 85 | <i>norethin-eth estradiol-fe</i> | 49 |
| <i>mm aspirin</i> | 8 | <i>neomycin-polymyxin-dexameth</i> | 86 | <i>norgestimate-eth estradiol</i> | 49 |
| M-M-R II | 97 | <i>neomycin-polymyxin-gramicidin</i> | 85 | <i>norgestim-eth estrad triphasic</i> | 52 |
| <i>m-natal plus</i> | 81 | <i>neomycin-polymyxin-hc</i> | 86, 87 | <i>norlyda</i> | 52 |
| MNEXSPIKE | 98 | NERLYNX | 34 | <i>norlyroc</i> | 52 |
| <i>modafinil</i> | 4 | <i>neuac</i> | 55 | NORPACE CR | 12 |
| MODEYSO | 35 | NEUPRO | 39 | <i>nortrel 0.5/35 (28)</i> | 50 |
| <i>moexipril hcl</i> | 27 | NEVANAC | 86 | <i>nortrel 1/35 (21)</i> | 50 |
| <i>molindone hcl</i> | 40 | <i>nevirapine</i> | 42 | <i>nortrel 1/35 (28)</i> | 50 |
| <i>mometasone furoate</i> | 59, 83 | <i>nevirapine er</i> | 42 | <i>nortrel 7/7/7</i> | 52 |
| <i>mondoxyne nl</i> | 93 | <i>new day</i> | 51 | <i>nortriptyline hcl</i> | 19 |
| <i>mono-lynyah</i> | 49 | <i>niacin er (antihyperlipidemic)</i> | 27 | NORVIR | 41 |
| <i>montelukast sodium</i> | 14 | <i>nicardipine hcl</i> | 44 | NOVA MAX PLUS KETONE TEST | 61 |
| <i>morphine sulfate</i> | 9 | <i>nicorelief</i> | 92 | NOVOLIN 70/30 | 21 |
| <i>morphine sulfate (concentrate)</i> | 9 | NICORETTE | 92 | NOVOLIN 70/30 FLEXPEN | 21 |
| <i>morphine sulfate er</i> | 9 | NICORETTE MINI | 92 | NOVOLIN 70/30 FLEXPEN RELION | 21 |
| <i>morphine sulfate er beads</i> | 9 | <i>nicotine</i> | 92 | NOVOLIN 70/30 RELION | 21 |
| MOUNJARO | 22 | NICOTINE MINI | 92 | NOVOLIN N | 21 |
| MOVANTIK | 68 | <i>nicotine mini</i> | 92 | NOVOLIN N FLEXPEN | 21 |
| <i>moxifloxacin hcl</i> | 66, 85 | <i>nicotine polacrilex</i> | 92 | NOVOLIN N FLEXPEN RELION | 21 |
| <i>moxifloxacin hcl (2x day)</i> | 85 | NICOTINE POLACRILEX | 92 | NOVOLIN N RELION | 21 |
| MRESVIA | 98 | NICOTINE POLACRILEX MINI | 92 | NOVOLIN R | 21 |

| | | | | | |
|---|------------|---|----|---|--------|
| NOVOLIN R FLEXPEN..... | 21 | OMNIPOD DASH PODS (GEN 4)..... | 76 | <i>pacerone</i> | 12 |
| NOVOLIN R FLEXPEN RELION..... | 21 | OMVOH..... | 68 | <i>paliperidone er</i> | 39 |
| NOVOLIN R RELION..... | 21 | OMVOH (300 MG DOSE)..... | 68 | PANRETIN..... | 56 |
| NOVOLOG..... | 22 | <i>ondansetron</i> | 24 | <i>pantoprazole sodium</i> | 96 |
| NOVOLOG 70/30 FLEXPEN RELION.. | 21 | <i>ondansetron hcl</i> | 24 | <i>paricalcitol</i> | 64 |
| NOVOLOG FLEXPEN..... | 21 | <i>onelix magnesium citrate</i> | 73 | <i>paroxetine hcl</i> | 19 |
| NOVOLOG FLEXPEN RELION..... | 21 | ONUREG..... | 32 | <i>paroxetine hcl er</i> | 19 |
| NOVOLOG MIX 70/30..... | 22 | <i>opcicon one-step</i> | 51 | PAXLOVID (150/100)..... | 42 |
| NOVOLOG MIX 70/30 FLEXPEN..... | 22 | <i>opium</i> | 23 | PAXLOVID (300/100)..... | 42 |
| NOVOLOG MIX 70/30 RELION..... | 22 | OPSUMIT..... | 46 | <i>pazopanib hcl</i> | 34 |
| NOVOLOG PENFILL..... | 22 | OPSYNVI..... | 45 | PEDIARIX..... | 94 |
| NOVOLOG RELION..... | 22 | <i>option 2</i> | 51 | PEDVAX HIB..... | 97 |
| <i>np thyroid</i> | 94 | <i>options gynol ii contraceptive</i> | 99 | <i>peg 3350</i> | 73 |
| NUBEQA..... | 31 | OPZELURA..... | 57 | <i>peg 3350-kcl-na bicarb-nacl</i> | 72 |
| NUCALA..... | 14 | <i>oralone</i> | 80 | <i>peg-3350/electrolytes</i> | 72 |
| NUCYNTA..... | 9 | ORAVIG..... | 79 | <i>peg-3350/electrolytes/ascorbat</i> | 72 |
| NUDEXTA..... | 91 | ORENCIA..... | 6 | PEGASYS..... | 43 |
| NUPLAZID..... | 39 | ORENCIA CLICKJECT..... | 6 | <i>peg-kcl-nacl-nasulf-na asc-c</i> | 72 |
| NURTEC..... | 76 | ORENITRAM..... | 45 | <i>peg-prep</i> | 72 |
| NUVAXOVID COVID-19 VACCINE..... | 98 | ORENITRAM MONTH 1..... | 45 | PEMAZYRE..... | 33 |
| NUVESSA..... | 99 | ORENITRAM MONTH 2..... | 45 | <i>penciclovir</i> | 57 |
| NUZYRA..... | 93 | ORENITRAM MONTH 3..... | 45 | <i>penicillamine</i> | 78 |
| <i>nyamyc</i> | 56 | ORFADIN..... | 64 | <i>penicillin v potassium</i> | 88 |
| <i>nylia 1/35</i> | 50 | ORGOVYX..... | 36 | PENMENVY..... | 97 |
| <i>nylia 7/7/7</i> | 52 | ORIAHNN..... | 66 | PENTACEL..... | 94 |
| NYMALIZE..... | 45 | ORLISSA..... | 63 | <i>pentamidine isethionate</i> | 29 |
| <i>nystatin</i> | 25, 56, 79 | ORKAMBI..... | 93 | PENTASA..... | 67 |
| <i>nystatin-triamcinolone</i> | 55 | ORLADEYO..... | 70 | <i>pentazocine-naloxone hcl</i> | 10 |
| <i>nystop</i> | 56 | <i>orphenadrine citrate er</i> | 83 | <i>pentoxifylline er</i> | 70 |
| <i>octreotide acetate</i> | 65 | <i>orquidea</i> | 52 | <i>perampanel</i> | 16 |
| ODEFSEY..... | 41 | ORSERDU..... | 37 | <i>perindopril erbumine</i> | 27 |
| ODOMZO..... | 33 | <i>orsythia</i> | 50 | <i>periogard</i> | 79 |
| OFEV..... | 93 | <i>oscimin</i> | 95 | <i>permethrin</i> | 60 |
| <i>ofloxacin</i> | 66, 85, 87 | <i>oseltamivir phosphate</i> | 43 | <i>perphenazine</i> | 40 |
| OGSIVEO..... | 33 | OSPHENA..... | 65 | <i>perphenazine-amitriptyline</i> | 91 |
| OJEMDA..... | 32 | OTEZLA..... | 6 | <i>phenazopyridine hcl</i> | 69 |
| OJJAARA..... | 36 | OTEZLA XR..... | 6 | <i>phenelzine sulfate</i> | 18 |
| <i>olanzapine</i> | 40 | OTEZLA/OTEZLA XR INITIATION PK.... | 6 | <i>phenobarbital</i> | 71, 72 |
| <i>olmesartan medoxomil</i> | 28 | <i>oxaprozin</i> | 6 | <i>phenoxybenzamine hcl</i> | 27 |
| <i>olmesartan medoxomil-hctz</i> | 28 | <i>oxazepam</i> | 12 | <i>phenylephrine hcl</i> | 84 |
| <i>olmesartan-amlodipine-hctz</i> | 28 | <i>oxcarbazepine</i> | 17 | PHENYTEK..... | 18 |
| <i>olopatadine hcl</i> | 83, 84 | <i>oxcarbazepine er</i> | 17 | <i>phenytoin</i> | 18 |
| OLUMIANT..... | 4 | OXERVATE..... | 86 | <i>phenytoin infatabs</i> | 18 |
| <i>omega-3-acid ethyl esters</i> | 26 | <i>oxiconazole nitrate</i> | 60 | <i>phenytoin sodium extended</i> | 18 |
| <i>omeprazole</i> | 96 | <i>oxybutynin chloride</i> | 96 | <i>philith</i> | 50 |
| <i>omeprazole magnesium</i> | 96 | <i>oxybutynin chloride er</i> | 96 | PHOSPHOLINE IODIDE..... | 84 |
| OMNIPOD 5 DEXG7G6 INTRO GEN | | <i>oxycodone hcl</i> | 9 | <i>phytonadione</i> | 100 |
| 5..... | 76 | <i>oxycodone-acetaminophen</i> | 9 | PIFELTRO..... | 42 |
| OMNIPOD 5 DEXG7G6 PODS GEN 5. | 76 | <i>oxymorphone hcl</i> | 9 | <i>pilocarpine hcl</i> | 80, 84 |
| OMNIPOD 5 LIBRE2 G6 INTRO | | <i>oxymorphone hcl er</i> | 9 | <i>pimecrolimus</i> | 60 |
| GEN5..... | 76 | OZEMPIC (0.25 OR 0.5 MG/DOSE)... | 22 | <i>pimozide</i> | 91 |
| OMNIPOD 5 LIBRE2 PLUS G6 PODS. | 76 | OZEMPIC (1 MG/DOSE)..... | 22 | <i>pimtrea</i> | 47 |
| OMNIPOD DASH INTRO (GEN 4)..... | 76 | OZEMPIC (2 MG/DOSE)..... | 22 | <i>pindolol</i> | 44 |

| | | | | | |
|---|--------|---|--------|---|--------|
| <i>pioglitazone hcl</i> | 23 | <i>pregabalin</i> | 17 | <i>qc nicotine transdermal system</i> | 92 |
| <i>pioglitazone hcl-glimepiride</i> | 23 | PREMARIN..... | 66, 99 | <i>qc prenatal</i> | 82 |
| <i>pioglitazone hcl-metformin hcl</i> | 23 | PREMPHASE..... | 66 | QELBREE..... | 3 |
| PIQRAY (200 MG DAILY DOSE)..... | 37 | PREMPRO..... | 66 | QINLOCK..... | 34 |
| PIQRAY (250 MG DAILY DOSE)..... | 37 | <i>prena 1 true</i> | 82 | QUADRACEL..... | 94, 95 |
| PIQRAY (300 MG DAILY DOSE)..... | 37 | <i>prena1</i> | 82 | <i>quetiapine fumarate</i> | 40 |
| <i>pirfenidone</i> | 93 | <i>prena1 pearl</i> | 81 | <i>quetiapine fumarate er</i> | 39 |
| <i>pirmella 7/7/7</i> | 52 | <i>prenatabs fa</i> | 81 | QUILLICHEW ER..... | 4 |
| <i>piroxicam</i> | 6 | <i>prenatabs rx</i> | 82 | QUILLIVANT XR..... | 4 |
| <i>pitavastatin calcium</i> | 26 | <i>prenatal</i> | 82 | <i>quinapril hcl</i> | 27 |
| PLEGRIDY..... | 90 | <i>prenatal (w/iron & fa)</i> | 82 | <i>quinapril-hydrochlorothiazide</i> | 27 |
| PLEGRIDY STARTER PACK..... | 90 | | | <i>quinidine gluconate er</i> | 12 |
| PNEUMOVAX 23..... | 97 | | | <i>quinidine sulfate</i> | 12 |
| <i>pnv prenatal plus multivitamin</i> | 81 | | | <i>quinine sulfate</i> | 30 |
| <i>pnv-dha</i> | 82 | | | QULIPTA..... | 76 |
| <i>podofilox</i> | 60 | | | QVAR REDIHALER..... | 15 |
| <i>polyethylene glycol 3350</i> | 73 | | | <i>rabeprazole sodium</i> | 96 |
| <i>polymyxin b-trimethoprim</i> | 85 | | | <i>raloxifene hcl</i> | 65 |
| <i>pomalidomide</i> | 33 | | | <i>ramipril</i> | 27 |
| POMALYST..... | 33 | | | <i>ranitidine hcl</i> | 95 |
| PONVORY..... | 92 | | | <i>ranolazine er</i> | 11 |
| PONVORY STARTER PACK..... | 92 | | | <i>rasagiline mesylate</i> | 38 |
| <i>portia-28</i> | 50 | | | RASUVO..... | 4 |
| <i>posaconazole</i> | 25 | | | RAVICTI..... | 65 |
| <i>potassium chloride</i> | 78 | | | REBIF..... | 90 |
| <i>potassium chloride crys er</i> | 78 | | | REBIF REBIDOSE..... | 90 |
| <i>potassium chloride er</i> | 78 | | | REBIF REBIDOSE TITRATION PACK... | 90 |
| <i>potassium citrate er</i> | 69 | | | REBIF TITRATION PACK..... | 90 |
| <i>potassium iodide (expectorant)</i> | 54 | | | <i>reclipsen</i> | 50 |
| PRADAXA..... | 16 | | | RECOMBIVAX HB..... | 98 |
| <i>pramipexole dihydrochloride</i> | 39 | | | RELENZA DISKHALER..... | 43 |
| <i>pramipexole dihydrochloride er</i> | 39 | | | RELION KETONE TEST..... | 61 |
| <i>prasugrel hcl</i> | 71 | | | RELION TRUE METRIX TEST STRIPS.. | 61 |
| <i>pravastatin sodium</i> | 26 | | | RELISTOR..... | 68 |
| <i>praziquantel</i> | 11 | | | <i>relnate dha</i> | 82 |
| <i>prazosin hcl</i> | 28 | | | <i>rena-vite</i> | 80 |
| PRED MILD..... | 87 | | | <i>repaglinide</i> | 22 |
| <i>prednisolone</i> | 53 | | | REPATHA..... | 27 |
| <i>prednisolone acetate</i> | 87 | | | REPATHA SURECLICK..... | 27 |
| <i>prednisolone sodium phosphate</i> 53, 87 | | | | RETEVMO..... | 35 |
| <i>prednisone</i> | 53 | | | REVLIMID..... | 78 |
| <i>prednisone intensol</i> | 53 | | | REVUFORJ..... | 34 |
| <i>pregabalin</i> | 17 | | | REXULTI..... | 40 |
| PREMARIN..... | 66, 99 | | | REYATAZ..... | 41 |
| PREMPHASE..... | 66 | | | REYVOW..... | 77 |
| PREMPRO..... | 66 | | | REZLIDHIA..... | 36 |
| <i>prena 1 true</i> | 82 | | | REZUROCK..... | 79 |
| <i>prena1</i> | 82 | | | RHOFADE..... | 60 |
| <i>prena1 pearl</i> | 81 | | | <i>ribavirin</i> | 43 |
| <i>prenatabs fa</i> | 81 | | | RIDAURA..... | 5 |
| <i>prenatabs rx</i> | 82 | | | <i>rifabutin</i> | 31 |
| <i>prenatal</i> | 82 | | | <i>rifampin</i> | 31 |
| <i>prenatal (w/iron & fa)</i> | 82 | | | <i>riluzole</i> | 83 |
| <i>prenatal complete</i> | 82 | | | | |
| <i>prenatal multi +dha</i> | 82 | | | | |
| <i>prenatal one daily</i> | 82 | | | | |
| <i>prenatal plus</i> | 82 | | | | |
| <i>prenatal vitamin and mineral</i> | 82 | | | | |
| <i>prenatal vitamins</i> | 82 | | | | |
| <i>prenatal/iron</i> | 82 | | | | |
| <i>prenatal-u</i> | 82 | | | | |
| PRETOMANID..... | 31 | | | | |
| <i>prevalite</i> | 26 | | | | |
| PREVNAR 20..... | 97 | | | | |
| PREVYMIS..... | 42 | | | | |
| PREZCOBIX..... | 41 | | | | |
| PRIFTIN..... | 31 | | | | |
| <i>primaquine phosphate</i> | 30 | | | | |
| <i>primidone</i> | 17 | | | | |
| PRIORIX..... | 97 | | | | |
| PROAIR RESPICLICK..... | 13 | | | | |
| <i>probenecid</i> | 70 | | | | |
| <i>prochlorperazine</i> | 40 | | | | |
| <i>prochlorperazine maleate</i> | 40 | | | | |
| <i>procto-med hc</i> | 10 | | | | |
| <i>proctosol hc</i> | 11 | | | | |
| <i>proctozone-hc</i> | 11 | | | | |
| PROCYSBI..... | 69 | | | | |
| <i>progesterone</i> | 88 | | | | |
| <i>promethazine hcl</i> | 25 | | | | |
| <i>promethazine-codeine</i> | 54 | | | | |
| <i>promethazine-dm</i> | 54 | | | | |
| <i>promethazine-phenylephrine</i> | 54 | | | | |
| <i>promethegan</i> | 25 | | | | |
| <i>propafenone hcl</i> | 12 | | | | |
| <i>propafenone hcl er</i> | 12 | | | | |
| <i>propranolol hcl</i> | 44 | | | | |
| <i>propranolol hcl er</i> | 44 | | | | |
| <i>propylthiouracil</i> | 94 | | | | |
| PROQUAD..... | 97 | | | | |
| <i>protriptyline hcl</i> | 19 | | | | |
| <i>prudoxin</i> | 56 | | | | |
| <i>pseudoeph-bromphen-dm</i> | 54 | | | | |
| PULMICORT FLEXHALER..... | 15 | | | | |
| <i>pulmosal</i> | 54 | | | | |
| PULMOZYME..... | 93 | | | | |
| <i>pyrazinamide</i> | 31 | | | | |
| <i>pyridostigmine bromide</i> | 30 | | | | |
| <i>pyridostigmine bromide er</i> | 30 | | | | |
| <i>pyrimethamine</i> | 30 | | | | |
| QBREXZA..... | 60 | | | | |
| <i>qc aspirin low dose</i> | 8 | | | | |
| <i>qc childrens aspirin</i> | 8 | | | | |
| <i>qc gentle laxative</i> | 74 | | | | |
| <i>qc magnesium citrate</i> | 73 | | | | |
| <i>qc milk of magnesia</i> | 73 | | | | |

| | | | | | |
|--|----|--|--------|--|--------|
| <i>rimantadine hcl</i> | 43 | <i>sf</i> | 79 | <i>ssd</i> | 58 |
| <i>ringers irrigation</i> | 78 | <i>sf 5000 plus</i> | 79 | SSKI..... | 54 |
| RINVOQ..... | 4 | <i>sharobel</i> | 52 | <i>st joseph aspirin</i> | 8 |
| RINVOQ LQ..... | 4 | SHINGRIX..... | 98 | <i>st joseph low dose</i> | 8 |
| <i>risedronate sodium</i> | 63 | SIGNIFOR..... | 65 | <i>sterile water for irrigation</i> | 78 |
| <i>risperidone</i> | 39 | <i>sildenafil citrate</i> | 46 | STIOLTO RESPIMAT..... | 13 |
| <i>ritonavir</i> | 41 | SILIQ..... | 57 | STIVARGA..... | 34 |
| <i>rivaroxaban</i> | 15 | <i>silodosin</i> | 69 | STRENSIQ..... | 64 |
| <i>rivastigmine</i> | 89 | <i>silver sulfadiazine</i> | 58 | <i>stress formula</i> | 81 |
| <i>rivastigmine tartrate</i> | 89 | SIMBRINZA..... | 83 | <i>stress formula (folic acid)</i> | 80 |
| <i>rivelsa</i> | 51 | SIMLANDI (1 PEN)..... | 4 | <i>stress formula/iron</i> | 81 |
| <i>rizatriptan benzoate</i> | 77 | SIMLANDI (2 PEN)..... | 4 | STRIBILD..... | 41 |
| <i>roflumilast</i> | 14 | SIMLANDI (2 SYRINGE)..... | 4 | STRIVERDI RESPIMAT..... | 13 |
| <i>ropinirole hcl</i> | 39 | <i>simliya</i> | 47 | SUCRAID..... | 62 |
| <i>ropinirole hcl er</i> | 39 | <i>simpesse</i> | 51 | <i>sucralfate</i> | 95 |
| <i>rosuvastatin calcium</i> | 26 | SIMPONI..... | 4, 5 | SULCONAZOLE NITRATE..... | 60 |
| <i>rosyrah</i> | 51 | <i>simvastatin</i> | 26 | <i>sulfacetamide sodium</i> | 57, 87 |
| ROTARIX..... | 98 | <i>sirolimus</i> | 79 | <i>sulfacetamide sodium (acne)</i> | 55 |
| ROTATEQ..... | 98 | SIRTURO..... | 31 | <i>sulfacetamide sodium (cleans)</i> | 57 |
| <i>roweepra</i> | 17 | SKYRIZI..... | 57, 68 | <i>sulfacetamide-prednisolone</i> | 86 |
| ROZLYTREK..... | 35 | SKYRIZI PEN..... | 57 | <i>sulfadiazine</i> | 93 |
| RUBRACA..... | 37 | SKYTROFA..... | 64 | <i>sulfamethoxazole-trimethoprim</i> | 29 |
| RUCONEST..... | 70 | <i>sm nicotine</i> | 92 | SULFAMYLON..... | 58 |
| <i>rufinamide</i> | 17 | SM NICOTINE POLACRILEX..... | 92 | <i>sulfasalazine</i> | 67 |
| RUKOBIA..... | 41 | <i>smooth lax</i> | 73 | <i>sulfatrim pediatric</i> | 29 |
| RYBELSUS..... | 22 | <i>sodium chloride</i> | 54, 69 | <i>sulindac</i> | 6 |
| RYDAPT..... | 34 | <i>sodium fluoride</i> | 77, 80 | <i>sumatriptan</i> | 77 |
| <i>rydex</i> | 54 | <i>sodium fluoride 5000 enamel</i> | 79 | <i>sumatriptan succinate</i> | 77 |
| RYTARY..... | 38 | <i>sodium fluoride 5000 plus</i> | 80 | <i>sunitinib malate</i> | 34 |
| <i>sacubitril-valsartan</i> | 45 | <i>sodium oxybate</i> | 88 | SUNOSI..... | 3 |
| <i>sajazir</i> | 70 | <i>sodium phenylbutyrate</i> | 65 | <i>super b complex/fa/vit c</i> | 80 |
| <i>salsalate</i> | 8 | <i>sodium polystyrene sulfonate</i> | 79 | <i>super b-complex/vit c/fa</i> | 80 |
| SANTYL..... | 59 | <i>sodium sulfacetamide</i> | 57 | <i>super quints b-50</i> | 81 |
| <i>sapropterin dihydrochloride</i> | 64 | SOFDRA..... | 60 | <i>syeda</i> | 50 |
| SAVAYSA..... | 15 | SOGROYA..... | 64 | SYMDEKO..... | 93 |
| SAVELLA..... | 89 | <i>solifenacin succinate</i> | 96 | SYMPROIC..... | 68 |
| SAVELLA TITRATION PACK..... | 89 | SOLQUA..... | 22 | SYMITUZA..... | 41 |
| <i>sb bisacodyl laxative ec</i> | 74 | SOLTAMOX..... | 31 | SYNAREL..... | 64 |
| <i>sb childrens aspirin</i> | 8 | SOMAVERT..... | 63 | SYNJARDY..... | 23 |
| <i>sb low dose asa ec</i> | 8 | <i>sorafenib tosylate</i> | 34 | SYNJARDY XR..... | 23 |
| <i>sb milk of magnesium</i> | 73 | <i>sotalol hcl</i> | 44 | SYNTHROID..... | 94 |
| <i>sb polyethylene glycol 3350</i> | 73 | <i>sotalol hcl (af)</i> | 44 | TABLOID..... | 32 |
| SCEMBLIX..... | 32 | SOTYKTU..... | 57 | TABRECTA..... | 34 |
| <i>scopolamine</i> | 24 | SOVALDI..... | 43 | <i>tacrolimus</i> | 60, 79 |
| SELARSDI..... | 57 | SPIKEVAX..... | 99 | <i>tadalafil</i> | 46 |
| <i>selegiline hcl</i> | 38 | SPIKEVAX 6M-11Y..... | 98 | <i>tadalafil (pah)</i> | 46 |
| <i>selenium sulfide</i> | 57 | <i>spinosad</i> | 60 | TAFINLAR..... | 32 |
| SELZENTRY..... | 41 | SPIRIVA RESPIMAT..... | 14 | TAGRISSO..... | 33 |
| <i>se-natal 19</i> | 82 | <i>spironolactone</i> | 62 | TAKHZYRO..... | 70 |
| SEREVENT DISKUS..... | 13 | <i>spironolactone-hctz</i> | 62 | TALICIA..... | 96 |
| <i>sertraline hcl</i> | 19 | <i>sprintec 28</i> | 50 | TALTZ..... | 57 |
| <i>setlakin</i> | 51 | <i>sps (sodium polystyrene sulf)</i> | 79 | TALZENNA..... | 37 |
| <i>sevelamer carbonate</i> | 68 | <i>sronyx</i> | 50 | <i>tamoxifen citrate</i> | 31 |

| | | | | | |
|--|--------|--|------------|------------------------------------|----|
| <i>tamsulosin hcl</i> | 69 | TIVICAY..... | 41 | <i>trifluridine</i> | 85 |
| <i>tarina 24 fe</i> | 50 | TIVICAY PD..... | 41 | <i>trihexyphenidyl hcl</i> | 38 |
| <i>tarina fe 1/20 eq</i> | 50 | <i>tizanidine hcl</i> | 83 | TRIJARDY XR..... | 22 |
| <i>taron-c dha</i> | 82 | TOBI PODHALER..... | 4 | TRIKAFTA..... | 93 |
| <i>tasimelteon</i> | 72 | TOBRADEX..... | 86 | <i>tri-legest fe</i> | 52 |
| <i>taysofy</i> | 50 | TOBRADEX ST..... | 86 | <i>tri-linyah</i> | 52 |
| <i>tazarotene</i> | 57 | <i>tobramycin</i> | 4, 85 | <i>tri-lo-estarylla</i> | 52 |
| TEGRETOL..... | 17 | <i>tobramycin-dexamethasone</i> | 86 | <i>tri-lo-marzia</i> | 52 |
| TEGRETOL-XR..... | 17 | TOBEX..... | 85 | <i>tri-lo-mili</i> | 52 |
| <i>telmisartan</i> | 28 | TODAY SPONGE..... | 99 | <i>tri-lo-sprintec</i> | 52 |
| <i>telmisartan-amlodipine</i> | 27 | <i>tolcapone</i> | 38 | <i>trimethobenzamide hcl</i> | 24 |
| <i>telmisartan-hctz</i> | 28 | <i>tolterodine tartrate</i> | 96 | <i>trimethoprim</i> | 29 |
| <i>temazepam</i> | 72 | <i>tolterodine tartrate er</i> | 96 | <i>tri-mili</i> | 52 |
| <i>temozolomide</i> | 36 | <i>tolvaptan</i> | 65 | <i>trimipramine maleate</i> | 20 |
| <i>tencon</i> | 6 | <i>tolvaptan (hyponatremia)</i> | 65 | <i>trinatal rx 1</i> | 82 |
| TENIVAC..... | 95 | <i>topiramate</i> | 17 | <i>trinate</i> | 82 |
| <i>tenofovir disoproxil fumarate</i> | 42 | <i>topiramate er</i> | 17 | <i>trinessa (28)</i> | 52 |
| TEPMETKO..... | 34 | <i>toremifene citrate</i> | 31 | TRINTELLIX..... | 19 |
| <i>terazosin hcl</i> | 28 | <i>torseamide</i> | 62 | <i>tri-sprintec</i> | 52 |
| <i>terbinafine hcl</i> | 25 | TOUJEO MAX SOLOSTAR..... | 22 | TRIUMEQ..... | 41 |
| <i>terbutaline sulfate</i> | 13 | TOUJEO SOLOSTAR..... | 22 | TRIUMEQ PD..... | 41 |
| <i>terconazole</i> | 99 | <i>tovet</i> | 59 | <i>tri-vite/fluoride</i> | 81 |
| <i>teriflunomide</i> | 89 | TRACLEER..... | 46 | <i>trivora (28)</i> | 53 |
| TESTOSTERONE..... | 10 | TRADJENTA..... | 20 | <i>tri-vylibra</i> | 53 |
| <i>testosterone</i> | 10 | TRAMADOL HCL..... | 9 | <i>tri-vylibra lo</i> | 53 |
| <i>testosterone cypionate</i> | 10 | <i>tramadol hcl</i> | 9 | <i>trospium chloride</i> | 96 |
| <i>testosterone enanthate</i> | 10 | <i>tramadol hcl (er biphasic)</i> | 9 | <i>trospium chloride er</i> | 96 |
| <i>tetrabenazine</i> | 89 | <i>tramadol hcl er</i> | 9 | TRUE METRIX BLOOD GLUCOSE | |
| <i>tetracycline hcl</i> | 93 | <i>tramadol-acetaminophen</i> | 10 | TEST..... | 61 |
| TEZSPIRE..... | 15 | <i>trandolapril</i> | 27 | TRUETEST TEST..... | 61 |
| THALOMID..... | 78 | <i>trandolapril-verapamil hcl er</i> | 27 | TRUETRACK TEST..... | 61 |
| THEO-24..... | 15 | <i>tranexamic acid</i> | 71 | TRULANCE..... | 67 |
| <i>theophylline</i> | 15 | <i>tranylcypromine sulfate</i> | 18 | TRULICITY..... | 22 |
| <i>theophylline er</i> | 15 | <i>travoprost (bak free)</i> | 87 | TRUMENBA..... | 97 |
| <i>thioridazine hcl</i> | 40 | <i>trazodone hcl</i> | 19 | TRUQAP..... | 32 |
| <i>thiothixene</i> | 40 | TRELEGY ELLIPTA..... | 13 | TRUSTEX LUB/RIBBED/STUDED..... | 75 |
| <i>thyroid</i> | 94 | TREMFYA..... | 57, 68 | TRUSTEX LUB/SPERMICIDE EX ST..... | 75 |
| <i>tiadylt er</i> | 45 | TREMFYA ONE-PRESS..... | 57 | TRUSTEX LUB/SPERMICIDE XL..... | 75 |
| <i>tiagabine hcl</i> | 17 | TREMFYA PEN..... | 57, 68 | TRUSTEX LUBRICATED..... | 75 |
| TIBSOVO..... | 36 | TREMFYA-CD/UC INDUCTION..... | 68 | TRUSTEX LUBRICATED EX LARGE..... | 75 |
| <i>ticagrelor</i> | 70 | TRESIBA..... | 22 | TRUSTEX LUBRICATED EXTRA ST..... | 75 |
| <i>tilia fe</i> | 52 | TRESIBA FLEXTOUCH..... | 22 | TRUSTEX LUBRICATED/SPERMICIDE..... | 75 |
| <i>timolol hemihydrate</i> | 84 | <i>tretinoin</i> | 37, 55 | TRUSTEX NON-LUBRICATED..... | 75 |
| <i>timolol maleate</i> | 44, 84 | <i>tretinoin microsphere</i> | 55 | TRUSTEX RIA LUB/SPERMICIDE..... | 75 |
| <i>timolol maleate (once-daily)</i> | 84 | <i>tretinoin microsphere pump</i> | 55 | TRUSTEX RIA LUBRICATED..... | 75 |
| <i>timolol maleate ocudose</i> | 84 | <i>tri femynor</i> | 52 | TRUSTEX RIA NON-LUBRICATED..... | 75 |
| <i>timolol maleate pf</i> | 84 | <i>triamcinolone acetonide</i> | 59, 80, 83 | TRUSTEX-NONOXYNOL- | |
| TIMOPTIC OCUDOSE..... | 84 | <i>triamterene</i> | 62 | 9/RIB/STUD..... | 75 |
| <i>tinidazole</i> | 29 | <i>triamterene-hctz</i> | 62 | TUDORZA PRESSAIR..... | 14 |
| <i>tiopronin</i> | 69 | <i>triazolam</i> | 72 | TUKYSA..... | 32 |
| <i>tiotropium bromide</i> | 14 | <i>triderm</i> | 59 | TURALIO..... | 34 |
| TIROSINT..... | 94 | <i>tri-estarylla</i> | 52 | <i>turqoz</i> | 50 |
| TIROSINT-SOL..... | 94 | <i>trifluoperazine hcl</i> | 40 | TWINRIX..... | 97 |

| | | | | | |
|---|----|--|-----|-----------------------------------|----|
| <i>tydemy</i> | 50 | VIBERZI..... | 67 | <i>xelria fe</i> | 50 |
| TYENNE..... | 5 | <i>vienna</i> | 50 | XHANCE..... | 83 |
| TYMLOS..... | 64 | <i>vigabatrin</i> | 17 | XIFAXAN..... | 29 |
| TYVASO DPI MAINTENANCE KIT..... | 45 | <i>vigadrone</i> | 17 | XIGDUO XR..... | 23 |
| TYVASO DPI TITRATION KIT..... | 46 | <i>vilamit mb</i> | 30 | XIIDRA..... | 84 |
| UBRELVY..... | 76 | <i>vilazodone hcl</i> | 19 | XOFLUZA (40 MG DOSE)..... | 43 |
| <i>ultra b-100 complex</i> | 82 | <i>vilevev mb</i> | 30 | XOFLUZA (80 MG DOSE)..... | 43 |
| <i>unithroid</i> | 94 | <i>viorele</i> | 47 | XOPENEX HFA..... | 14 |
| UPTRAVI..... | 46 | VIRACEPT..... | 41 | XOSPATA..... | 35 |
| UPTRAVI TITRATION..... | 46 | VIREAD..... | 42 | XPOVIO (100 MG ONCE WEEKLY).... | 35 |
| <i>uretron d/s</i> | 30 | VISTOGARD..... | 24 | XPOVIO (40 MG ONCE WEEKLY)..... | 35 |
| <i>urogesic-blue</i> | 30 | <i>vitamin b complex</i> | 80 | XPOVIO (40 MG TWICE WEEKLY).... | 35 |
| <i>uro-mp</i> | 30 | <i>vitamin b complex-c</i> | 80 | XPOVIO (60 MG ONCE WEEKLY)..... | 35 |
| <i>ursodiol</i> | 67 | <i>vitamin d (ergocalciferol)</i> | 100 | XPOVIO (60 MG TWICE WEEKLY).... | 35 |
| USTEKINUMAB-TTWE..... | 57 | <i>vitamin-b complex</i> | 80 | XPOVIO (80 MG ONCE WEEKLY)..... | 35 |
| <i>valacyclovir hcl</i> | 43 | VITRAKVI..... | 35 | XPOVIO (80 MG TWICE WEEKLY).... | 35 |
| VALCHLOR..... | 56 | VIZIMPRO..... | 33 | XTAMPZA ER..... | 9 |
| <i>valganciclovir hcl</i> | 42 | <i>volnea</i> | 47 | XTANDI..... | 31 |
| <i>valproic acid</i> | 18 | VONJO..... | 36 | <i>xulane</i> | 50 |
| <i>valsartan</i> | 28 | VOQUEZNA..... | 95 | XULTOPHY..... | 22 |
| <i>valsartan-hydrochlorothiazide</i> | 28 | VORANIGO..... | 36 | XURIDEN..... | 64 |
| VALTOCO 10 MG DOSE..... | 16 | <i>voriconazole</i> | 25 | XYREM..... | 88 |
| VALTOCO 15 MG DOSE..... | 16 | VOSEVI..... | 43 | <i>xyvona</i> | 9 |
| VALTOCO 20 MG DOSE..... | 16 | VOYDEYA..... | 70 | XYWAV..... | 89 |
| VALTOCO 5 MG DOSE..... | 16 | VRAYLAR..... | 39 | YESINTEK..... | 57 |
| <i>valtya 1/35</i> | 50 | VUMERITY..... | 90 | YONSA..... | 31 |
| <i>valtya 1/50</i> | 50 | <i>vyfemla</i> | 50 | <i>yuvafem</i> | 99 |
| <i>vancomycin hcl</i> | 29 | <i>vylibra</i> | 50 | <i>zafemy</i> | 50 |
| <i>vandazole</i> | 99 | VYVGART HYTRULO..... | 78 | <i>zafirlukast</i> | 14 |
| VANFLYTA..... | 35 | <i>warfarin sodium</i> | 15 | <i>zaleplon</i> | 72 |
| VAQTA..... | 99 | <i>water for irrigation, sterile</i> | 79 | ZEJULA..... | 37 |
| <i>varenicline tartrate</i> | 92 | WELIREG..... | 33 | ZELBORAF..... | 32 |
| <i>varenicline tartrate (starter)</i> | 92 | <i>wera</i> | 50 | <i>zelvysia</i> | 64 |
| <i>varenicline tartrate(continue)</i> | 92 | <i>wescap-pn dha</i> | 82 | <i>zenatane</i> | 55 |
| VARIVAX..... | 99 | WIDE-SEAL DIAPHRAGM 60..... | 75 | ZENPEP..... | 62 |
| VARIZIG..... | 88 | WIDE-SEAL DIAPHRAGM 65..... | 75 | ZEPOSIA..... | 92 |
| VAXELIS..... | 95 | WIDE-SEAL DIAPHRAGM 70..... | 75 | ZEPOSIA 7-DAY STARTER PACK..... | 92 |
| VAXNEUVANCE..... | 97 | WIDE-SEAL DIAPHRAGM 75..... | 75 | ZEPOSIA STARTER KIT..... | 92 |
| <i>velivet</i> | 53 | WIDE-SEAL DIAPHRAGM 80..... | 75 | <i>zidovudine</i> | 42 |
| VELPHORO..... | 68 | WIDE-SEAL DIAPHRAGM 85..... | 75 | <i>zileuton er</i> | 12 |
| VELTASSA..... | 79 | WIDE-SEAL DIAPHRAGM 90..... | 75 | <i>ziprasidone hcl</i> | 39 |
| VEMLIDY..... | 42 | WIDE-SEAL DIAPHRAGM 95..... | 75 | ZIRGAN..... | 85 |
| VENCLEXTA..... | 32 | <i>wixela inhub</i> | 13 | ZOLINZA..... | 33 |
| VENCLEXTA STARTING PACK..... | 32 | <i>womans laxative</i> | 74 | <i>zolmitriptan</i> | 77 |
| <i>venlafaxine hcl</i> | 19 | <i>womens laxative</i> | 74 | <i>zolpidem tartrate</i> | 72 |
| <i>venlafaxine hcl er</i> | 19 | <i>wymzya fe</i> | 50 | <i>zolpidem tartrate er</i> | 72 |
| VENTOLIN HFA..... | 13 | XALKORI..... | 32 | ZOMIG..... | 77 |
| <i>venxxiva</i> | 69 | <i>xarah fe</i> | 53 | <i>zonisamide</i> | 17 |
| VEOZAH..... | 64 | XARELTO..... | 15 | ZONTIVITY..... | 70 |
| <i>verapamil hcl</i> | 45 | XARELTO STARTER PACK..... | 15 | <i>zovia 1/35 (28)</i> | 50 |
| <i>verapamil hcl er</i> | 45 | XDEMVY..... | 85 | ZTLIDO..... | 60 |
| VERZENIO..... | 36 | XELJANZ..... | 4 | ZUBSOLV..... | 10 |
| <i>vestura</i> | 50 | XELJANZ XR..... | 4 | <i>zumandimine</i> | 50 |

| | |
|----------------------------|----|
| ZURZUVAE..... | 18 |
| ZYDELIG..... | 37 |
| ZYKADIA..... | 32 |
| ZYLET..... | 86 |
| ZYMFENTRA (2 PEN)..... | 68 |
| ZYMFENTRA (2 SYRINGE)..... | 68 |